



**SHEIKH ZAYED HOSPITAL
RAHIM YAR KHAN.**

email: szmcdm@gmail.com website: www.szmc.edu.pk
Tel. (068) 9230161-163, Fax. (068) 9230162

No. 1296-1318 /SZH, Dated 31 --10 - 2020

To

1. M/S Abdullah Traders, 3-Green Town, St. No. 01 Ghous al Azam Road, Near Chungi No. 01 Multan.
2. M/S Sind Medical Store, 13-B, Block-6, PECHS Karachi
3. M/S Reaction Scientific (Pvt.) Ltd, 337, St.# 17, Sector B-17, Block B, Islamabad
4. M/S A.M Healthcare, Suit No. FF/54, Dost Medical Compels, Nishtar Road, Multan
5. M/S Musaji Adam & Sons, Office No. 4, 2nd Floor, Dost Medical Complex, Nishtar Road, Multan
6. M/S A.S Enterprises Diagnostic Division, 3-Mozang Road, Lahore
7. M/S Parazelus, Office No. 201-201, 2nd Floor, Park Tower, Shahrah e Firdousi, Block-5, Clifton, Karachi-75500M/S
8. National Diagnostic Center, Opposite Ahmed Clinical Laboratory, Hospital, Road, R.Y.Khan.
9. M/S Diagnostic Medical Associates, 205-Muhammadia Plaza Road, Rawalpindi
10. M/S Three Stars Medical Supplies, 5-Maclagan Road, Lahore
11. M/S Global Marketing Services, 111 Hali Road Westridet 1, Rawalpindi Cantt.
12. M/S Chemical House, 6-C, Sikandar Malhi Road, Canal Park, Gulberg-II, Lahore
13. M/S Med Lab Services, Office No. 1, 1st Floor, ABC Plaza, Commercial Center, Rawalpindi
14. M/S Blazon Diagnostic, Blazon House No. 45, Pindi Cricket Stadium, Double road, Rawalpindi, Pakistan (051-4855086-88)
15. M/S Briogene, 1st Floor, 234 ahmad Bloc, Garden Town, Lahore Pakistan
16. M/S Zedco, 14-A, Faiz road, Old Muslim Town, Lahore
17. M/S A.H Traders, 50 Lake Road, Old Analkali, Lahore.
18. M/S KMS, Head Office 424, Mashriq Centre, Sir Shah Suleman road, Gulshan e Iqbal Block 14, Karachi
19. M/S A to Zee, A96-1725, Mezzanine Floor Near Pakistan Corporation Hospital Road, Hyderabad.
20. M/S Popular International, House No. 305, Ward No. 08, Ghous e Azam Road, Multan
21. M/S Human Medical Services, No. 77 St. No. 17 Adil Town, Near Sheesh Mahal Marriage Club Al Mustafa Road, Multan

Subject:- ANNOUNCEMENT OF TECHNICAL BID EVALUATION REPORT AND FINANCIAL BID OPENING & FINAZLIATION OF RATES FOR THE BULK PURCHASE OF LAB. KITS, CHEMICALS, REAGENTS AND MISC. ITEMS FOR FINANCIAL YEAR 2020-21.

It is hereby informed that Technical Bid Evaluation Report for the bulk purchase of Lab. Kits, Chemicals, Reagents and Misc. Items for the tender year 2020-21 has been uploaded at the website of Sheikh Zayed Medical College/Hospital, Rahim Yar Khan (www.szmc.edu.pk) on 31-10-2020. All the participating bidders can check their status on this website and submit their

A. M

grievances if any about their quoted items within 10 days up to 10-11-2020 and attend the meeting of Grievances Committee on 13-11-2020 at 11:00 am in committee room of this institution.

FINANCIAL BID OPENING & FINALIZATION OF RATES:-

All the qualified bidders are also informed to attend the meeting for the financial bid opening for the bulk purchase of Lab. Kits, Chemicals, Reagents and Misc. Items for the tender year 2020-21 on 14-11-2020 at 11:30 am and Finalization will be held on 17-11-2020 at 10:30 am committee room of Sheikh Zayed Medical College/ Hospital.


MEDICAL SUPERINTENDENT
Sheikh Zayed Hospital
Rahim Yar Khan

C.C.

1. The Principal, SZMC/SZH, R.Y.Khan.
2. The Chairman Grievances Redressal Committee.

SHEIKH ZAYED HOSPITAL, RAHIM YAR KHAN

BIDDER WISE TECHNICAL COMPARATIVE STATEMENT FOR THE BULK PURCHASE OF LAB. KITS, CHEMICALS, REAGENTS & MISC. ITEMS FY 2020-21

Sr#	Detail	M/S Briogene Pvt. Ltd	M/S Diagnostic Medical Associates	M/S A.S Enterprises	M/S A.M Healthcare	M/S Popular International	M/S Zedco	M/S Abdullah Traders
		1	2	3	4	5	6	7
1	Original receipt for purchase of tender.	Attached	Attached	Attached	Attached	Attached	Attached	Attached
2	Acceptance of terms and condition, tender documents duly signed and stamped.	Signed & Stamp	Signed & Stamp	Signed & Stamp	Signed & Stamp	Signed & Stamp	Signed & Stamp	Signed & Stamp
3	Valid Manufacturer's Authorization	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement
4	An affidavit on stamp paper of Rs.100/- submitting following clauses: i) replacement of unconsumed / expired / substandard spurious drugs / stocks free of cost. ii) that the firm is never blacklisted on any grounds whatsoever. iii) Price Reasonable certificate. (iv) Certificate that prices are not more than trade price.	Attached	Attached	Attached	Not Attached	Attached	Attached	Attached
5	An affidavit on stamp paper submitting that the price quoted to this institute against the quoted items mentioned in the bid are not more than the prices charged from any Purchase Organization in the country and in case of discrepancy the bidder hereby undertakes to refund the price charged in excess".	Not Attached	Attached	Attached	Attached	Attached	Attached	Attached
6	Affidavit on Original Letter Head (as per specimen proforma attached on Page No.24)	Attached	Not Attached	Attached	Attached	Attached	Attached	Attached

Sr#	Detail	M/S Briogene Pvt. Ltd	M/S Diagnostic Medical Associates	M/S A.S Enterprises	M/S A.M Healthcare	M/S Popular International	M/S Zedco	M/S Abdullah Traders
		1	2	3	4	5	6	7
7	Call deposit / Bid Security required (2% of estimated price)	Attached	Attached	Attached	Attached	Attached	Attached	Attached
8	National tax number certificate (as active tax payer) and General Sale Tax number certificate (as importer / sole distributor / sole agent)	Attached	Attached	Attached	Attached	Attached	Attached	Attached
9	Professional Tax	Attached	Attached	Attached	Attached	Not Attached	Attached	Attached
10	Bank Statement or Audit Report last one year.	Attached	Attached	Attached	Attached	Attached	Attached	Attached
11	Experience Certificate / Past Performance Certificate	Attached (08 Years)	Attached (07 Years)	Attached (11 Years)	Attached (10 Years)	Attached (05 Years)	Attached (05 Years)	Attached (08 Years)
12	Sample provided as per Proforma attached (Page No.26)	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement
13	The Original price List of the firm indicating the inclusion of the item / product of quoted item (Latest)	Not Attached	Attached	Attached	Not Attached	Not Attached	Not Attached	Attached
14	The bidder is required to provide Financial Proposal with the name of items, tender number and serial number in the exact manner as quoted in the Technical Proposal	Followed	Followed	Followed	Followed	Followed	Followed	Followed
15	Price should not be mentioned on technical bid.	Followed	Followed	Followed	Followed	Followed	Followed	Followed
16	Quality Certificates (ISO/CE/IVD/ FDA & any other)	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement
17	Valid Import License (issued by DRAP in case of Importers)Form 4	Attached	Attached	Attached	Attached 1. SEIMENS	Not Attached	Attached	Attached

Sr#	Detail	M/S Briogene Pvt. Ltd	M/S Diagnostic Medical Associates	M/S A.S Enterprises	M/S A.M Healthcare	M/S Popular International	M/S Zedco	M/S Abdullah Traders
		1	2	3	4	5	6	7
18	Sole Agency Certificate / Agreement with foreign Principal (in case of Importer) Translated in English. Sole agents having less-than one year market experience will not be entertained.	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement
19	Letter of Intention (as per specimen proforma attached)	Attached	Attached	Attached	Attached	Attached	Attached	Attached
20	Remarks (if any)	Non-responsive Subject to provision of Documents 1. Affidavit at Sr. No. 05	Non-responsive Subject to provision of Documents 1. Affidavit at Sr. No. 6	Responsive	Non-responsive Subject to provision of Documents 1. affidavit at Sr. No. 04 2. Import Licence issued from DRAP of the following i. Pakistan Microbiology ii. BioRad iii. Ali Gohar & Company	Non-responsive Subject to provision of Documents 1. Professional Tax Certificate 2. Import Licence issued from DRAP	Responsive	Responsive

Sr#	Detail	M/S Blazone Diagnostic	M/S National Diagnostic Center	M/S Chemical House	M/S Parazelsus	M/S KMS	M/S A to Zee	M/S Reactin Scientific
		8	9	10	11	12	13	14
7	Call deposit / Bid Security required (2% of estimated price)	Attached	Attached	Attached	Attached	Attached	Attached	Attached
8	National tax number certificate (as active tax payer) and General Sale Tax number certificate (as importer / sole distributor / sole agent)	Attached	Attached	Attached	Attached	Attached	Attached	Attached
9	Professional Tax	Attached	Attached	Attached	Expired	Not Attached	Attached	Not Attached
10	Bank Statement or Audit Report last one year.	Attached	Attached	Attached	Audit Report (Old)	Attached	Attached	Attached
11	Experience Certificate / Past Performance Certificate	Attached (10 Years)	Attached (15 Years)	Attached (10 Years)	Bidder has no market experience	Attached (03 Years)	Attached (05 Years)	Attached (03 Years)
12	Sample provided as per Proforma attached (Page No.26)	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement
13	The Original price List of the firm indicating the inclusion of the item / product of quoted item (Latest)	Attached	Not Attached	Not Attached	Not Attached	Not Attached	Not Attached	Not Attached
14	The bidder is required to provide Financial Proposal with the name of items, tender number and serial number in the exact manner as quoted in the Technical Proposal	Followed	Followed	Followed	Followed	Followed	Followed	Followed
15	Price should not be mentioned on technical bid.	Followed	Followed	Followed	Followed	Followed	Followed	Followed
16	Quality Certificates (ISO/CE/IVD/ FDA & any other)	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement
17	Valid Import License (issued by DRAP in case of Importers)Form 4	Attached	(Attached) 1. Keyyani Medical Solution 2. Martin Dow	Attached	(Attached) 1. Roche, Pak	Attached	Attached	Attached

Sr#	Detail	M/S Blazone Diagnostic	M/S National Diagnostic Center	M/S Chemical House	M/S Parazelsus	M/S KMS	M/S A to Zee	M/S Reactin Scientific
		8	9	10	11	12	13	14
18	Sole Agency Certificate / Agreement with foreign Principal (in case of Importer) Translated in English. Sole agents having less-than one year market experience will not be entertained.	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement	Mentioned agaisnt each item in Item wise Comparative Statement
19	Letter of Intention (as per specimen proforma attached)	Attached	Attached	Not Attached	Attached	Attached	Not Attached	Attached
20	Remarks (if any)	Non-Responsive Subject to provision of documents:- 1. Affidavit at Sr. No. 04	Non-responsive Subject to provision of Docuemnts 1. Import Licence issued from DRAP i. Diagnostic Solution ii. Miraj Corporation	Non-responsive Subject to provision of Documents 1. Affidavit at Sr. No. 04 2. Letter of Intention	Non-responsive Subject to provision of Documents 1. Professional Tax Certificate 2. Bank Statement or Audit Reprot 3. Market Experience e.g supply orders of last years	Non-responsive Subject to provision of Documents 1. Affidavit at Sr. No. 05 2. Professional Tax	Non-responsive Subject to provisio of documents 1. Acceptance not signed & stamp 2. Affidavit at sr. No. 04 &05 3. CDR Not visible 4. Letter of Intention	Non-responsive Subject to provisio of documents 1. Acceptance not signed & stamp 2. Affidavit at sr. No. 04 3. Professional Tax

Sr#	Detail	M/S Three Star	M/S Global Marketing Services	M/S MedLab Services	M/S Musaji Adam & Sons	M/S Sind Medical Store	M/S Human Medical Services	M/S A.H Traders
		15	16	17	18	19	20	21
20	Remarks (if any)	Non-responsive Subject to provisio of documents 1. Import license issued from DRAP	Responsive	Responsive	Responsive	Responsive	Non-responsive Subject to provisio of documents 1. Professional Tax Certificate 2. Import license issued from DRAP of LTA	Non-responsive Subject to provisio of documents 1.Import license issued from DRAP

Dr. Sehrish Javed
Pharmacist Medicine Procurement

Dr. Maria Zulfiqar
Pharmacist Medicine Procurement

Miss. Aiza Saleem
Pharmacist Medicine Procurement

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Mansoor Tariq
D.M.S (Stores)

Assoc. Prof. Dr. Sabahat Tariq
Chemical Pathology Department

Assoc. Prof. Dr. Wazhir Ali Khan
Neurology Department

Prof. Dr. Muhammad Bilal Ghafoor
Haematology Deptment

Prof. Dr. Muhammad Shahbaz Hussain
Medicine Department

Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Ghulam Fareed
Medicine Department

Prof. Dr. Zaffar Iqbal
Orthopaedic Department

Prof. Dr. Muhammad Fahim Awan
E.N.T Department

Prof. Dr. Muhammad Suleman Khan
Pathology Department

Dr. Thouheed Ahmed Khan
Medical Superintendent
Sheikh Zayed Hospital,
Rahim Yar Khan

Prof. Dr. Shazia Majid Khan
H.O.D Gynae & Obs. Department
Chairperson Technical Scrutiny Committee
Sheikh Zayed Hospital,
Rahim Yar Khan

SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

Item-Wise Technical Comparative Statement for the Bulk Purchase of Lab. Kits, Chemicals, Reagents & Misc. Items for Financial Year 2020-21.

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													
				2	2	2	2	2											

Chemical Pathology Section:

Latest Automated Chemistry Analyzer (Throughput: 300-500 Tests/Hour), without ISE, Builtin Refrigerator, Clot Detector, Wave-Length 340-700nm, Reagent Position > 40, Sample Position > 100, Auto Dilution, Sample Specification (Serum, Plasma, Urine, CSF, Whole Blood), Analytical Principle and Method (Spectrophotometry and Photometry, On Board Reagent Stability average 28 days, CE Marked / FDA / GMP Approved. Turbidimetry, builtin QC Program , with i5 Computer System, Printer, LED with UPS 2KVA: (Make: USA, Japan, Europe) on Reagent Rental Basis.

1 Glucose Reagent Kit800T																			
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x5200 T	10	6	2	2		2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x960 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Popular International	Humaster 300 SR Human, Germany	1x300 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
2 Urea Reagent Kit (Kinetic UV)500T																			
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x4920 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x1200 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Popular International	Humaster 300 SR Human, Germany	1x300 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
3 Creatinine Reagent Kit700T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x3960 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x800 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Popular International	Humaster 300 SR Human, Germany	1x300 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
4 Uric Acid Reagent Kit400T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x2500 T	10	6	2	2		2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x960 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Popular International	Humaster 300 SR Human, Germany	1x300 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
5 Cholesterol Reagent Kit400T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x7320 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x960 T	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive				
M/S Popular International	Humaster 300 SR Human, Germany	1x200 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
6 Triglyceride Reagent Kit250T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x3000 T	10	6	2	2		2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x960 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Popular International	Humaster 300 SR Human, Germany	1x180 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
7 HDL-Cholesterol Reagent Kit with Q.C350T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x740 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x320 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Popular International	Humaster 300 SR Human, Germany	1x200 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
8 Total Bilirubin Reagent Kit 250T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x6280 T	10	6	2	2		2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x1200 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Popular International	Humaster 300 SR Human, Germany	1x300 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
9 SGPT Reagent Kit500T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x3920 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x1200 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Humaster 300 SR Human, Germany	1x400 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
10 SGOT Reagent Kit 500T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x3920 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x1200 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Humaster 300 SR Human, Germany	1x400 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
11	Alkaline Phosphatase Reagent Kit 400T																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x3280 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x300 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Humaster 300 SR Human, Germany	1x300 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
12	Total Protein Reagent Kit 300T																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x3000 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x320 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Humaster 300 SR Human, Germany	1x300 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
13	Magnesium Kit250T																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x1000 T	10	6	2	2		2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x300 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Humaster 300 SR Human, Germany	1x120 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
14 Calcium Reagent Kit300T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x2800 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x960 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Popular International	Human, Germany	1x300	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
15 Phosphorours Reagent Kit250T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x2360 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x320 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Popular International	Human, Germany	1x120 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
16 Amylase Reagent Kit300T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x960 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x320 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
M/S Popular International	Human, Germany	1x200 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
17 LDH300T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x2560 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x1200 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
M/S Popular International	Human, Germany	1x200 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
18 Hb.A I C Reagent Kit 150T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	1x400 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x300 T	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
M/S Popular International	Human, Germany	1x135 T	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
19	Control & Calibrator for HbA1c (FOC)3x2 ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	2x0.25 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	No Pack Size	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Human, Germany	3x2 ml	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
20	Quality Control Clinical Chemistry (Normal) (Same Lot with Same Expiry Date on each Supply)4X5ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	20x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x25 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Human, Germany	6x5 ml	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
21	Quality Control Clinical Chemistry (Pathological) (Same Lot with Same Expiry Date on each Supply)4X5ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	20x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x25 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Human, Germany	6x5 ml	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
22	Calibrator Same Lot with Same Expiry Date on each Supply12x3ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland (AU-680)	20x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S A to Zee Interprises	BioSystem Spain (BA-400)	1x25 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Human, Germany	4x5 ml	6	4	2	0	0	0	0	5	5	Y	Y	Y	N	Not Evaluated	22	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
23	All necessary consumables as per specification of quoted Instrument / Requirement of the End User. Most preferably on FOC Basis.																			
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																				

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													

Latest Fully Automated Chemistry Analyzer:
 Throughput minimum 1000-1200 Tests/Hr with ISE), Builtin refrigerator, Random Access, Auto Dilution, Auto Repeat from Pre Diluted Samples. Builtin QC Program, Wave Length 340-800 nm, Reagent Position > 80, Sample Position > 80, O.D 0.0-3.0, Reaction Volume 100-350 ul/Test, Stat facility, Barcoding, Clot Detection, Short Sample Detection, On Board Reagent Stability average 30 days on Reagent Rental Basis, CE Marked / FDA / GMP Approved. With UPS (3 KVA), Airconditioner 1.5 Ton, HP LaserJet Printer and all necessary accessories, controls and calibrators. (Make: USA, Japan, Europe.)

24	ALT3920T																		
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x3920 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
25	Albumin4560T																		
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x4560 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
26	ALP3280T																		
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x3280 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
27	α-Amylase960T																		
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x930 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
28	AST3920T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x3920 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
29	Calcium2800T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x2800 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
30	Cholesterol7320T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x7320 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
31	CK-MB460T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x460 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
32	CK (NAC)920T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x920 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	5	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
33	Creatinine3960T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x3960 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	5	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
34	Glucose5200T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x5200 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	5	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
35	HbA1c with Calibrator (IFCC/NGSP Certified)560T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x400 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	5	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
36	HbA1c Control2x0.25ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	2x0.25 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas (Normal, Abnormal)	No Pack Size	0	2	2	2	0	0	0	5	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
37	HbA1c Denature Reagent1x50ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x150 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
38	HDL-Cholesterol Reagent Kit with Q.C740T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x740 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
39	Total, Direct Bilirubin 6280T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x920 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
40	Triglyceride3000T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x3000 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
41 Urea4920T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x4920 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
42 Uric Acid2500T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x2500 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
43 C. Reactive Protein (CRP) Reagent Kit 4x30ml (R1 & R2) (1520 T)																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x380 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
44 Magnesium Kit800T																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x1000 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
<u>Kits / Reagents – ISE</u>																					
45 ISE Buffer4x2000ml																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x2000 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													
46 ISE Mid Standard 4x2000ml																			
M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x2000 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
47 ISE Reference 4x1000ml																			
M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x1000 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
48 ISE Na / K Selectivity Check 2x25ml																			
M/S A.M Healthcare	Beckman Coulter USA / Ireland	2x25 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
49 ISE Internal Reference 2x25ml																			
M/S A.M Healthcare	Beckman Coulter USA / Ireland	2x25 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument
50 ISE Cleaning Solution 6x500ml																			
M/S A.M Healthcare	Beckman Coulter USA / Ireland	6x500 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
Calibrators and Controls - Routine Chemistry and ISE																					
51	Multi Calibrator 20x5ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	20x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
52	Multi Control – 120x5ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	20x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
53	Multi Control – 220x5ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	20x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
54	ISE Low Serum Standard 4x100ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x100 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
55	ISE High Serum Standard4x100ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x100 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
56	CK-MB Calibrator6x1ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6x1 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
57	CK-MB Control Level 19x2ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	9x2 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
58	CK-MB Control Level 29x2ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	9x2 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
59	HDL Cholesterol Control3x5ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	3x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
	M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
60 HDL Cholesterol Calibrator 2x3ml																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	2x3 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
61 hs- CRP Calibrator 5x2ml																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	5x2 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
62 hs- CRP Control Level 14x3ml																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x3 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
63 hs- CRP Control Level 24x3ml																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x3 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		
Consumables (Preferably FOC)																					
64 Wash Solution 6x2Ltr																					
M/S A.M Healthcare	Beckman Coulter USA / Ireland	6x2 Ltr	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive			
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	0	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
65 Cleaning Solution (Contamination Avoidance)4x54 ml R1																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x54 ml R1	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
66 Sample Cup (0.5ml)1x1000Nos																				
M/S Three Star Medical Supplies	China	1x1000 Nos	10	4	0	0	0	0	0	5	5	N	Y	N	N	Approved (Already in use)	24	Responsive	Subject to provision of Tender Documents	
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x1000 Nos	10	6	2	2	0	2	0	5	5	Y	Y	Y	N	Approved (Prev. exp)	32	Responsive		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
Maintenance Consumables (Preferably FOC)																				
67 Photometer Lamp 20W1No																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x1 No	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
68 Plastic Peristaltic Tubing (Roller Pump Tube)1X2Nos / Set																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x2 Nos	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive		
M/S Parazelsus	Roche Cobas	No Pack Size	0	2	2	2	2	0	0	0	5	Y	One Year	Y	N	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents & evaluation of instrument	
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																				
69 All necessary consumables as per specification of quoted Instrument / Requirement of the End User. Most preferably on FOC Basis.																				

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc) d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													
Kits for Semi-Automatic Chemistry Analyzer																			
70	Glucose Reagent Kit1000ml																		
M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	1x1000 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
M/S A to Zee Interprises	BioSystem Spain	1x1000 ml	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Reaction Scientific	Spinreact, Spain	1x1000 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
M/S Popular International	Human, Germany	1x1000 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Blazon Diagnostic	BSM, Spain	4x250 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
71	Urea Reagent Kit (Kinetic UV)500ml																		
M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	5x100 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
M/S A to Zee Interprises	BioSystem Spain	2x250 ml	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
M/S Popular International	Human, Germany	8x50 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Blazon Diagnostic	BSM, Spain	5x40 ml / 2x25 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
72 Creatinine Reagent Kit500ml																				
M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	6x100 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive		
M/S A to Zee Interprises	BioSystem Spain	2x500 ml	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
M/S Popular International	Human, Germany	1x200 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
73 Uric Acid Reagent Kit500ml																				
M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	5x100 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive		
M/S A to Zee Interprises	BioSystem Spain	1x1000 ml	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
M/S Reaction Scientific	Spinreact, Spain	1x200 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
M/S Popular International	Human, Germany	1x400 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
74 Cholesterol Reagent Kit400ml																					
M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	5x100 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive			
M/S A to Zee Interprises	BioSystem Spain	1x500 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Reaction Scientific	Spinreact, Spain	1x500 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S Popular International	Human, Germany	1x400 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Blazon Diagnostic	BSM, Spain	4x250 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
75 Triglyceride Reagent Kit400ml																					
M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	5x100 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive			
M/S A to Zee Interprises	BioSystem Spain	2x250 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S Popular International	Human, Germany	1x400 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
76	Direct Bilirubin Reagent Kit 200ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	1x515 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	2x500 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x200 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
77	Total Bilirubin Reagent Kit 200ml																			
	M/S A to Zee Interprises	BioSystem Spain	2x500 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x200 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
78	SGPT Reagent Kit1000ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	5x100 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	1x200 ml	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	1x1000 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	5x40 ml / 2x25 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
79	SGOT Reagent Kit1000ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	5x100 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	1x500 ml	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	8x50 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	5x40 ml / 1x25 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
80	Alkaline Phosphatase Reagent Kit 1000ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	5x100 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	1x500 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	8x50 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	5x40 ml / 2x25 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
81	Total Protein Reagent Kit 1000ml																			
	M/S A to Zee Interprises	BioSystem Spain	2x250 ml	6	0	2	2	2	2	0	5	5	Y	N	N	Y	Approved	24	Non-responsive	Subject to provision of essential required tender documents
	M/S Reaction Scientific	Spinreact, Spain	1x500 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Human, Germany	4x100 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
82	Albumin Reagent Kit1000ml																				
M/S A to Zee Interprises	BioSystem Spain	2x250 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Reaction Scientific	Spinreact, Spain	1x500 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S Popular International	Human, Germany	4x100 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
83	CK, NAC Reagent Kit (Creatinine Kinase) CPK200ml																				
M/S A to Zee Interprises	BioSystem Spain	2x250 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Reaction Scientific	Spinreact, Spain	1x75 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S Popular International	Human, Germany	10x10 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Blazon Diagnostic	BSM, Spain	1x20 ml / 1x5 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
84	Magnesium Kit600ml																				
M/S A to Zee Interprises	BioSystem Spain	1x50 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			
M/S Reaction Scientific	Spinreact, Spain	1x100 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S Popular International	Human, Germany	1x200 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
85	Calcium Reagent Kit200ml																				
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	6x25 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive		
	M/S A to Zee Interprises	BioSystem Spain	1x200 ml	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	5	5	Y	N	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	1x200 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
86	Phosphorours Reagent Kit250ml																				
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	6x25 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive		
	M/S A to Zee Interprises	BioSystem Spain	1x170 ml	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	1x300 ml	4	0	2		0	0	5	5	Y	N	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	1x200 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
87	Amylase Reagent Kit125ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	12x5 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	5x5 ml	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	1x120 ml	4	0	2		0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	12x10 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	1x50 ml	10	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
88	Serum Iron Reagent Kit200ml																			
	M/S A to Zee Interprises	BioSystem Spain	1x200 ml	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	1x200 ml	4	0	2		0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	1x200 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
89	Total Iron Binding Capacity (T.I.B.C.) Reagent Kit100T																			
	M/S A to Zee Interprises	BioSystem Spain	1x50 T	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	1x75 ml	4	0	2		0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	1x100 T	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
90	LDH1x100ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	10x15 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	1x200 ml	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Reaction Scientific	Spinreact, Spain	1x75 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	10x10 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	1x60 ml / 1x15 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
91	CSF Protein Reagent Kit (Microalbumin Urea)125ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	6x25 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	No Pack Size	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Reaction Scientific	Spinreact, Spain	1x100 ml	4	0	2		0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Blazon Diagnostic	BSM, Spain	2x125 ml	10	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
92	Hb.A I C Reagent Kit 100T																			
	M/S A to Zee Interprises	BioSystem Spain	No Pack Size	6	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Human, Germany	1x100 T	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
93	Quality Control Clinical Chemistry (Normal) (Same Lot with Same Expiry Date on each Supply)6X5 ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	6x5 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	5x5 ml	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	10x5 ml	4	0	2		0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	6x5 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	4x5 ml	10	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
94	Quality Control Clinical Chemistry (Pathological) (Same Lot with Same Expiry Date on each Supply)6X5 ml																			
	M/S National Diagnostic Center	Innoline, (Manufactured by Martin Dow, France)	6x5 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	36	Responsive	
	M/S A to Zee Interprises	BioSystem Spain	5x5 ml	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
	M/S Reaction Scientific	Spinreact, Spain	10x5 ml	4	0	2		0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	6x5 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Blazon Diagnostic	BSM, Spain	4x5 ml	10	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
95	Extran2.5LTR																			
	M/S National Diagnostic Center	Merck, Germany	1x2.5 Ltr	10	8	2	0	0	0	5	5	Y	Y	Y	N	Approved (Prev. exp.)	30	Responsive		
96	Lamp for Erba Cham 7 (Technical Lamp)1NO																			
	NOT QUOTED																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
97	Lamp for Microlab 300 (Technical Lamp)1NO																			
	M/S National Diagnostic Center	International Light Technologies, USA	1x1 No	10	2	0	0	0	0	0	5	5	N	Y	N	N	No Sample	22	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Reaction Scientific	Spinreact, Spain	1x1 No	4	0	2	0	0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
98	Micropipette fix 10 ml1NO																			
	M/S National Diagnostic Center	Bio-DL (Genex)China	1x1 No	10	2	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive	
	M/S Three Star Medical Supplies	China	1x1 No	10	4	0	0	0	0	0	5	5	N	N	N	N	No Sample	24	Non-responsive	Subject to provision of Brand Name and other required tender documents
	M/S Reaction Scientific	Spinreact, Spain	1x1 No	4	0	2	0	0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x1 No	6	4	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
99	Micropipette (Adjustable) 05-50µl1NO																			
	M/S National Diagnostic Center	Bio-DL (Genex)China	1x1 No	10	2	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive	
	M/S Three Star Medical Supplies	China	1x1 No	10	4	0	0	0	0	0	5	5	N	N	N	N	No Sample	24	Non-responsive	Subject to provision of Brand Name and other required tender documents
	M/S Reaction Scientific	Spinreact, Spain	1x1 No	4	0	2	0	0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x1 No	6	4	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Musaji Adam & Sons	Dragon Lab, China	1x1 No	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
100	Micropipette (Adjustable) 20-200µl1NO																				
	M/S National Diagnostic Center	Bio-DL (Genex)China	1x1 No	10	2	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive		
	M/S Three Star Medical Supplies	China	1x1 No	10	4	0	0	0	0	0	5	5	N	N	N	N	No Sample	24	Non-responsive	Subject to provision of Brand Name and other required tender documents	
	M/S Reaction Scientific	Spinreact, Spain	1x1 No	4	0	2	0	0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	1x1 No	6	4	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Musaji Adam & Sons	Dragon Lab, China	1x1 No	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample	
101	Micropipette (Adjustable) 100-1000µl1NO																				
	M/S National Diagnostic Center	Bio-DL (Genex)China	1x1 No	10	2	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive		
	M/S Three Star Medical Supplies	1x1 No	China	10	4	0	0	0	0	0	5	5	N	N	N	N	No Sample	24	Non-responsive	Subject to provision of Brand Name and other required tender documents	
	M/S Reaction Scientific	Spinreact, Spain	1x1 No	4	0	2	0	0	0	0	5	5	Y	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Popular International	Human, Germany	1x1 No	6	4	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S Musaji Adam & Sons	Dragon Lab, China	1x1 No	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample	
Two Latest Brand New Fully Automatic 3-Part Electrolyte Analyzers with UPS (2 KV PURE SINE WAVE), ISE principle and flexible configuration with low maintenance, QC & QC Data Storage for > 20 days, data record of reagent and consumable tests. Sample specification for Plasma, Serum, Flagging for abnormal values, Builtin Calibration may be offered on reagent rental basis (Make: USA, Japan, Europe)																					

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													
102 REAGENT Pack (1000T)																			
M/S Abdullah Traders	Fortress, UK	STD A 650 ml STD B 350 ml	10	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
M/S Popular International	Humalyte-3 Plus, Human, Germany	1x1000 ml	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
103 Cleaning Solution (FOC)1NO.																			
M/S Abdullah Traders	Fortress, UK	Each	10	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
M/S Popular International	Humalyte-3 Plus, Human, Germany	1x1 N0	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
104 Quality Control (FOC) (With all three levels and Same Lot with Same Expiry Date on each Supply) 1No.																			
M/S Abdullah Traders	Fortress, UK	Each	10	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
M/S Popular International	Humalyte-3 Plus, Human, Germany	1x1 N0	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
105 Thermal Printing Paper (FOC)1NO.																			
M/S Abdullah Traders	Local	Each	10	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
M/S Popular International	Human, Germany	1x1 N0	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
106 Sample Cup (As per Requirement) (FOC)500Nos																			
M/S Abdullah Traders	Imported	Each	10	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
M/S Popular International	Human, Germany	1x500 Nos	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
107 All Consumables as required by the Instrument (FOC)																			
All consumables will be provided FOC																			
All consumables will be provided FOC																			
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																			
Consumable Items:																			
108 Yellow Tips for Micropipette 1x1000 nos.Nos																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
	M/S Three Star Medical Supplies	China	1x1000 No	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved (Already in use)	24	Non-responsive	Subject to provision of required tender documents
	M/S Musaji Adam & Sons	Kartel, Italy	1x1000 No	10	0	2	0	0	0	0	0	3	Y	N	N	N	No Sample	15	Non-responsive	Subject to provision of sample and required tender documents
109	Blue Tips for Micropipette 1x500Nos																			
	M/S Three Star Medical Supplies	China	1x1000 No	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved (Already in use)	24	Non-responsive	Subject to provision of required tender documents
	M/S Musaji Adam & Sons	Kartel, Italy	1x1000 No	10	0	2	0	0	0	0	0	3	Y	N	N	N	No Sample	15	Non-responsive	Subject to provision of sample and required tender documents
110	Torniquote (button) 1x1Nos																			
	M/S Three Star Medical Supplies	China	1x1 No.	10	4	0	0	0	0	0	5	5	Y	N	N	Y	Approved (Already in use)	24	Non-responsive	Subject to provision of required tender documents
111	Centrifuge Tube Plastic 3" (Transparent, Plastic Conical) 1x500Nos																			
	M/S Three Star Medical Supplies	China	1x150 Nos	10	4	0	0	0	0	0	5	5	N.A	Y	N.A	Y	Approved (Already in use)	24	Non-responsive	Subject to provision of required tender documents
112	Test Tubes Rack Steel (24-tubes) 6ml 1x1Nos																			
	M/S Three Star Medical Supplies	1x1 No	Local	10	4	0	0	0	0	0	5	5	N.A	Y	N.A	Y	Approved (Already in use)	24	Responsive	
113	Test Tubes Rack Steel (24-tubes) 3ml 1x1Nos																			
	M/S Three Star Medical Supplies	1x1 No	Local	10	4	0	0	0	0	0	5	5	N.A	Y	N.A	Y	Approved (Already in use)	24	Responsive	
114	Needle Cutter (Large Size) Steel/Plastic 1x1Nos																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
	M/S Three Star Medical Supplies	1x1 No	Local	10	4	0	0	0	0	0	5	5	N.A	Y	N.A	Y	Approved (Already in use)	24	Responsive	
115	Gel Test Tube 4ml 1x100Nos																			
	M/S Three Star Medical Supplies	1x100 Nos	BioVac	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved (Already in use)	24	Non-responsive	Subject to provision of Tender Documents
	M/S Keyyani Medical Solution	1x100 Nos	Jiangzi, China	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive	
	M/S National Diagnostic Center	1x100 Nos	Xinle, China	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
116	Disposable Centrifuge Tube 6" (Plastic-Transparent, Conical)1x100Nos																			
	M/S Three Star Medical Supplies	China	1x100 Nos	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved (Already in use)	24	Non-responsive	Subject to provision of required tender documents
	M/S Musaji Adam & Sons	Axygen, USA	1x500 Nos	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample
117	Disposable Syringe Cap (Stopper)1x1000Nos																			
	M/S National Diagnostic Center	1x1000 Nos	Local	10	2	0	0	0	0	0	5	5	N	Y	N	N	Approved (Already in use)	22	Responsive	
	M/S Three Star Medical Supplies	1x1000 Nos	Pakistan	10	4	0	0	0	0	0	5	5	N	N	N	Y	Approved	24	Responsive	
118	Serum Cups Electrolyte																			
	M/S Human Medical Services	China	1x1000 No	8	0	0	0	0	0	0	5	5	N	N	N	Y	Approved	18	Non-responsive	Subject to provision of Tender Documents
	M/S Musaji Adam & Sons	Kartel, Italy	1x1000 No	10	0	2	0	0	0	0	0	3	Y	N	N	Y	Approved	15	Non-responsive	Subject to provision of Tender Documents
119	Empty Tubes (Red Cap)1x1Nos																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N					A/R
		ISO	CE	IVD	FDA	other															
	M/S National Diagnostic Center	1x100 Nos	China	10	2	2	2	2	0	0	5	5	N	Y	N	N	Approved (Prev. Exp.)	28	Non-responsive	Subject to provision of Tender Documents	
	M/S Three Star Medical Supplies	1x100 Nos	BioVac	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved	24	Non-responsive	Subject to provision of Tender Documents	
120	Alcohol Swab1x200Nos																				
	M/S Three Star Medical Supplies	Pakistan	1x200 Nos	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved	24	Responsive		
Hormone Analyzer (Cobas e 411, Roche) (Purchased Instrument)																					
121	Elecsys Free T3 II200T																				
	M/S Parazelsus	Roche Cobas	1x200 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
122	Elecsys FT3 Calset1x10Calibrator																				
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
123	Elecsys Free T4200T																				
	M/S Parazelsus	Roche Cobas	1x200 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
124	Elecsys FT4 Calset1X10Calibrator																				
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
125	Elecsys TSH200T																				

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
	M/S Parazelsus	Roche Cobas	1x200 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
126	Elecsys TSH Calset1X10Calibrator																			
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
127	Elecsys β-HCG100T																			
	M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
128	Elecsys β-HCG Calset1X10Calibrator																			
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
129	Elecsys Prolactin100T																			
	M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
130	Elecsys Prolactin Calset1X10Calibrator																			
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
131	Elecsys LH100T																			
	M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
132	Elecsys LH Calset1X10Calibrator																			
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
133	Elecsys FSH100T																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
134	Elecsys FSH Calset1X10Calibrator																			
M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
135	Elecsys Testosterone100T																			
M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
136	Elecsys Testosterone Calset1X10Calibrator																			
M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
137	Elecsys Troponin100T																			
M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
138	Elecsys Troponin T Calset1X10Calibrator																			
M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
139	Elecsys CA-125100T																			
M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
140	Elecsys CA-125 Calset1X10Calibrator																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
141	Elecsys CEA100T																			
	M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
142	Elecsys CEA Calset1X10Calibrator																			
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
143	Elecsys PSA100T																			
	M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
144	Elecsys PSA Calset1X10Calibrator																			
	M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
145	Elecsys AFP100T																			
	M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
146	Elecsys AFP Calset1X10Calibrator																			
	M/S Parazelsus	Roche Cobas	2(2x1) ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
147	Elecsys Ferritin100T																			
	M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													
148	Elecsys Ferritin Calset1X10Calibrator																		
M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
149	Pro-BNP100T																		
M/S Parazelsus	Roche Cobas	1x100 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
150	Pro-BNP Calset1X10Calibrator																		
M/S Parazelsus	Roche Cobas	1X10 alibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
Control Sera:																			
151	Elecsys Precicontrol Universal (All levels are with Same Lot and with Same Expiry Date on each Supply)2(2x3)ml																		
M/S Parazelsus	Roche Cobas	2x(2x3)ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
152	Elecsys Precicontrol Tumor Marker (All levels are with Same Lot and with Same Expiry Date on each Supply)2(2x3)ml																		
M/S Parazelsus	Roche Cobas	2x(2x3)ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
153	Elecsys Precicontrol Cardic (All levels are with Same Lot and with Same Expiry Date on each Supply)2(2x3)ml																		
M/S Parazelsus	Roche Cobas	2x(2x3)ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
154	Elecsys Precicontrol Trop-T4x2ml																				
M/S Parazelsus	Roche Cobas	4x2 ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents		
155	Elecsys Assay Cups60x60Nos																				
M/S Parazelsus	Roche Cobas	60x60 ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents		
156	Elecsys Assay Tips30x120Nos																				
M/S Parazelsus	Roche Cobas	30x120 ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents		
157	Elecsys Clean Cell (6x380)ml																				
M/S Parazelsus	Roche Cobas	6x380 ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents		
158	Elecsys Procel (6x380)ml																				
M/S Parazelsus	Roche Cobas	6x380 ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents		
159	Elecsys System Wash 500ml																				
M/S Parazelsus	Roche Cobas	1x500 ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents		
160	Universal Diluant 2x18ml																				
M/S Parazelsus	Roche Cobas	2x18 ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
161	Hitachi sample Cups500Nos																				
M/S Three Star Medical Supplies	China	1x200 Nos	10	4	0	0	0	0	0	0	5	5	N	Y	N	Y	Approved	24	Non-responsive	Subject to provision of essential required tender documents	
M/S Musaji Adam & Sons	Kartel, Italy	1x1000 No	10	0	2	0	0	0	0	0	0	3	Y	N	N	Y	Approved	15	Non-responsive	Subject to provision of essential required tender documents	
162	Eppendorf (Tarpidoz) cups500Nos																				
M/S Three Star Medical Supplies	China	1x200 Nos	10	4	0	0	0	0	0	0	5	5	N	Y	N	N	Approved	24	Non-responsive	Subject to provision of essential required tender documents	
163	ISE Cleaning Solution1x4Bottles																				
M/S Parazelsus	Roche Cobas	5x100 ml	0	2	2	2	2	0	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
164	Measuring Cell1No																				
M/S Parazelsus	Roche Cobas	1x1 Unit	0	2	2	2	2	0	0	0	0	5	Y	One Year	Y	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents	
165	Liquid Waste Bottle1No																				
166	PFC Cables (C21-Assay)1No																				
Latest/Upgraded Automated Hormone Analyzer With Upgraded/Latest Backup Instrument:																					
Throughput > 100 Tests / Hr with upto 28 days or better reagent onboard stability, with low calibration test usage, on Reagent Rental Basis with Printer, UPS (3 KVA PURE SINE WAVE), Airconditioner 1.5 Ton and all other accessories (Make: USA, Japan, Europe)																					
167	Free T3 100T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x100 T	10	6	2	2	0	2	0	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
M/S Parazelsus	Roche Cobas	1x200 Tests	0	2	2	2	2	0	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
168	FT3 Calibrator (FOC)6x4ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
169	Free T4100T																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x200 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
170	FT4 Calibrator (FOC)6x4ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
171	Hypersensitive TSH100T																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x200 Tests	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
172	TSH calibrator (FOC)6x4ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
173	Prolactin100T																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
174	Prolactin Calibrator (FOC)6x4ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
175	LH100T																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
176	LH Calibrator (FOC)6x4ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
177	FSH100T																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
178	FSH Calibrator (FOC)6x4ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
179	Testosterone100T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
180	Testosterone Calibrator (FOC)6x4ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
181	Trop I100T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
182	Trop I Calibrator6x4ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc) d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
183	CA-125100T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
184	CA-125 Calibrator (FOC)6x4ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
185	CEA100T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
186	CEA Calibrator (FOC)6x4ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
187	PSA100T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
188	PSA Calibrator (FOC)6x4ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
189	AFP100T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
190	AFP Calibrator (FOC)6x4ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	2(2x1) ml	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
191	Ferritin100T																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	
192	Ferritin Calibrator (FOC)6x4ml																				
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
193	β-HCG100T																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1X100 T	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive			
M/S Parazelsus	Roche Cobas	1X100 T	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument		
194	β-HCG Calset (FOC)6x4ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	6X4 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive			
M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument		
Control Sera / All necessary consumables as per specification of quoted Instrument / requirement of the end user. Most preferably on FOC Basis																					
195	Immunoassay control Level-1 (Same Lot with Same Expiry Date on each Supply)12x5 ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	12x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive			
M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument		
196	Immunoassay control Level-2 (Same Lot with Same Expiry Date on each Supply)12x5 ml																				
M/S A.M Healthcare	Beckman Coulter USA / Ireland	12x5 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive			
M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
197	Reaction Vessels16x98Variables																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	16x98 Variables	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
198	Wash Buffer4x1950ml																			
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	4x1950 ml	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
199	Sample Cups (2ml)1x1000Nos																			
	M/S Three Star Medical Supplies	China	1x200 Nos	10	4	0	0	0	0	0	5	5	N.A	Y	N.A	N	Approved (Already in use)	24	Responsive	
	M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x1000 Nos	10	6	2	2		2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Musaji Adam & Sons	Axygen, USA	1x1000 No	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents & sample

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													
200	Substrate4x130ml																		
M/S A.M Healthcare	Beckman Coulter USA / Ireland	1x1000 Nos	10	6	2	2	0	2	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
M/S Parazelsus	Roche Cobas	1x10 Calibrator	0	2	2	2	2	0	0	0	5	Y	One Year	Y	Y	Not Evaluated	13	Non-responsive	Subject to provision of essential required tender documents and evaluation of latest instrument
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																			
<u>RT PCR Kits for Rotor Gene:</u>																			
Note: To be provided with minus 20 degree large size fridge for cold chain storage of kits.																			
201	HBV RTPCR Quantitative Kit48T																		
M/S Briogene Pvt. Ltd	QIAGEN, Germany	1x72 Tests	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
M/S Abdullah Traders	NLM, Italy	1x48 Tests	10	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
M/S MedLab Services	GenProof, Czexh Republic	1x100 Tests	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	34	Responsive	
M/S A.M Healthcare	Systaaq Diagnostic, USA	1x96 Tests	10	2		2	2	0	0	5	5	Y	Y	Y	Y	Rejected	26	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
M/S Global Marketing Services	Sacace Biotechnology, Italy	1x96 Tests	10	10	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	36	Non-responsive	Subject to provision of FSC
M/S Chemical House	Roboscreen Diagnostics, Germany	1x192 Tests	10	10	2	2	2	0	0	5	5	N	Y	N	Y	Rejected	36	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
M/S Popular International	Anatolia Genework, Turkey	1x100 Tests	6	2	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
202	DNA Isolation Kit (for backup)250T																			
	M/S Briogene Pvt. Ltd	QIAGEN, Germany	1x250 Tests	10	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
	M/S Abdullah Traders	Vivantis, Malaysia	1x300 Tests	10	2	2	2	2	2	0	5	5	Y	One Year	Y	Y	Approved	30	Non-responsive	Subject to provision of market experience of quoted product
	M/S A.M Healthcare	Systaaq Diagnostic, USA	1x200 Tests	10	2	0	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	26	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S Global Marketing Services	Nanotech, Taiwan	1x96 Tests	10	2	2	0	0	0	2	5	5	Y	One Year	Y	Y	Approved	26	Non-responsive	Subject to provision of market experience of quoted products
	M/S Chemical House	Roboscreen Diagnostics, Germany	1x250 Tests	10	6	2	2	2	0	0	5	5	N	Y	N	Y	Rejected	32	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
203	HCV RTPCR Quantitative Kit 48T																			
	M/S Briogene Pvt. Ltd	QIAGEN, Germany	1x72 Tests	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
	M/S Abdullah Traders	NLM, Italy	1x48 Tests	10	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved (Already in use)	32	Responsive	
	M/S MedLab Services	GenProof, Czech Republic	1x100 Tests	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	34	Responsive	
	M/S A.M Healthcare	Systaaq Diagnostic, USA	1x96 Tests	10	2		2	2	0	0	5	5	Y	Y	Y	Y	Rejected	26	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S Global Marketing Services	Sacace Biotechnology, Italy	1x96 Tests	10	10	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	36	Non-responsive	Subject to provision of FSC
	M/S Chemical House	Roboscreen Diagnostics, Germany	1x192 Tests	10	10	2	2	2	0	0	5	5	N	Y	N	Y	Rejected	36	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S Popular International	Anatolia Genework, Turkey	1x100 Tests	6	2	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
204	RNA Isolation Kit (for backup)250T																				
	M/S Abdullah Traders	Vivantis, Malaysia	1x300 Tests	10	2	2	2	2	2	0	5	5	Y	One Year	Y	Y	Approved	30	Non-responsive	Subject to provision of market experience of quoted products	
	M/S A.M Healthcare	Systaaq Diagnostic, USA	1x200 Tests	10	2		2	2	0	0	5	5	Y	Y	Y	Y	Rejected	26	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation	
	M/S Global Marketing Services	Nanotech, Taiwan	1x96 Tests	10	2	2	0	0	0	2	5	5	Y	One Year	Y	Y	Approved	26	Non-responsive	Subject to provision of last year Supply Orders of quoted brand	
	M/S Chemical House	Roboscreen Diagnostics, Germany	1x250 Tests	10	6	2	2	2	0	0	5	5	N	Y	N	Y	Rejected	32	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation	
<u>Fully Automated Nucleic Acid Extractor:</u>																					
Fully Automated, Throughput \geq 24 samples / Run, Operation Time <45 Minutes, Sample Volume 100-400 ul on Reagent Rental Basis																					
205	Nucleic acid Extraction Kit with extractor1x96T																				
	M/S Briogene Pvt. Ltd	QIAGEN, Germany	1x96 Tests	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive		
	M/S Abdullah Traders	Genti TM-32 GeneAll Biotechnology, South Korea	1x96 Tests	10	6	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved (Already in use)	34	Responsive		
	M/S MedLab Services	Genolution, Korea	1x96 Tests	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	34	Responsive		
	M/S A.M Healthcare	Systaaq Diagnostic, USA	1x64 Tests	10	0	0	2	2	0	0	5	5	Y	N	Y	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation	
	M/S Global Marketing Services	Nanotech, Taiwan	1x96 Tests	10	0	2	0	0	0	2	5	5	Y	N	Y	Y	Approved	24	Non-responsive	Subject to provision of market experience of quoted product	
	M/S Chemical House	Roboscreen Diagnostics, Germany	1x96 Tests	10	10	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected	36	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation	
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																					

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													

Consumables for Rotor Gene RTPCR System

206 Powder free Gloves 1x50 Pairs

M/S Human Medical Services	Imported / (Wear Safe, Malaysia)	1x50 Paris	8	0	0	0	0	0	0	5	5	N	N	N	Y	Approved	18	Non-responsive	Subject to provision of required tender documents
----------------------------	----------------------------------	------------	---	---	---	---	---	---	---	---	---	---	---	---	---	----------	----	----------------	---

207 Disposable filter tips 10 µl 10x96 Tips

M/S National Diagnostic Center	Nest, China	10x96 Tips	10	4	2	2	2	0	0	5	5	Y	Y	N	N	Approved	30	Non-responsive	Subject to provision of FSC
M/S Keyyani Medical Solution	Jiangzi, China	10x96 Tips	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Briogene Pvt. Ltd	CAAP, Germany	10x96 Tips	10	2	0	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Human Medical Services	Genfollower, China	10x96 Tips	8	2	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	26	Non-responsive	Subject to provision of FSC
M/S Musaji Adam & Sons	Axygen, USA	1x96 Tips	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample

208 Disposable filter tips 100 µl 10x96 Tips

M/S National Diagnostic Center	Nest, China	10x96 Tips	10	4	2	2	2	0	0	5	5	Y	Y	N	N	Approved	30	Non-responsive	Subject to provision of FSC
M/S Keyyani Medical Solution	Jiangzi, China	10x96 Tips	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Briogene Pvt. Ltd	CAAP, Germany	10x96 Tips	10	2	0	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Human Medical Services	Genfollower, China	10x96 Tips	8	2	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	26	Non-responsive	Subject to provision of FSC
M/S Musaji Adam & Sons	Axygen, USA	1x96 Tips	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
209	Disposable filter tips 1000 µl10x96Tips																			
	M/S National Diagnostic Center	Nest, China	10x96 Tips	10	4	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	30	Non-responsive	Subject to provision of FSC
	M/S Keyyani Medical Solution	Jiangzi, China	10x96 Tips	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Briogene Pvt. Ltd	CAAP, Germany	08x96 Tips	10	2	0	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Human Medical Services	Genfollower, China	10x96 Tips	8	2	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	26	Non-responsive	Subject to provision of FSC
	M/S Musaji Adam & Sons	Axygen, USA	1x96 Tips	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample
210	Sample Cups (Eppendorf cup 1.5 ml RNA DNA free) (Sterilized for PCR) 1x500No																			
	M/S National Diagnostic Center	Nest, China	10x96 Tips	10	0	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	26	Non-responsive	Subject to provision of required tender documents
	M/S Keyyani Medical Solution	Jiangzi, China	1x500 Pcs	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive	
	M/S Briogene Pvt. Ltd	CAAP, Germany	96x0 8Nos	10	2	0	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Human Medical Services	Genfollower, China	1x500 Nos	8	2	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	26	Responsive	Subject to provision of required tender documents
	M/S Musaji Adam & Sons	Axygen, USA	1x1000 Nos	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample
211	PCR reaction Tube 0.1 ml (specific for Rotor Gene)1x1000Nos																			
	M/S National Diagnostic Center	DS Bio, China	250x4 Nos	10	2	0	0	0	0	0	5	5	Y	Y	N	N	Approved (Prev. Exp.)	22	Responsive	Subject to provision of FSC
	M/S Briogene Pvt. Ltd	QIAGEN, Germany	250x4 Strips	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Human Medical Services	Genfollower, China	1x1000 Nos	8	2	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	26	Responsive	Subject to provision of FSC

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
212	Racks for 2.0 ml Collection Tubes (96 wells) (12x8)1x1No																				
	M/S Human Medical Services	Imported	1x1 Nos	8	0	0	0	0	0	0	5	5	N	N	N	Y	Approved	18	Non-responsive	Subject to provision of required tender documents	
	M/S Three Star Medical Supplies	China	1x1 Nos	10	2	0	0	0	0	0	5	5	N	Y	N	Y	Approved	22	Non-responsive	Subject to provision of required tender documents	
	M/S Musaji Adam & Sons	China	1x1000 Nos	10	0	0	0	0	0	0	0	3	N	N	N	Y	Approved	13	Non-responsive	Subject to provision of required tender documents	
213	PCR reaction Tube 0.2 ml (specific for SaCycler), 1x8 Strips with Caps1x960Nos																				
	M/S National Diagnostic Center	DS Bio, China	1x960 Nos.	10	4	0	0	0	0	0	5	5	Y	Y	N	N	Approved (Already in use)	24	Non-responsive	Subject to provision of FSC	
	M/S Human Medical Services	Genfollower, China	1x960 Nos	8	2	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	26	Non-responsive	Subject to provision of FSC	
	M/S Global Marketing Services	Extra Gene	1x8 Strips	10	0	0	0	0	0	0	5	5	N	N	N	N	No Sample	20	Non-responsive	Subject to provision of essential required tender documents & sample	
	M/S Musaji Adam & Sons	Axygen, USA	1x960 Nos	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents & sample	
214	Pure Ethonal2.5Ltr																				
	M/S Abdullah Traders	BioGnost, Croatia	1x10 Ltr	10	5	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	31	Non-responsive	Subject to provision of sample	
215	Bleach1x1000ml																				
	M/S Three Star Medical Supplies	Robin	1x1 Ltr	10	2	0	0	0	0	0	5	5	N.A	Y	N.A	N	No Sample	22	Responsive		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
216	Micropipettes adjustable imported(0.5-10 ul)1x1No																			
	M/S National Diagnostic Center	Bio-DL (Genex), China	1x1 No	10	2	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive	
	M/S Three Star Medical Supplies	China	1x1 No	10	0	0	0	0	0	0	5	5	N	N	N	N	No Sample	20	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Briogene Pvt. Ltd	CAAP, Germany	1X1 No.	10	2	0	2	2	0	0	0	5	Y	N	Y	Y	Rejected	21	Non-responsive	Rejected by the end user on the basis of un-satisfactory results on evaluation
	M/S Musaji Adam & Sons	Axygen, USA	1X1 No.	10	0	0	0	0	0	0	0	3	Y	N	N.A	N.A	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample
217	Micropipettes adjustable imported(10-100 ul)1x1No																			
	M/S National Diagnostic Center	Bio-DL (Genex), China	1x1 No	10	2	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive	
	M/S Three Star Medical Supplies	China	1x1 No	10	4	0	0	0	0	0	5	5	N	N	N	N	No Sample	24	Non-responsive	Subject to provision of Brand Name and other required tender documents
	M/S Briogene Pvt. Ltd	CAAP, Germany	1X1 No.	10	2	0	2	2	0	0	0	5	Y	N	N	Y	Rejected	21	Non-responsive	Rejected by the end user on the basis of un-satisfactory results on evaluation
	M/S Musaji Adam & Sons	Axygen, USA	1X1 No.	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															

Microbiology Section:

218 CLED Agar1x500gm																			
M/S National Diagnostic Center	Merck, Germany	1x500 gm	10	2	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive	
M/S Musaji Adam & Sons	Oxid, UK	1x500 gm	10	0	0	2	2	2	0	0	3	Y	N	Y	Y	Approved	19	Non-responsive	Subject to provision of market experience of quoted product
219 HBsAg ICT (WHO Recommended)1x1No																			
M/S Sind Medical Store	InTec, China	1x40 Tests	10	10	2	0	0	0	2	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
M/S A.M Healthcare	SD Korea	1x1 Test	10	4	0	0	0	2	2	5	5	Y	Y	Y	Y	Approved	28	Responsive	
M/S Popular International	Acro Biotech, USA	1x25 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation (No WHO recommendation)
M/S A.S Enterprises	Standard Q, Korea	1x25 Tests	10	4	0	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
220 Anti HCV ICT(WHO Recommended)1x1No																			
M/S Sind Medical Store	InTec, China	1x40 Tests	10	10	2	0	0	0	2	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
M/S A.M Healthcare	SD Korea	1x1 No	10	4	0	0	0	2	2	5	5	Y	Y	Y	Y	Approved	28	Responsive	
M/S Popular International	Acro Biotech, USA	1x25 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation (No WHO recommendation)
M/S A.S Enterprises	Standard Q, Korea	1x25 Tests	10	4	0	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
221	HIV ICT (WHO Recommended)1x1No																			
	M/S Sind Medical Store	InTec, China	1x40 Tests	10	10	2	0	0	0	2	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S A.M Healthcare	SD Korea	1x1 No	10	4	0	0	0	2	2	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Popular International	Acro Biotech, USA	1x25 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation (No WHO recommendation)
	M/S A.S Enterprises	Standard Q, Korea	1x25 Tests	10	4	0	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
222	Syphilis VDRL (ICT)1x1No																			
	M/S Human Medical Services	Excel, China	1x1 No	8	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Sind Medical Store	InTec, China	1x40 Tests	10	10	2	0	0	0	2	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S Three Star Medical Supplies	Fastep, China	1x40 Tests	10	0	2	0	0	0	0	5	5	Y	N	N	Y	Rejected	22	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S A.M Healthcare	Abon, China	1x1 No	10	4	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
	M/S Popular International	Acro Biotech, USA	1x25 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S A.S Enterprises	Acon, USA / China	1x40 Tests	10	0	2	2	2	2	0	5	5	Y	N	Y	Y	Approved	28	Non-responsive	Subject to provision of market experience of quoted product

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
223	Field Stain A1x1000ml																			
	M/S National Diagnostic Center	Merck, Germany	1x1 Ltr	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	26	Responsive	
	M/S Three Star Medical Supplies	Diachem	1x500 ml	10	0	0	0	0	0	0	5	5	N	N	N	N	No Sample	20	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Abdullah Traders	BioGnost, Croatia	1x1000 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	28	Non-responsive	Rejected by the end user on the basis of non-satisfactory results on the basis of sample evaluation
	M/S Musaji Adam & Sons	Wellcosol	1x1000 ml	10	0	0	0	0	0	0	0	3	N	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample
224	Field Stain B1x1000ml																			
	M/S National Diagnostic Center	Merck, Germany	1x1 Ltr	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	26	Responsive	
	M/S Three Star Medical Supplies	Diachem	1x500 ml	10	0	0	0	0	0	0	5	5	N	N	N	N	No Sample	20	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Abdullah Traders	BioGnost, Croatia	1x1000 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	28	Non-responsive	Rejected by the end user on the basis of non-satisfactory results on the basis of sample evaluation
	M/S Musaji Adam & Sons	Wellcosol	1x1000 ml	10	0	0	0	0	0	0	0	3	N	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample
225	Pregnancy Device 1x1T																			
	M/S A.M Healthcare	Abon, China	1x1 No	10	2	2	0	0	0	0	5	5	Y	Y	Y	N	No Sample	24	Non-responsive	Subject to provision of Sample
	M/S Three Star Medical Supplies	Fastep / Immumed	1x100 Strips	10	4	2	0	0	0	0	5	5	Y	Y	N	Y	Rejected	26	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S Human Medical Services	Excel, China	1x1 No	8	0	2	2	2	2	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of market experience of quoted product and sample
	M/S Popular International	Acro Biotech, USA	1x50 Nos	6	0	2	2	2	2	0	5	5	Y	N	Y	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S A.S Enterprises	Acon, USA / China	1x50 Nos	10	0	2	2	2	0	2	5	5	Y	N	Y	Y	Approved	28	Non-responsive	Subject to provision of market experinece of quoted product

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
226	R.A. Factor Kit 1x100T																			
	M/S Three Star Medical Supplies	SBIO, Singapore	1x100 Nos	10	4	2	0	0	0	0	5	5	Y	Y	N	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x100 Tests	6	4	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of sample
	M/S Blazon Diagnostic	BSM, Spain	1x100 Tests	10	4	2		2	0	0	0	5	Y	Y	Y	N	No Sample	23	Non-responsive	Subject to provision of essential required tender documents and sample
227	ASO Titre Kit 1x100T																			
	M/S Three Star Medical Supplies	SBIO, Singapore	1x100 Nos	10	4	2	0	0	0	0	5	5	Y	Y	N	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x100 Tests	6	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	22	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Blazon Diagnostic	BSM, Spain	1x100 Tests	10	6	2	0	2	0	0	0	5	Y	Y	Y	N	No Sample	25	Non-responsive	Subject to provision of essential required tender documents and sample
228	Dengue IgG, IgM ICT1x1T																			
	M/S Sind Medical Store	InTec, China	1x40 Tests	10	10	2	0	0	0	2	5	5	Y	Y	Y	N	No Sample	34	Non-responsive	Subject to provision of sample
	M/S Three Star Medical Supplies	Fastep, China	1x40 Tests	10	4	2	0	0	0	0	5	5	Y	Y	N	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S A.M Healthcare	SD Korea	1x1 No	10	4	0	0	0	2	2	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Popular International	Acro Biotech, USA	1x25 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S A.S Enterprises	Foresight, USA/China	1x25 Tests	10	0	2	2	2	2	0	5	5	Y	N	Y	Y	Approved	28	Non-responsive	Subject to provision of market experience of quoted product

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
229	Dengue NS1 (ICT)1x1T																			
	M/S A.M Healthcare	SD Korea	1x1 No	10	0	0	0	0	2	2	5	5	Y	N	Y	Y	Approved	24	Non-responsive	Subject to provision of market experience of quoted product
	M/S Three Star Medical Supplies	Fastep, China	1x40 Tests	10	4	2	0	0	0	0	5	5	Y	Y	N	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Acro Biotech, USA	1x25 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S A.S Enterprises	Foresight, USA/China	1x25 Tests	10	0	2	2	2	2	0	5	5	Y	N	Y	Y	Approved	28	Non-responsive	Subject to provision of market experience of quoted product
230	Dengue NS1 (ELISA)1x96T																			
	M/S Sind Medical Store	Focus Diagnostic mdi Europa GmbH	No Pack Size	10	10	0	0	0	0	0	5	5	N	N	Y	N	No Sample	30	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S A.M Healthcare	Panbio	1x96 Tests	10	4	0	0	0	0	0	5	5	Y	Y	Y	N	No Sample	24	Non-responsive	Subject to provision of sample
	M/S Chemical House	Bio-Rad, USA/EU / Germany / France	1x96 Tests	10	4	0	0	0	0	0	5	5	Y	Y	N	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
231	Dengue IgM (ELISA)1x96T																			
	M/S Sind Medical Store	NovaTec, GmbH	1x96 Tests	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	36	Non-responsive	Subject to provision of sample
	M/S A.M Healthcare	Panbio	1x96 Tests	10	0	0	0	0	0	0	5	5	Y	N	Y	N	No Sample	20	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x25 Tests	6	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	22	Non-responsive	Subject to provision of market experience of quoted product and sample

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
232	Dengue IgG (ELISA)1x96T																			
	M/S Sind Medical Store	NovaTec, GmbH	1x96 Tests	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	36	Responsive	
	M/S A.M Healthcare	SD Korea	1x96 Tests	10	0	0	0	0	2	2	5	5	Y	Y	Y	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x25 Tests	6	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	22	Non-responsive	Subject to provision of essential required tender documents and sample
233	H. Pylori Stool Antigen (HpSA)1x1T																			
	M/S Human Medical Services	Excel, China	1x1 No	8	0	2	2	2	2	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of market experience of quoted product and sample
	M/S Popular International	Acro Biotech, USA	1x25 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S Musaji Adam & Sons	Remel, UK	1x20 Tests	10	0	0	0	0	2	0	3	3	Y	N	N	Y	Approved	15	Non-responsive	Subject to provision of essential required tender documents
	M/S A.S Enterprises	Acon, USA / China	1x25 Tests	10	0	2	2	2	2	0	5	5	Y	N	Y	Y	Approved	28	Non-responsive	Subject to provision of market experience of quoted product
234	TPHA for syphilis1x1T																			
	M/S Popular International	Acro Biotech, USA	1x25 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
235	C. Reactive Protein (CRP) Reagent Kit 1x100T																			
	M/S Three Star Medical Supplies	SBIO, Singapore	1x40 Tests	10	4	2	0	0	0	0	5	5	Y	Y	N	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Popular International	Human, Germany	1x100 Tests	6	4	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of sample
	M/S Blazon Diagnostic	BSM, Spain	1x100 Tests	10	2	2	2	0	0	0	5	5	Y	Y	Y	N	No Sample	21	Non-responsive	Subject to provision of sample

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													
236	Urine Strips 3 Parameters1x100T																		
M/S Three Star Medical Supplies	Uric 3V	1x100 Strips	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Rejected	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
M/S Popular International	Acon, USA	1x100 Tests	6	4	2	2	2	2	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of essential required tender documents and sample
237	Urine Strips 10 Parameters1x100T.																		
M/S Three Star Medical Supplies	DFI, Korea	1x100 Strips	10	4	0	0	0	0	0	5	5	Y	Y	N	N	No Sample	24	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
M/S Popular International	Acon, USA	1x100 Tests	6	4	2	2	2	2	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of essential required tender documents and sample
238	Disposable Urine Container 60 ml1x100Nos																		
M/S Three Star Medical Supplies	Local	1x100 Nos	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved	24	Responsive	
M/S National Diagnostic Center	Local	1x1 No	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved	24	Responsive	
239	Z.N. Stain Set 3x500ml																		
M/S Three Star Medical Supplies	Crtesent, Saudi Arabia	3x500 ml	10	4	2	0	2	0	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of FSC and sample
M/S National Diagnostic Center	Merck, Germany	3x500 ml	10	4	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved (Prev. Exp.)	26	Responsive	
M/S Abdullah Traders	BioGnost, Croatia	4x500 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
M/S Musaji Adam & Sons	Wellcosol	1x1 Ltr	10	0	0	0	0	0	0		3	Y	N	N	Y	Rejected	13	Non-responsive	Rejected by the und user due to Unsatisfactory Results on evaluation

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
240	Gram Stain Set 4x500 ml																				
M/S National Diagnostic Center	Merck, Germany	4x500 ml	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (Prev. Exp.)	26	Responsive			
M/S Three Star Medical Supplies	Crtesent, Saudi Arabia	4x500 ml	10	4	2	0	2	0	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of FSC and sample		
M/S Abdullah Traders	BioGnost, Croatia	5x500 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive			
M/S Musaji Adam & Sons	Wellcosol	1x1 Ltr	10	0	0	0	0	0	0	0	3	N	N	N	Y	Rejected	13	Non-responsive	Rejected by the und user due to Unsatisfactory Results on evaluation		
241	Anti HDV ELISA Kit1x96T																				
																		NOT QUOTED			
242	Culture Swab Sticks (Sterilized)1x100No																				
M/S Three Star Medical Supplies	China	1x100 Nos	10	0	0	0	0	0	0	5	5	N.A	N	N.A	N	No Sample	20	Non-responsive	Subject to provision of sample		
M/S Musaji Adam & Sons	Wellcosol	1x100 Nos	10	0	0	0	0	0	0	0	3	N.A	N	N.A	N	No Sample	13	Non-responsive	Subject to provision of sample		
243	HbeAg (ICT)1x1T																				
M/S A.S Enterprises	Accurate, USA / China	1x25 Tests	10	0	2	0	0	0	0	5	5	Y	N	N	N	No Sample	22	Non-responsive	Subject to provision of essential required tender documents and sample		
244	Hepatitis E virus (ICT)1x1T																				
																		NOT QUOTED			
245	MacConKey's Agar1x500gm																				
M/S National Diagnostic Center	Merck, Germany	1x500 gm	10	6	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (Prev. Exp.)	28	responsive			
M/S Abdullah Traders	BioGnost, Croatia	5x500 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	28	Non-responsive	Subject to provision of sample		
M/S Musaji Adam & Sons	Oxoid, UK	1x100 No	10	0	0	2	2	2	0	0	3	Y	N	Y	Y	Approved	19	Non-responsive	Subject to provision of essential required tender documents		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													
246 Disposable Petridishes 1x100Pair																			
M/S Three Star Medical Supplies	China	1x1 No	10	0	0	0	0	0	0	5	5	N	N	N	Y	Approved	20	Non-responsive	Subject to provision of required tender documents
M/S Musaji Adam & Sons	Nest, China	1x500 Pcs	10	0	0	2	2	0	0	0	3	Y	N	Y	Y	Approved (Already in use)	17	Responsive	
247 Blood Culture Bottles (Prepared-Adult) 1x1T																			
M/S Three Star Medical Supplies	RSB Pakistan	1x1 Bottle	10	4	0	0	0	0	0	5	5	Y	Y	N.A	Y	Approved (Already in use)	24	Responsive	
M/S Musaji Adam & Sons	Local	1x1 Test	10	0	0	0	0	0	0	0	3	N.A	N	N.A	Y	Rejected	13	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
248 Blood Culture Bottles (Prepared-Paeds) 1x1T																			
M/S Three Star Medical Supplies	RSB Pakistan	1x1 Bottle	10	4	0	0	0	0	0	5	5	Y	Y	N.A	Y	Approved (Already in use)	24	Responsive	
M/S Musaji Adam & Sons	Local	1x1 Test	10	0	0	0	0	0	0	0	3	N.A	N	N.A	Y	Rejected	13	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
249 Muller Hinton Agar 1x500gm																			
M/S National Diagnostic Center	Merck, Germany	1x500 gm	10	4	0	0	0	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	24	Responsive	
M/S Musaji Adam & Sons	Oxoid, UK	1x500 gm	10	0	0	0	0	0	0	0	3	N	N	N	Y	Approved	13	Non-responsive	Subject to provision of essential required tender documents
250	Hepatitis A Virus (ICT) 1x1T																NOT QUOTED		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
251	Conical Flask (500 ml)1x1No																				
	M/S Musaji Adam & Sons	Pyrex	1x1 No	10	0	0	0	0	0	0	0	3	N	N	N	Y	Approved (Already in use)	13	Non-responsive	Subject to provision of essential required tender documents	
252	Conical Flask (1000 ml)1x1No																				
	M/S Musaji Adam & Sons	Pyrex	1x1 No	10	0	0	0	0	0	0	0	3	N	N	N	Y	Approved (Already in use)	13	Non-responsive	Subject to provision of essential required tender documents	
253	Glass Slides 1x72Nos.																				
	M/S Abdullah Traders	BioGnost, Croatia	1x50 Pcs	10	0	2	2	2	0	0	5	5	Y	N	Y	Y	Approved	26	Responsive		
	M/S Three Star Medical Supplies	China	1x72 Pcs	10	4	0	0	0	0	0	5	5	N	Y	N	N	Approved (Already in use)	24	Non-responsive	Subject to provision of required tender documents	
254	70% Ethanol1x2500ml																				
	M/S Abdullah Traders	BioGnost, Croatia	1x50 Pcs	10	0	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sam;	
255	Cover Slips (18x18 mm)1x200Nos																				
	M/S Three Star Medical Supplies	GmbH	1x200 Nos	10	4	0	0	0	0	0	5	5	N	Y	N.A	Y	Approved	24	Responsive		
256	HIV ELISA Kit 1x96T																				
	M/S Sind Medical Store	Murex / DiaSorin. S.p.A	1x96 Tests	10	10	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	38	Responsive		
	M/S Chemical House	Bio-Rad, USA / EU / Germany / France	1x96 Tests	10	10	0	0	0	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive		
	M/S Popular International	Acon, USA	1x96 Tests	6	0	2	2	2	2	0	5	5	Y	N	Y	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample	
	M/S A.S Enterprises	Foresight, USA/China	1x96 Tests	10	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample	

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
257	HBV ELISA Kit1x96T																			
	M/S Sind Medical Store	Murex / DiaSorin. S.p.A	1x96 Tests	10	10	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	38	Responsive	
	M/S Chemical House	Bio-Rad, USA / EU / Germany / France	1x96 Tests	10	10	0	0	0	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
	M/S Popular International	Acon, USA	1x96 Tests	6	0	2	2	2	2	0	5	5	Y	N	N	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S A.S Enterprises	Foresight, USA/China	1x96 Tests	10	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
258	Anti HCV ELISA Kit1x96T																			
	M/S Sind Medical Store	Murex / DiaSorin. S.p.A	1x96 Tests	10	10	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	38	Responsive	
	M/S Chemical House	Bio-Rad, USA / EU / Germany /France	1x96 Tests	10	10	0	0	0	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
	M/S Popular International	Acon, USA	1x96 Tests	6	0	2	2	2	2	0	5	5	Y	N	N	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S A.S Enterprises	Foresight, USA/China	1x96 Tests	10	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of essential required tender documents and sample
259	ANA Kit1x50T																			
	M/S Popular International	Human, Germany	1x50 Tests	6	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	22	Non-responsive	Subject to provision of essential required tender documents and sample

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
260	VTM Vials1x1No																			
	M/S Abdullah Traders	Heibi Choaran, China	1X1 No.	10	0	2	2	2	0	0	5	5	Y	N	Y	Y	Approved	26	Non-responsive	Subject to provision of required tender documents
	M/S Three Star Medical Supplies	Citotest	1x50 Nos	10	0	0	0	0	0	0	5	5	N	N	N	N	No Sample	20	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Human Medical Services	DEWEI, China	1x1 No	8	0	0	2	2	0	0	5	5	Y	N	N	Y	Rejected	22	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S Popular International	Hebei Chaoran	1x1 No	6	0	0	0	0	0	0	5	5	N	N	N	N	No Sample	16	Non-responsive	Subject to provision of essential required tender documents and sample
	M/S Musaji Adam & Sons	Medical Wire, UK	1x1 No	10	0	0	0	0	0	0	0	3	Y	N	Y	Y	Rejected	13	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S A.S Enterprises	ASAN Transport Medium, Korea	1x1 No	10	2	0	0	0	0	0	5	5	N	Y	N	Y	Approved	22	Non-responsive	Subject to provision of required tender documents
Fully Brand New Automated ELISA System on Reagent Rental Basis with all Accessories (Refrigerator, AC 2 ton, UPS, Serum cup and tips).																				
261	HBs Ag. (ELISA) Kit with consumable accessories1x96T																			
	M/S Sind Medical Store	Murex / DiaSorin. S.p.A	1x480 Tests	10	10	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	38	Responsive	
	M/S Global Marketing Services	Adaltis, Italy	1x96 Tests	10	10	2	2	2		0	5	5	Y	Y	N	N	Rejected	36	Non-responsive	rejected by the end user on the basis of non-evaluation by the bidder
	M/S Chemical House	Bio-Rad, USA / EU / Germany / France	1x96 Tests	10	10	0	0	0	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
262	Anti HCV (ELISA) Kit with consumable accessories1x96T																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
	M/S Sind Medical Store	Murex / DiaSorin. S.p.A	1x480 T	10	10	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	38	Responsive	
	M/S Global Marketing Services	Adaltis, Italy	1x96 Tests	10	10	2	2	2	0	0	5	5	Y	Y	N	N	Rejected	36	Non-responsive	rejected by the end user on the basis of non-evaluation by the bidder
	M/S Chemical House	Bio-Rad, USA / EU / Germany / France	1x96 Tests	10	10	0	0	0	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
263	HIV (ELISA) Kit with consumable accessories 1x96T																			
	M/S Sind Medical Store	Murex / DiaSorin. S.p.A	1x480 T	10	10	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	38	Responsive	
	M/S Global Marketing Services	Adaltis, Italy	1x96 Tests	10	10	2	2	2	0	0	5	5	Y	Y	N	N	Rejected	36	Non-responsive	rejected by the end user on the basis of non-evaluation by the bidder
	M/S Chemical House	Bio-Rad, USA / EU / Germany / France	1x96 Tests	10	10	0	0	0	0	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
Latest, Brand New Automated Blood Culture System and Automated ID/AST System on Reagent Rental Basis with Accessories i.e Refrigerator, AC 2 ton, UPS (USA, Europe, Japan)																				
264	Latest, Brand New Automated Blood Culture System on Reagent Rental Basis (Paeds + Adults) (1x100 Bottles Each)																			
	M/S Global Marketing Services	bioMerieux, France	1x100 Nos Each	10	10	2	2	2	0	0	5	5	Y	N	N	Y	Approved	36	Non-responsive	Subject to re-demonstration to the end user and essential required tender documents
265 (a)	Identification Cards 1x20Cards																			
	M/S Global Marketing Services	bioMerieux, France	1x20 Nos	10	10	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	36	Non-responsive	Subject to re-demonstration to the end user and essential required tender documents
265 (b)	Sensitivity Cards 1x20Cards																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
	M/S Global Marketing Services	bioMerieux, France	1x20 Nos	10	10	2	2	2	0	0	5	5	Y	Y	N	Y	Approved	36	Non-responsive	Subject to re-demonstration to the end user and essential required tender documents
266	Antibiotic Sensitivity Discs (50 discs/vial) (Manual)1x50Nos																			
	M/S Musaji Adam & Sons	Oxide, UK	1x50 Nos	10	0	0	2	2	2	0	0	3	Y	N	Y	Y	Approved	19	Non-responsive	Subject to re-demonstration to the end user and essential required tender documents
267	Occult Blood Strips (Stool)1x100Nos																			NOT QUOTED
268	Automated ELISA System Tips (300 ml) (Evolis Twin Plus)1x1Nos																			
	M/S Sind Medical Store	Murex / DiaSorin. S.p.A	1x960 Tips	10	4	2	2	2	2	0	5	5	Y	Y	Y	N	Approved (previous exp.)	32	Responsive	
	M/S Chemical House	Bio-Rad, USA/EU / Germany / France	18x960 Tips	10	10	0	0	0	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	30	Responsive	
269	Automated ELISA System Tips (1100 ml) (Evolis Twin Plus)1x1Nos																			
	M/S Sind Medical Store	Murex / DiaSorin. S.p.A	1x960 Tips	10	10	2	2	2	2	0	5	5	Y	Y	Y	N	Approved (previous exp.)	38	Responsive	
	M/S Chemical House	Bio-Rad, USA/EU / Germany / France	18x960 Tips	10	10	0	0	0	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	30	Responsive	
270	Benedict's Solution (Reducing Substance)																			NOT QUOTED
271	Solution for Urine Glucose																			NOT QUOTED
272	Neubar Chamber (Imported, Germany)1x1No																			
	M/S Three Star Medical Supplies	Germany	1x1 No	10	4	0	0	0	0	0	5	5	N	Y	N	N	Approved (Prev. exp)	24	Responsive	
273	Wire Loop (Disposable) 2 ml1x1No																			NOT QUOTED

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
274	Wire Loop Holder1x1No																	NOT QUOTED			
275	Spirit Lamp (Glass)1x1No																	NOT QUOTED			
276	Rapid One System1X20Tests																				
	M/S Musaji Adam & Sons	Oxide, UK	1x20 Tests	10	0	0	2	2	2	0	0	3	Y	N	Y	N	No Sample	19	Non-responsive	Subject to provision of sample and essential required tender documents	
277	Hitachi cups (ELISA)1x1Tests																				
278	Disposable Urine Container Sterilized for urine culture1x1Tests																				
	M/S Three Star Medical Supplies	Local	1x100 Nos	10	4	0	0	0	0	0	5	5	N.A	Y	N.A	N	Approved (previous exp.)	24	Responsive		
	M/S National Diagnostic Center	Local	1x1 No	10	6	0	0	0	0	0	5	5	N.A	Y	N.A	Y	Approved (previous exp.)	26	Responsive		
279	Blood Ager 1x500gm																				
	M/S National Diagnostic Center	Merck, Germany	1x500 gm	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (previous exp.)	26	Responsive		
	M/S Musaji Adam & Sons	Oxide, UK	1x500 gm	10	0	0	2	2	2	0	0	3	Y	Y	Y	N	Approved (previous exp.)	19	Non-responsive	Subject to provision of essential required documents	
280	Oxidase reagent (Powder)1x5gm																				
	M/S National Diagnostic Center	Sigma, USA	1x5 gm	10	4	2	0	0	0	0	5	5	Y	Y	N	N	Approved (Prev. Exp.)	26	Non-responsive	Subject to provision of essential required tender documents	
	M/S Musaji Adam & Sons	Alfa Aesar	1x10 gm	10	0	0	0	0	0	0	0	3	Y	N	N	N	No Sample	13	Non-responsive	Subject to provision of essential required tender documents and sample	
281	Oxidase Strips1x50Nos																				
	M/S National Diagnostic Center	Merck, Germany	1x50 Nos	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (Prev. Exp.)	26	Responsive		

Histopathology Section:

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
282	Formaline 1x2500ml																			
	M/S National Diagnostic Center	Merck, Germany	1x2.5 Ltr	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (previous exp.)	26	Responsive	
	M/S Abdullah Traders	BioGnost, Croatia	1x20 Ltr	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Musaji Adam & Sons	Scharlu, Spain	1x2.5 Ltr	10	0	2	0	0	0	0	0	3	Y	N	N	Y	No Sample	15	Non-responsive	Subject to provision of sample and essential required tender documents
283	Xylene 1x2500ml																			
	M/S National Diagnostic Center	Merck, Germany	1x2.5 Ltr	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (previous exp.)	26	Responsive	
	M/S Abdullah Traders	BioGnost, Croatia	1x10 Ltr	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Musaji Adam & Sons	Daejung, Korea	1x4 Ltr	10	0	2	0	0	0	0	0	3	Y	N	N	N	No Sample	15	Non-responsive	Subject to provision of sample and essential required tender documents
284	Paraffine Wax Granular1x2.5kg																			
	M/S National Diagnostic Center	Merck, Germany	1x2.5 kg	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (previous exp.)	26	Responsive	
	M/S Abdullah Traders	BioGnost, Croatia	1x2 Kg	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Musaji Adam & Sons	ULTRA Poth Hille, UK	1x2 Kg	10	0	0	0	0	0	0	0	3	N	N	N	Y	Approved	13	Non-responsive	Subject to provision of sample and essential required tender documents
285	Isopropyle Alcohol (100 % pure)1x2500ml																			
	M/S National Diagnostic Center	Merck, Germany	1x2.5 Ltr	10	6	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (previous exp.)	28	Responsive	
	M/S Abdullah Traders	BioGnost, Croatia	1x10 Ltr	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	28	Non-responsive	Subject to provision of sample
	M/S Musaji Adam & Sons	Daejung, Korea	1x4 Ltr	10	0	2	0	0	0	0	0	3	Y	N	N	N	No Sample	15	Non-responsive	Subject to provision of sample and essential required tender documents
286	DPX Mounting Media 1x500ml																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
	M/S National Diagnostic Center	Merck, Germany	1x500 ml	10	6	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (previous exp.)	28	Responsive	
	M/S Three Star Medical Supplies	Crescent, Saudi Arabia	1x500 ml	10	4	2	0	2	0	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of FSC and sample
	M/S Abdullah Traders	BioGnost, Croatia	1x500 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Musaji Adam & Sons	Scharlu, Spain	1x500 ml	10	0	2	0	0	0	0	0	3	Y	N	N	N	No Sample	15	Non-responsive	Subject to provision of essential required tender documents and FSC
287	Glass slide with frosted end for Histopathology 1x50Nos.																			
	M/S Three Star Medical Supplies	China	1x72 Pcs	10	4	0	0	0	0	0	5	5	N.A	Y	N.A	N	Approved (Already in use)	24	Responsive	
	M/S Abdullah Traders	BioGnost, Croatia	1x50 Pcs	10	0	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
288	Cover Slip Glass 24x501x100Nos.																			
	M/S Three Star Medical Supplies	GmbH	1x100 Nos	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved (previous exp.)	24	Responsive	
289	Disposable Blade High Profile (LEICA 818) 1x50Nos.																			
	M/S Abdullah Traders	BioGnost, Croatia	1x50 Pcs	10	0	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of sample
290	Slide Folders 1x1No.																			
	M/S Abdullah Traders	BioGnost, Croatia	1x20 Slides	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	No Sample	28	Non-responsive	Subject to provision of sample
291	Plastic Bottles with Nozzle (500ml) 1x1No.																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
	M/S Musaji Adam & Sons	Kartel, Italy	1x1 No	10	0	2	0	0	0	0	0	3	Y	N	N	Y	Approved	15	Non-responsive	Subject to provision of essential required tender documents	
292	Diamond Pencil (Glass Marking)1x1No.																				
	M/S Three Star Medical Supplies	China	1x1 No	10	4	0	0	0	0	0	5	5	N	Y	N	N	Approved (Already in use)	24	Non-responsive	Subject to provision of required tender documents	
293	Glass Staining Jars (for 30 slides)1x1No. NOT QUOTED																				
294	Tissue processing capsule (plastic)1x250No.																				
	M/S Keyyani Medical Solution	Jiangzi, China	1x250 Nos	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive		
295	Tissue processing capsule (steel)1x1Nos. NOT QUOTED																				
296	Tissue embedding base moulds (10x10x5 mm)1x1No																				
	M/S Abdullah Traders	BioGnost, Croatia	1X1 No.	10	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of market experinece of quoted product and sample	
297	Tissue embedding base moulds (24x24x5 mm)1x1No																				
	M/S Abdullah Traders	BioGnost, Croatia	1X1 No.	10	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of market experinece of quoted product and sample	
298	Tissue embedding base moulds (24x30x9 mm)1x1No																				
	M/S Abdullah Traders	BioGnost, Croatia	1X1 No.	10	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of market experinece of quoted product and sample	
299	Embedding cassettes (plastic)1x250Nos.																				

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
M/S Three Star Medical Supplies	China		1x250 Nos	10	4	0	0	0	0	0	5	5	N	Y	N	N	No Sample	24	Non-responsive	Subject to provision of essential required documents and sample
M/S Keyyani Medical Solution	Jiangzi, China		1x250 Nos	6	4	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S Abdullah Traders	BioGnost, Croatia		1x250 Pcs	10	0	2	2	2	0	0	5	5	Y	N	Y	Y	Approved	26	Responsive	
M/S Musaji Adam & Sons	Kartel, Italy		1x250 Nos	10	0	2	0	0	0	0	0	3	Y	N	N	N	No Sample	15	Non-responsive	Subject to provision of essential required documents and sample
300	Iron Heamotaxline (ready to use)1x500ml																			
M/S Three Star Medical Supplies	Crescent, Saudi Arabia		1x500 ml	10	4	2	0	2	0	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of FSC and sample
M/S National Diagnostic Center	Merck, Germany		2x500 ml	10	6	2	0	0	0	0	5	5	Y	Y	Y	Y	Approved (previous exp.)	28	Responsive	
M/S Abdullah Traders	BioGnost, Croatia		2x500 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
M/S Musaji Adam & Sons	Wellcosol		1x250 Nos	10	0	0	0	0	0	0	0	3	N	N	N	Y	Rejected	13	Non-responsive	Rejected by the end user on the basis of non-satisfactory results on evaluation
301	Pap stain (ready to use with long expiry)1x1Kit																			
M/S National Diagnostic Center	Merck, Germany		6x500 ml	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (Prev. Exp.)	26	Responsive	
M/S Three Star Medical Supplies	Crescent, Saudi Arabia		1x1 Kit	10	4	2		2	0	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of essential required tender documents and sample
M/S Abdullah Traders	BioGnost, Croatia		1x3 Ltr	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
302	Ghomari stain (ready to use with long expiry)1x1Kit																			
M/S National Diagnostic Center	Merck, Germany		1x1 Kit	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (Previous Exp.)	26	Responsive	
M/S Abdullah Traders	BioGnost, Croatia		1x100 Tests	10	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	26	Non-responsive	Subject to provision of Sample & market experience

Haematology Section:

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															

Latest Quality Fully Automated 3-Part Haematology Analyzer on Reagent Rental Basis with UPS, Printer & Roller Mixer.

303 Complete Cell Packs along with all accessories required for test with Control & Calibrators (Diluent 20 Ltr, Lyse 1Ltr)

M/S Popular International	Mission HA 360 Accon, USA (Reagents: Human Germany)	Diluent Lyse Clean	6	2	2	2	2	0	0	5	5	Y	One Year	Y	Y	Approved	24	Non-responsive	Subject to provision of market experinece of quoted products
M/S Diagnostic Medical Associates	(Abacus-380) Diagtron, Hungary	Diluent 20 Ltr Lyse 01 Ltr Clean 01 Ltr	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	34	Responsive	
M/S A.H Traders	Bilimsel Tibbi Urunler Ltd, Turkey	Diluent 20 Ltr Lyse 01 Ltr Clean 20 Ltr	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	

304 Thermal Paper (Haem.Analyzer) 1x1No

M/S Popular International	Mission HA 360 Accon, USA (Reagents: Human Germany)	1x1 No	6	2	2	2	2	0	0	5	5	Y	One Year	Y	Y	Approved	24	Non-responsive	Subject to provision of market experinece of quoted products
M/S Diagnostic Medical Associates	Local	1x1 No	8	10	0	0	0	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
M/S A.H Traders	Bilimsel Tibbi Urunler Ltd, Turkey	1x12 No	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	

305 Quality Control Haematology Analyzer, Low (FOC)1Set

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
	M/S Popular International	Mission HA 360 Accon, USA (Reagents: Human Germany)	1x1 Set	6	2	2	2	2	0	0	5	5	Y	One Year	Y	Y	Approved	24	Non-responsive	Subject to provision of market experinece of quoted products
	M/S Diagnostic Medical Associates	(Abacus-380) Diagtron, Hungary	1x3 ml	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	34	Responsive	
	M/S A.H Traders	Bilimsel Tibbi Urunler Ltd, Turkey	1x2.5 ml	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
306	Quality Control Haematology Analyzer, Normal (FOC)1Set																			
	M/S Popular International	Mission HA 360 Accon, USA (Reagents: Human Germany)	1x1 Set	6	2	2	2	2	0	0	5	5	Y	One Year	Y	Y	Approved	24	Non-responsive	Subject to provision of market experinece of quoted products
	M/S Diagnostic Medical Associates	(Abacus-380) Diagtron, Hungary	1x3 ml	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	34	Responsive	
	M/S A.H Traders	Bilimsel Tibbi Urunler Ltd, Turkey	1x2.5 ml	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
307	Quality Control Haematology Analyzer, High (FOC)1Set																			
	M/S Popular International	Mission HA 360 Accon, USA (Reagents: Human Germany)	1x1 Set	6	2	2	2	2	0	0	5	5	Y	One Year	Y	Y	Approved	24	Non-responsive	Subject to provision of market experinece of quoted products
	M/S Diagnostic Medical Associates	(Abacus-380) Diagtron, Hungary	1x3 ml	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	34	Responsive	
	M/S A.H Traders	Bilimsel Tibbi Urunler Ltd, Turkey	1x2.5 ml	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
Reagents of Haematology 3-Part Analyzer (Medonic M-series) (Purchased Instrument)																				

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
308	Cell Pack for Medonic with control and calibrator1x800Tests																28	Non-responsive	NOT QUOTED	
<i>Latest Quality Fully Automated Haematology Analyzer 5-Parts on reagent rental basis with Printer, UPS, Roller Mixer and all other necessary accessorie.</i>																				
309	Diluent (Haematology analyzer 5 Parts) 1 x 20 Ltr																			
	M/S National diagnostic Center	Boul medical, Sweeden	1x20 Ltr	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	Not Evaluated	28	Non-responsive	Subject to evaluation
	M/S Reaction Scientific	BC-5000 Mindray, China	1x20 Ltr	4	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved (Already in use)	22	Non-responsive	Subject to provision of essential required tender documents
	M/S Popular International	Humacount 5-D, Human Germany	1x20 Ltr	6	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Diagnostic Medical Associates	Abacus-5 Diagtron, Hungary	Diluent 20 Ltr (Diator Dil 5P)	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user due to non provision of instrument on evaluation
	M/S A.H Traders	BT Pro-2400 Bilimsel Tibbi Urunler Ltd, Turkey	1x20 Ltr	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
310	Lyzer (Haematology analyzer 5 Parts) 1 x 500ml																			
	M/S National diagnostic Center	Boul medical, Sweeden	Lyse 1 (1x200 ml)	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	Not Evaluated	28	Non-responsive	Subject to evaluation
	M/S Reaction Scientific	BC-5000 Mindray, China	Diff. Lyse 1x500 ml	4	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved (Already in use)	22	Non-responsive	Subject to provision of essential required tender documents
	M/S Popular International	Humacount 5-D, Human Germany	1x500 ml	6	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Diagnostic Medical Associates	Abacus-5 Diagtron, Hungary	Lyse 5 Ltr (Lyse 5P)	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user due to non provision of instrument on evaluation
	M/S A.H Traders	BT Pro-2400 Bilimsel Tibbi Urunler Ltd, Turkey	1x1 Ltr	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
311	Cleaner (Haematology analyzer 5 Parts) 1 x 50ml																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
	M/S National diagnostic Center	Boul medical, Sweeden	Celan 500 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	Not Evaluated	28	Non-responsive	Subject to evaluation
	M/S Popular International	Humacount 5-D, Human Germany	1x50 ml	6	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Diagnostic Medical Associates	Abacus-5 Diagtron, Hungary	Hypoclean CC 1x100 ml	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user due to non provision of instrument on evaluation
	M/S A.H Traders	BT Pro-2400 Bilimsel Tibbi Urunler Ltd, Turkey	1x20 Ltr	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
312	LH Lyser (Haematology analyzer 5 Parts)1 x 100ml																			
	M/S National diagnostic Center	Boul medical, Sweeden	Lyse 2 500 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	Not Evaluated	28	Non-responsive	Subject to evaluation
	M/S Reaction Scientific	BC-5000 Mindray, China	LH Lyse 1x100 ml	4	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved (Already in use)	22	Non-responsive	Subject to provision of essential required tender documents
	M/S Popular International	Humacount 5-D, Human Germany	1x200 ml	6	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
	M/S Diagnostic Medical Associates	Abacus-5 Diagtron, Hungary	Lyse 5P 1x1 Ltr	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user due to non provision of instrument on evaluation
	M/S A.H Traders	BT Pro-2400 Bilimsel Tibbi Urunler Ltd, Turkey	1x20 Ltr	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
313	Quality Control (Haematology analyzer 5 Parts) (Low, Normal, High)3 x 3.5ml																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
M/S National diagnostic Center	Boul medical, Sweeden	3x4.50 ml.	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	Not Evaluated	28	Non-responsive	Subject to evaluation	
M/S Reaction Scientific	BC-5000 Mindray, China	Low, Norm, High (3.5 ml)	4	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved (Already in use)	22	Non-responsive	Subject to provision of essential required tender documents	
M/S Popular International	Humacount=-5D Human, Germany	1x1 Set	6	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	32	Responsive		
M/S Diagnostic Medical Associates	Abacus-5 Diagtron, Hungary	3x3 ml	8	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	34	Non-responsive	Rejected by the end user due to non provision of instrument on evaluation	
M/S A.H Traders	BT Pro-2400 Bilimsef Tibbi Urunler Ltd, Turkey	3x2.5 ml	4	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive		
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																				
Latest Quality Fully Autmoated Haematology Analyzer 6-Part / 7-Part (6-Part / 7-Part Diff. + NRBC + MP + Retic) on Reagent Rental Basis with Printer, UPS, roller Mixer and all other necessary accessories.																				
314	L.N.Lyse1Ltr																			
M/S Reaction Scientific	BC-5000 Mindray, China	1x1 Ltr	4	0	2	2	2	0	0	5	5	Y	N	Y	Y	Approved (Already in use)	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
315	L.H.Lyse1Ltr																			
M/S Reaction Scientific	BC-5000 Mindray, China	1x1 Ltr	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
316	F.D.Dye1x12ml																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks		
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"									
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N	A/R
		ISO	CE	IVD	FDA	other															
	M/S Reaction Scientific	BC-5000 Mindray, China	1x12 ml	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
317	F.R.Dye1x12ml																				
	M/S Reaction Scientific	BC-5000 Mindray, China	1x1 Ltr	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
318	D.R.Diluent1Ltr																				
	M/S Reaction Scientific	BC-5000 Mindray, China	1x1 Ltr	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
319	M.Diluent																				
	D.S Diluent 20 Ltr																				
		M/S Reaction Scientific	BC-5000 Mindray, China	1x20 Ltr	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents
	L.D Lyes1Ltr																				
		M/S Reaction Scientific	BC-5000 Mindray, China	1x1 Ltr	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents
	F.N Dye1x12ml																				
	M/S Reaction Scientific	BC-5000 Mindray, China	1x1 Ltr	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
320	Probe Cleaner1x50ml																				
	M/S Reaction Scientific	BC-5000 Mindray, China	1x50 ml	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
321	Quality Control, Low																				

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
	M/S Reaction Scientific	BC-5000 Mindray, China	1x4.5 ml	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
322	Quality Control, Normal																				
	M/S Reaction Scientific	BC-5000 Mindray, China	1x4.5 ml	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
323	Quality Control, High																				
	M/S Reaction Scientific	BC-5000 Mindray, China	1x4.5 ml	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
324	Quality Control, NRBC Count, Low																				
	M/S Reaction Scientific	BC-5000 Mindray, China	1x1 ml	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
325	Quality Control, NRBC Count, Normal																				
	M/S Reaction Scientific	BC-5000 Mindray, China	1x1 ml	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use while the firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents	
326	Quality Control, NRBC Count, High																				

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
M/S Reaction Scientific	BC-5000 Mindray, China	1x1 ml	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	BC-6200 already in use firm quoted 6/7 part BC-5000 Subject to provision of essential required tender documents		
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																					
<u>Two Nos. of Latest Brand New Fully Automated Coagulation Analyzer (Reagent/Rental Basis) With Printer, UPS, Controls, Calibrators, one Centrifuge Machine with speed > 1500 RPM & > 10 holes and all other necessary accessories for tests.</u>																					
327	PT1x1000T																				
M/S Reaction Scientific	Diagno, Hungary	1x1000 Tests	4	2	0	0	0	0	0	5	5	Y	Y	Y	Y	Approved (Already in use)	16	Non-responsive	Subject to provision of essential required tender documents		
328	APTT1x1000T																				
M/S Reaction Scientific	Diagno, Hungary	1x1000 Tests	4	2	0	0	0	0	0	5	2	Y	Y	Y	Y	Approved (Already in use)	13	Non-responsive	Subject to provision of essential required tender documents		
329	D.Dimer1x500T																				
M/S Reaction Scientific	Diagno, Hungary	1x500 Tests	4	2	0	0	0	0	0	5	2	Y	Y	Y	Y	Approved (Already in use)	13	Non-responsive	Subject to provision of essential required tender documents		
330	Fibrinogen1x500T																				
M/S Reaction Scientific	Diagno, Hungary	1x500 Tests	4	2	0	0	0	0	0	5	2	Y	Y	Y	Y	Approved (Already in use)	13	Non-responsive	Subject to provision of essential required tender documents		
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																					

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
Reagents of Sysmex CA 660 Automated Blood Coagulation Analyzer (The company will provide an automated/Semi automated coagulate Analyzer for backup) UPS(Purchase instrument)																					
331	Reaction Cups/Tubes 1x3000No																				
M/S A.M Healthcare	Seimens, Germany	1x3000 Nos	10	8	2	0	2	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	32	Non-responsive			
332	C.A Clean 1x50 ml (200 T)																				
M/S A.M Healthcare	Seimens, Germany	1x50 ml (200 T)	10	0	2		2	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	24	Non-responsive			
333	PT Reagents (1x1000T)																				
M/S A.M Healthcare	Seimens, Germany	10x10 ml	10	0	2		2	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	24	Non-responsive			
334	APTT Reagents with Calcium Chloride 1x1000T																				
M/S A.M Healthcare	Seimens, Germany	10x15 ml	10	0	2		2	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	24	Non-responsive			
335	D.Dimer 1x500T																				
M/S A.M Healthcare	Seimens, Germany	1x180 T	10	0	2		2	0	0	5	5	Y	Y	Y	N	No Sample	24	Non-responsive	Subject to provision sample		
336	Fibrinogen 1x500T																				
M/S A.M Healthcare	Seimens, Germany	1x180 T	10	0	2		2	0	0	5	5	Y	Y	Y	N	No Sample	24	Non-responsive	Subject to provision sample		
337	Quality Control (Normal) 1x10 ml																				
M/S A.M Healthcare	Seimens, Germany	10x1 ml	10	0	2		2	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	24	Non-responsive			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	10 marks				FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other													
338 Quality Control (High)1x10ml																			
M/S A.M Healthcare	Seimens, Germany	10x1 ml	10	0	2		2	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	24	Non-responsive	
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																			
Manual PT, APTT Tests																			
339 PT Kits10x5ml																			
M/S Popular International	Human, Germany	6x10 ml	6	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	22	Non-responsive	Subject to provision of essential required tender documents and sample
M/S Blazon Diagnostic	BSM, Spain	4x4 ml	10	2	2		2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of sample
340 APTT with Calcium Chloride Kits10x3ml																			
M/S Popular International	Human, Germany	6x4 ml	6	0	2	2	2	0	0	5	5	Y	N	Y	N	No Sample	22	Non-responsive	Subject to provision of essential required tender documents and sample
M/S Blazon Diagnostic	BSM, Spain	5x4 ml	10	2	2		2	0	0	5	5	Y	Y	Y	N	No Sample	26	Non-responsive	Subject to provision of sample
Fully Automated, Brand New Electrophoresis Machine (on Reagent/Rental Basis) Printer, UPS, Controls, Calibrators and all other necessary accessories for tests.																			
341 Chemicals, Controls and Calibrators1x500Tests																			
M/S Global Marketing Services	(Maxi Kit) Sebia, France	1x500 Tests	10	10	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected (Already in use)	36	Non-responsive	(Already in Use) Rejected by the end user due to very poor backup services
	Buffer Vial (Sebia, France)	1x1 Kit	10	10	2	2	2	0	0	5	5	Y	Y	N	Y		36		
	HbA2 Normal Control (Sebia, France)	5x1 ml	10	10	2	2	2	0	0	5	5	Y	Y	N	Y		36		
M/S Chemical House	Bio-Rad, USA / EU / Germany / France	Pack Size No Pack Size	10	10	0	0	0	0	0	5	5	Y	Y	N	Y	Rejected	30	Non-responsive	Rejected by the und user due to Unsatisfactory Results on evaluation
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
Two Automated ESR Analyzers (on Reagent/Rental Basis) with Printer, UPS, Controls. Throughput > 10 samples/30min, Result within 30min.																				
342	ESR Vacuette/Tube/Barcode																			
	M/S Sind Medical Store	AliFax S.r.Italy	20-4000 T	10	10	2	2	2	0	0	5	5	Y	Y	N	N	No Sample	36	Non-responsive	Subject to provision of FSC and sample
	M/S Diagnostic Medical Associates	Linear Chemicals Spain	1x100 Nos (Size 1.5 ml)	8	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	26	Responsive	
Note: Instrument installation with accessories along with Laboratory Set Up / Renovation will be provided by the awarded firm.																				
343	Thermameter Specific for Water Bath1x1No																NOT QUOTED			
344	EDTA Tubes (Vacuum Tube)1x100No																			
	M/S Three Star Medical Supplies	BioVac	1x100 Nos	10	6	0	0	0	0	0	5	5	N	Y	N	Y	Approved (prev. Exp.)	26	Non-responsive	Subject to provision of essential required documents.
	M/S Keyyani Medical Solution	Jiangzi, China	1x100 Nos	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive	
	M/S National diagnostic Center	Xinle, China	1X100 Nos	10	6	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	32	Responsive	
345	ESR Solution1 x 500ml																			
	M/S Three Star Medical Supplies	GmbH	1x200 Nos	10	4	0	0	0	0	0	5	5	N	Y	N	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
346	Cidar Wood Oil1x450ml																			
	M/S National diagnostic Center	Merck, Germany	1x500 ml	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (prev. Exp.)	26	Responsive	
	M/S Three Star Medical Supplies	SDL, Pakistan	1x500 ml	10	4	0	0	0	0	0	5	5	Y	Y	N.A	N	No Sample	24	Non-responsive	Subject to provision of Sample
	M/S Abdullah Traders	BioGnost, Croatia	1x250 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	28	Non-responsive	Rejected by end user on the basis of un-satisfactory results on evaluation
	M/S Musaji Adam & Sons	Daujung, Korea	1x100 Nos	10	0	2	0	0	0	0	0	3	Y	N	N	N	No Sample	15	Non-responsive	Subject to provision of sample and essential required tender documents

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder									Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)									a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other														
347	Reticulocyte Stain1x500ml																			
	M/S National diagnostic Center	Merck, Germany	1x100 ml	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (prev. Exp.)	26	Responsive	
	M/S Three Star Medical Supplies	Diachem	1x500 ml	10	4	0	0	0	0	0	5	5	N	Y	N	N	No Sample	24	Non-responsive	Subject to provision of sample and essential required tender documents
	M/S Abdullah Traders	BioGnost, Croatia	1x500 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Musaji Adam & Sons	Wellcosol	1x500 ml	10	0	0	0	0	0	0	0	3	N	N	N	N	No Sample	13	Non-responsive	Subject to provision of sample and essential required tender documents
348	Bone Marrow Aspiration Needles (Adults) Disposable 1x1No.																			
	M/S Three Star Medical Supplies	Matek, Turkey	1x1 No	10	4	0	0	0	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	24	Responsive	
349	Bone Marrow Aspiration Needles (Paeds) Disposable 1x1No.																			
	M/S Three Star Medical Supplies	Matek, Turkey	1x1 No	10	4	0	0	0	0	0	5	5	Y	Y	Y	N	Approved (Already in use)	24	Responsive	
350	Giemsa Stain1x1000ml																			
	M/S National diagnostic Center	Merck, Germany	1x1 Ltr	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (prev. Exp.)	26	Responsive	
	M/S Three Star Medical Supplies	Crescent, Saudi Arabia	1x1000 ml	10	4	2		2	0	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of essential required tender documents and documents
	M/S Abdullah Traders	BioGnost, Croatia	3x500 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	36	Non-responsive	Rejected by the end user on the basis of un-satisfactory results on evaluation
	M/S Musaji Adam & Sons	Wellcosol	1x1000 ml	10	0	0	0	0	0	0	0	3	N	N	N	N	No Sample	13	Non-responsive	Rejected by the end user on the basis of un-satisfactory results on evaluation
351	Methanol 1x2500ml																			
	M/S National diagnostic Center	Merck, Germany	1x2.5 Ltr	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (prev. Exp.)	26	Responsive	
	M/S Abdullah Traders	BioGnost, Croatia	1x5 Ltr	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
	M/S Musaji Adam & Sons	Daejung, Korea	1x4 Ltr	10	0	2	0	0	0	0	0	3	Y	N	N	N	No Sample	15	Non-responsive	Subject to provision of essential required tender documents and sample

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder										Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R".)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)										a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N	A/R				
		ISO	CE	IVD	FDA	other															
352	PAS Stain3x200ml																				
M/S Three Star Medical Supplies	Crescent, Saudi Arabia	3x200 ml	10	4	2	0	2	0	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S National diagnostic Center	Merck, Germany	2x500 ml	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved (prev. Exp.)	26	Responsive			
M/S Abdullah Traders	BioGnost, Croatia	1x1 Kit	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive			
353	MPO Stain Kit																				
354	Sudan Black B1x1No.																				
M/S Three Star Medical Supplies	Crescent, Saudi Arabia	1x1 Kit	10	4	2	0	2	0	0	5	5	Y	Y	Y	N	No Sample	28	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S National diagnostic Center	Sigma, USA	1x25 gm	10	4	2	0	0	0	0	5	5	Y	Y	N	N	Approved (prev. Exp.)	26	Non-responsive	Subject to provision of FSC		
M/S Abdullah Traders	BioGnost, Croatia	1x400 Tests	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive			
355	Peris Stain (Iron Stain)4x200ml																				
M/S Three Star Medical Supplies	Crescent, Saudi Arabia	4x200 ml	10	4	2	0	2	0	0	5	5	Y	Y	N	N	No Sample	28	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S Abdullah Traders	BioGnost, Croatia	3x250 ml	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive			
356	Vacuume Tube for PT, APTT1x100Nos																				
M/S Three Star Medical Supplies	BioVac	1x100 Nos	10	4	0	0	0	0	0	5	5	N	Y	N	Y	Approved	24	Non-responsive	Subject to provision of essential required tender documents and sample		
M/S Keyyani Medical Solution	Jiangzi, China	1x100 Nos	6	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	24	Responsive			
M/S National diagnostic Center	Xinle, China	1x100 Nos	10	2	2	2	2	0	0	5	5	Y	Y	Y	N	Approved (prev. Exp.)	28	Responsive			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other													

Blood Bank Annual Demand

357	M.P ICT1x1No																		
M/S Three Star Medical Supplies	Fastep, China	1x40 Tests	10	4	2	0	0	0	0	5	5	Y	Y	N	Y	Rejected	26	Non-responsive	Rejected by end user on the basis of insufficient samples.
M/S Sind Medical Store	InTec, China	1x40 Tests	10	2	2	0	0	0	2	5	5	Y	Y	Y	Y	Approved	26	Responsive	
M/S A.S Enterprises	Acon, USA / China	1x25 Tests	10	0	2	2	2	0	0	5	5	Y	N	Y	Y	Approved	26	Non-responsive	Subject to provision of market experience of quoted product

Fully Automated, Latest Cross-Match System (On Reagent/Rental Basis) with all accessories Controls and Calibrators.

358	Cross Match System																		
M/S Sind Medical Store	DiaMed, Swtzerland	112x12 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
M/S Zedco	StarGel-10, Heamokinesis, Australia	1x600 T	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	36	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	1x100 Cassettes (600 Tests)	8	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	

359	Forward and Reverse Blood Grouping Gel Card																		
M/S Sind Medical Store	DiaMed, Swtzerland	112x12 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
M/S Zedco	Heamokinesis, Australia	1x100 Tests	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Rejected	36	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	1x100 Cassettes (200 Tests) (BioVue ABO Rh-D Combo)	8	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	

360	Human Anti D Sera1x10ml																		
M/S Sind Medical Store	DiaMed, Swtzerland	10 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	3X10 ml	8	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
361	Cell Preservative1x500ml																			
	M/S Sind Medical Store	DiaMed, Swtzerland	1x500 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	N	Approved	36	Responsive	
	M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	4x6.5 ml	8	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive		
362	3 Cell Panel for Red Cell all antibodies3x10ml																			
	M/S Sind Medical Store	DiaMed, Swtzerland	3x10 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
	M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	3x10 ml	8	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive		
363	11 Cell Panel for Red Cell all antibodies11x5ml																			
	M/S Sind Medical Store	DiaMed, Swtzerland	11x4 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
	M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	Reslove A 11x3 ml Reslove B 11x3 ml	8	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive		
364	O,A & B Cells (for reverse grouping)3x10ml																			
	M/S Sind Medical Store	DiaMed, Swtzerland	3x10 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
	M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	0.8% Affirmagen (A1+B Cells) 2x10 ml	8	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive		

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
365	22% Bovine Albumin with Control1x10ml																			
	M/S Sind Medical Store	DiaMed, Swtzerland	1x10 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
	M/S Zedco	Loren, UK	1x100 Tests	10	6	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected	32	Non-responsive	Rejected by the end user on the basis of unsatisfactory results on evaluation
	M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	3x10 ml	8	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive		
366	Blood group reagents with Control3x10ml																			
	M/S Three Star Medical Supplies	SBIO, Singapore	3x10 ml	10	4	2	0	0	0	0	5	5	Y	Y	Y	N	Approved	26	Responsive	
	M/S Sind Medical Store	DiaMed, Swtzerland	3x10 ml	10	10	2	2	2	0	2	5	5	Y	Y	Y	Y	Approved	38	Responsive	
	M/S Zedco	Loren, UK	1x10 ml	10	6	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected	32	Non-responsive	Rejected by the end user on the basis of un-satisfactory results on evaluation
367	Diluent3x10ml																			
	M/S Sind Medical Store	DiaMed, Swtzerland	1x500 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
	M/S Zedco	Loren, UK	4x250 ml	10	6	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected	32	Non-responsive	Rejected by the end user on the basis of un-satisfactory results on evaluation
	M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	3x10 ml	8	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive		
368	A.H.G Coombs Reagent with Control1x10ml																			
	M/S Sind Medical Store	DiaMed, Swtzerland	1x10 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
	M/S Zedco	Loren, UK	4x250 ml	10	6	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected	32	Non-responsive	Rejected by the end user on the basis of un-satisfactory results on evaluation

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"							
				PP 10 marks	MPE 10 marks	ISO marks				FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N	SS Y/N				
		ISO	CE	IVD	FDA	other													
369 Anti A1 Lactin (for A1 & A2 Reagent for Blood Grouping)1x5ml																			
M/S Sind Medical Store	DiaMed, Swetzerland	1x5 ml	10	10	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	36	Responsive	
M/S Zedco	Loren, UK	4x250 ml	10	6	2	2	2	0	0	5	5	Y	Y	N	Y	Rejected	32	Non-responsive	Rejected by the end user on the basis of un-satisfactory results on evaluation
M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	1x3 ml	8	2	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
<u>Hb Meter for Haemoglobin estimation for Blood Donors and Thalassemics, FDA/CE Mark/ISO certified, Portable with HCT ParameteR on Reagent Rental Basis</u>																			
370 Hb Meter Strips1x50T																			
M/S Three Star Medical Supplies	Ecotest	1x50 Tests	10	4	0	0	0	0	0	5	5	N	Y	N	N	No Sample	24	Non-responsive	Subject to provision of essential required tender documents and sample
M/S A.S Enterprises	Acon, USA / China	1x25 Tests	10	2	2	2	2	0	0	5	5	Y	Y	Y	Y	Approved	28	Responsive	
<u>Fully Automated Latest Immunoassay Analyzer (Chemiluminescence) on Reagent/rental basis with UPS backup, printer and all accessories controls and calibrators</u>																			
371 HIV100Tests																			
M/S A.M Healthcare	BioRad, USA	1x100 Tests	10	0	0	0	0	0	0	5	5	N	N	N	N	Not Evaluated	20	Non-responsive	Subject to provision of essential required tender documnts and evaluation of Instrument
M/S Reaction Scientific	CL-900i Mindray, China	2x50 Tests	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	Subject to provision of essential required tender documnts
M/S Diagnostic Medical Associates	Vitros ECIQ Ortho Clinical Diagnostic, USA	1x100 Tests	8	4	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
M/S Parazelsus	Roche Cobas	1x200 T	0	0	2	2	2	0	0	0	5	Y	N	Y	N	Not Evaluated	11	Non-responsive	Subject to provision of essential required tender documnts and evaluation of Instrument

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder								Compulsory Criteria of Product				Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks	
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" c) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), d) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) e) Tax Returns "TR" (Last Three Years)								a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks					FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N					SS Y/N
		ISO	CE	IVD	FDA	other														
372	Anti HCV100Tests																			
	M/S A.M Healthcare	BioRad, USA	1x100 Tests	10	0	0	0	0	0	0	5	5	N	N	N	N	Not Evaluated	20	Non-responsive	Subject to provision of essential required tender documnts and evaluation of Instrument
	M/S Reaction Scientific	CL-900i Mindray, China	2x50 Tests	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	Subject to provision of essential required tender documnts
	M/S Diagnostic Medical Associates	Vitros ECIQ Ortho Clinical Diagnostic, USA	1x100 Tests	8	4	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
	M/S Parazelsus	Roche Cobas	1x200 T	0	0	2	2	2	0	0	0	5	Y	N	Y	N	Not Evaluated	11	Non-responsive	Subject to provision of essential required tender documnts and evaluation of Instrument
373	HBsAg100Tests																			
	M/S A.M Healthcare	Beckman Coulter, USA / Ireland	1x100 Tests	10	0	2	2	0	2	0	5	5	N	N	N	N	Not Evaluated	26	Non-responsive	Subject to provision of essential required tender documnts and evaluation of Instrument
	M/S Reaction Scientific	CL-900i Mindray, China	2x50 Tests	4	0	2	2	2	0	0	5	5	Y	N	N	Y	Approved	20	Non-responsive	Subject to provision of essential required tender documnts
	M/S Diagnostic Medical Associates	Vitros ECIQ Ortho Clinical Diagnostic, USA	1x100 Tests	8	4	2	2	2	2	0	5	5	Y	Y	Y	Y	Approved	30	Responsive	
	M/S Parazelsus	Roche Cobas	1x200 T	0	0	2	2	2	0	0	0	5	Y	N	Y	N	Not Evaluated	11	Non-responsive	Subject to provision of essential required tender documnts and evaluation of Instrument
374	Syphilis VDRL100Tests																			
	M/S Reaction Scientific	Mindray, China	2x50 Tests	4	0	2	2	2	0	0	5	2	Y	N	N	Y	Approved	17	Non-responsive	Subject to provision of essential required tender documnts
	M/S Diagnostic Medical Associates	Ortho Clinical Diagnostic, USA	1x100 Tests	8	4	2	2	2	2	0	5	5	Y	Y	N	Y	Approved	30	Responsive	Subject to provision of FSC
	M/S Parazelsus	Roche Cobas	1x200 T	0	0	2	2	2	0	0	0	5	Y	N	Y	N	Not Evaluated	11	Non-responsive	Subject to provision of essential required tender documnts and evaluation of Instrument
375	Any other parameters																			

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)

Sr.#	Name of Firm	Brand / Manufacturer Name	Quoted Pack Size	Ordinary Criteria of Firm/ Bidder						Compulsory Criteria of Product					Approval of samples by TSC/ End User & Previous Experience. (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product (Responsive / Non-Responsive)	Remarks
				a) (Past Performance of the Bidder "PP" (Last two years) b) Market Experience of quoted Product "MPE" b) Credibility & Certification of Manufacturer "CrC" (ISO, CE, IVD, FDA etc), c) Financial Status of Bidder "FS" (Audit Report or Balance Sheet) d) Tax Returns "TR" (Last Three Years)						a) Authority Letter "AL" of quoted brand b) Product Experience "PE" c) Free Sale Certificate "FSC" d) Product Reg. from DRAP e) Sample Specification "SS"								
				PP 10 marks	MPE 10 marks	CrC 10 marks				FS 05 marks	TR 05 marks	AL Y/N	PE Y/N	FSC Y/N				
		ISO	CE	IVD	FDA	other												
PLASMA PHORESIS KITS																		
376	Plasma Phoresis Kits 1x1Kit																NOT QUOTED	

Dr. Sehrish Javed
Pharmacist Medicine Procurement

Dr. Maria Zulfiqar
Pharmacist Medicine Procurement

Miss. Aiza Saleem
Pharmacist Medicine Procurement

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Mansoor Tariq
D.M.S (Stores)

Assoc. Prof. Dr. Sabahat Tariq
Chemical Pathology Department

Assoc. Prof. Dr. Wazhir Ali Khan
Neurology Department

Prof. Dr. Muhammad Bilal Ghafoor
Haematology Department

Prof. Dr. Muhammad Shahbaz Hussain
Medicine Department

Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Ghulam Fareed
Medicine Department

Prof. Dr. Zaffar Iqbal
Orthopaedic Department

Prof. Dr. Muhammad Fahim Awan
E.N.T Department

Prof. Dr. Muhammad Suleman Khan
Pathology Department

Dr. Thouheed Ahmed Khan
Medical Superintendent
Sheikh Zayed Hospital,
Rahim Yar Khan

Prof. Dr. Shazia Majid Khan
H.O.D Gynae & Obs. Department
Chairperson Technical Scrutiny Committee
Sheikh Zayed Hospital,
Rahim Yar Khan

TOTAL MARKS 40

QUALIFYING MARKS 65% i.e (23)