

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"

Sr.#	Item No. 01 - Computer	M/s ABM	M/s DataDistinct	M/s Computer Tips	M/s GCS
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)					
1	Item name/Tender	Yes	Yes	Yes	Yes
2	Original receipt for Purchase of tender	Yes	Yes	Yes	Yes
3	Copy of the Proprietor's CNIC is attached?	Yes	Yes	Yes	Yes
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	Yes	Yes	Yes	Yes
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-)	Yes	Yes	Yes	Yes
6	Bid Security/Copy of CDR	Yes	Yes	Yes	Yes
7	Bid Validity	30 days instead of 120 days	Yes	Yes	Yes
8	Delivery Period	Yes	Yes	Yes	Yes
9	The tender documents are signed, stamped and proper page number marking	Yes	Yes	Yes	Yes
10	The bidder/bidders has not been blacklisted by any public sector organization	Yes	Yes	Yes	Yes
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	Dell authorization certificate not attached	Yes	Yes	Yes
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	Not attached	Yes	Not attached	Yes
	Remarks (Responsive/Non-Responsive)	Non-Responsive	Responsive	Non-Responsive	Responsive
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)					
13	Bid is submitted in the prescribed Annexure to this tender/bid document	Yes	Yes	Yes	Yes
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	Yes	Yes	Yes	Yes
15	Incomplete, Ambiguous, Conditional, Alternative, Late	No	No	No	No
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	Yes	Yes	Yes	Yes
17	Copies of earlier contracts/work orders	Yes	Yes	Yes	Yes
18	Fresh Bank transaction certificate is Attached?	Yes	Yes	Yes	Yes
19	Technical Specification according to the requirement is attached?	Yes	Yes	Yes	Yes
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	Not applicable	Not applicable	Not applicable	Not applicable
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	Yes	Yes	Yes	Yes
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	Yes	Yes	Yes	Yes
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	Yes	Yes	Yes	Yes
	Remarks (Responsive/Non-Responsive)	Responsive	Responsive	Responsive	Responsive

34 Am. (S)

S.#	Item No. 01 - Computer	M/s ABM	M/s DataDistinct	M/s Computer Tips	M/s GCS
	TECHNICAL SPECIFICATIONS				
	Make	Dell	Lenovo	Dell	Dell
	Model	Vostro 3888	V50T	Vostro 3888	Optiplex 3000
	Evaluation Criteria (Score)	66	82	75	83
1	Processor: Intel® Core™ i5-10400 or higher	Yes	Yes	Yes	i5-12500
2	RAM: 8 GB DDR-4 or Higher	Yes	Yes	Yes	Yes
3	Hard Disk Drive: 1TB (7200RPM) or Higher	Yes	Yes	Yes	Yes
4	Optical Drive: Super Drive/DVD-RW	Yes	Yes	Yes	Yes
5	Wireless: 802.11bgn	Yes	Yes	Yes	Yes
6	Video Graphic Adapter: Integrated Intel HD Graphics (Built on Board)	Yes	Yes	Yes	Yes
7	Keyboard & Mouse: USB Standard Keyboard & USB Laser Mouse (Same Brand)	Not mentioned	Yes	Yes	Yes
8	Casing: Tower Chassis with Standard Power Supply	Yes	Yes	Yes	Yes
9	Ports & Connectors: Headphone Connector, DP/VGA, RJ45, USB 2.0/3.0 Connectors	Yes	Yes	Yes	Yes
10	LED Screen: LED 18.5" or Higher	Yes	Yes (D19-10)	Yes	Yes (E1920H)
11	Warranty: 3 Years complete warranty on site	Yes	Yes	Yes	Not mentioned
12	Brand: Dell, HP, Lenovo or Equivalent	Yes	Yes	Yes	Yes
13	Operating System: Registered/Licensed Windows 10 Professional (OLP License or OEM DVD with scratchable Product Key verifiable)	Digital License	DVD with scratchable product key	DVD with scratchable product key verified	Windows 11 Pro License included
	Remarks (Responsive/Non-Responsive)	Non-Responsive	Responsive	Non-Responsive on the basis of Knock Down Criteria	Non-Responsive

Naveed Ahmed Shah
Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)

Noor Anwar
Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)

Abdul Mannan
Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)

Dr. Imran Bashir
AMS
SZH, R. Y. Khan
(Member)

Dr. Syed Atif Hussain
Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)

Dr. Muhammad Zafar Majeed
Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)

Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"

Sr.#	Item No. 02 - Work Station	M/s Data Distinct	M/s Computer Tips	M/s GCS
	PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)			
1	Item name/Tender	Yes	Yes	Yes
2	Original receipt for Purchase of tender	Yes	Yes	Yes
3	Copy of the Proprietor's CNIC is attached?	Yes	Yes	Yes
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	Yes	Yes	Yes
5	An Affidavit (as per Speimen Performa on Stamp Paper of Rs. 100/-	Yes	Yes	Yes
6	Bid Security/Copy of CDR	Yes	Yes	Yes
7	Bid Validity	Yes	Yes	Yes
8	Delivery Period	Yes	Yes	Yes
9	The tender documents are signed, stamped and proper page number marking	Yes	Yes	Yes
10	The bidder/bidders has not been blacklisted by any public sector organization	Yes	Yes	Yes
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	Yes	Yes	Yes
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	Yes	Not attached	Yes
	Remarks (Responsive/Non-Responsive)	Responsive	Non-Responsive	Responsive
	PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)			
13	Bid is submitted in the prescribed Annexure to this tender/bid document	Yes	Yes	Yes
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	Yes	Yes	Yes
15	Incomplete, Ambiguous, Conditional, Alternative, Late	No	No	No
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	Yes	Yes	Yes
17	Copies of earlier contracts/work orders	Yes	Yes	Yes
18	Fresh Bank transaction certificate is Attached?	Yes	Yes	Yes
19	Technical Specification according to the requirement is attached?	Yes	Yes	Yes
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	Not applicable	Not applicable	Not applicable
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	Yes	Yes	Yes
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	Yes	Yes	Yes
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	Yes	Yes	Yes
	Remarks (Responsive/Non-Responsive)	Responsive	Responsive	Responsive

34

Cam. Say





Sr.#	Item No. 02 - Work Station	M/s Data Distinct	M/s Computer Tips	M/s GCS
	TECHNICAL SPECIFICATIONS			
	Make	Lenovo	Lenovo	Dell
	Model	ThinkStation P330	ThinkStation P330	Precision 3660
	Evaluation Criteria (Score)	82	75	83
1	Processor: Intel® Core™ i7-9700 or higher	Yes	Yes	i7-12700
2	Chipset: Intel C246 or Higher	Yes	Yes	Intel W680
3	RAM: 16 GB DDR-4 or Higher, Support upto 32 GB Max.	Yes	Yes	Yes
4	Hard Disk Drive: 4 TB (7200RPM) or Higher	Yes	Yes	2x2TB
5	Optical Drive: Super Drive/DVD-RW	Yes	Yes	Yes
6	Video Graphic Adapter: Integrated Intel HD Graphics (Built on Board)	Yes	Yes	Yes
7	Keyboard & Mouse: USB Standard Keyboard & USB Laser Mouse (Same Brand)	Yes	Yes	Yes
8	Casing: Tower Chassis with Standard Power Supply	Yes	Yes	Yes
9	Ports & Connectors: Headphone Connector, DP/VGA, RJ45, USB 2.0/3.0 Connectors	Yes	Yes	Yes
10	LED Screen: LED 21" with HDMI port or Higher	Yes (ThinkVision S22e-20)	Yes	22" (E2222HS)
11	Warranty: 3 Years complete warranty on site	Yes	Yes	Not mentioned
12	Brand: Dell, HP, Lenovo or Equivalent	Yes	Yes	Yes
13	Operating System: Registered/Licensed Windows 10 Professional (OLP License or OEM DVD with scratchable Product Key verifiable)	DVD with scratchable product key	DVD with scratchable product key verified	Windows 11 Pro License included
	Remarks (Responsive/Non-Responsive)	Responsive	Non-Responsive on the basis of Knock Down Criteria	Non-Responsive

Naveed Ahmed Shah
Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)

Noor Anwar
Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)

Abdul Mannan
Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)

Dr. Imran Bashir
AMS
SZH, R. Y. Khan
(Member)

Dr. Syed Atif Hussain
Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)






Dr. Muhammad Zafar Majeed
Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)

Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)


Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022


IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital
Rahim Yar Khan"


Sr.#	Item No. 03 - UPS for Computer	M/s ABM
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	Yes
2	Original receipt for Purchase of tender	Yes
3	Copy of the Proprietor's CNIC is attached?	Yes
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	Yes
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-)	Yes
6	Bid Security/Copy of CDR	Yes
7	Bid Validity	30 days instead of 120 days
8	Delivery Period	Yes
9	The tender documents are signed, stamped and proper page number marking	Yes
10	The bidder/bidders has not been blacklisted by any public sector organization	Yes
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	Yes
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	Not attached
	Remarks (Responsive/Non-Responsive)	Non-Responsive
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
13	Bid is submitted in the prescribed Annexure to this tender/bid document	Yes
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	Yes
15	Incomplete, Ambiguous, Conditional, Alternative, Late	No
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	Yes
17	Copies of earlier contracts/work orders	Yes
18	Fresh Bank transaction certificate is Attached?	Yes
19	Technical Specification according to the requirement is attached?	Yes
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	Not applicable
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	Yes
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	Yes
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	Yes
	Remarks (Responsive/Non-Responsive)	Responsive
TECHNICAL SPECIFICATIONS		
	Make	Crown









Sr.#	Item No. 03 - UPS for Computer	M/s ABM
	Model	CMU-650
	Evaluation Criteria (Score)	66
1	Output power capacity: 375Watts/650VA	360Watts/650VA
2	Nominal Output Voltage: 230V	Yes
3	Output Frequency (not synced): 50/60 Hz +/-1 Hz	Yes
4	Topology: Line Interactive	Not mentioned
5	Waveform type: Stepped approximation to a sinewave	Not mentioned
6	Transfer Time: 6ms typical : 10ms maximum	Not mentioned
7	Nominal Input Voltage: 230V	Yes
8	Input Voltage Range: 170V-280V	Yes
9	Input frequency: 50/60 Hz +/- 5 Hz (auto sensing)	Yes
10	Input Connections: IEC	Builtin Cable
11	Battery type: Maintenance-free sealed Lead-Acid battery Expected Battery	Yes
12	Battery Life (years): 3-5 years	Not mentioned
13	Intelligent off Mode Charging: Yes	Not mentioned
14	Backup time: Standard (10-15 Minutes Backup)	Not mentioned
15	Control panel: LED Status display with On Line : On Battery	Yes
16	Audible Alarm: Alarm when on battery (distinctive low battery alarm), overload continuous tone alarm	Not mentioned
17	Warranty: 2 Years complete warranty on site	Yes
	Remarks (Responsive/Non-Responsive)	Non-Responsive



Naveed Ahmed Shah
 Assistant Manager (Contracts)
 SZMC/SZH, R. Y. Khan
 (Member)



Noor Anwar
 Computer Programmer
 SZMC/SZH, R. Y. Khan
 (Member)


Abdul Mannan
 Network/System Engineer
 SZMC/SZH, R. Y. Khan
 (Member)


Dr. Imran Bashir
 AMS
 SZH, R. Y. Khan
 (Member)


Dr. Syed Atif Hussain
 Assoc. Prof./HOD Urology Deptt.
 SZMC/SZH, R. Y. Khan
 (Member)


Dr. Muhammad Zafar Majeed
 Assoc. Prof. Medicine/Coordinator
 SZMC/SZH, R. Y. Khan
 (Member)


Prof. Dr. Salah Ud Din Arbi,
 Professor/HOD Ophthalmology
 SZMC/SZH, R. Y. Khan
 (Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"

Sr.#	Item No. 04 - Black & White Laser Printer	M/s ABM
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	Yes
2	Original receipt for Purchase of tender	Yes
3	Copy of the Proprietor's CNIC is attached?	Yes
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	Yes
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-)	Yes
6	Bid Security/Copy of CDR	Yes
7	Bid Validity	30 days instead of 120 days
8	Delivery Period	Yes
9	The tender documents are signed, stamped and proper page number marking	Yes
10	The bidder/bidders has not been blacklisted by any public sector organization	Yes
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	Yes
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	Not attached
	Remarks (Responsive/Non-Responsive)	Non-Responsive
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
13	Bid is submitted in the prescribed Annexure to this tender/bid document	Yes
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	Yes
15	Incomplete, Ambiguous, Conditional, Alternative, Late	No
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	Yes
17	Copies of earlier contracts/work orders	Yes
18	Fresh Bank transaction certificate is Attached?	Yes
19	Technical Specification according to the requirement is attached?	Yes
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	Not applicable
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	Yes
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	Yes
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	Yes
	Remarks (Responsive/Non-Responsive)	Responsive
TECHNICAL SPECIFICATIONS		
	Make	HP
	Model	LaserJet Pro M404n
	Evaluation Criteria (Score)	66








Sr.#	Item No. 04 - Black & White Laser Printer	M/s ABM
1	Print speed black (ISO, A4): 38 ppm or higher	Yes
2	Duty cycle (monthly, A4): 80,000 pages	Yes
3	Number of Users: 3-10 Users	Yes
4	Print Technology: Laser	Yes
5	Paper Size: Letter/A4/Legal	Yes
6	Print quality black (best) Fine Lines: 1200 x 1200 dpi	Yes
7	Processor speed 1200 MHz (Single core frequency) or higher	Yes
8	Connectivity (Standard): 1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network	Yes
9	Memory 256 MB	Yes
10	Paper handling input (Standard): 100-sheet multipurpose Tray 1, 250-sheet input Tray 2	Yes
11	Paper handling output (standard): 150-sheet output bin	Yes
12	Warranty: 3 Years complete warranty on site, Brand: HP or Equivalent	Yes
	Remarks (Responsive/Non-Responsive)	Non-Responsive on the basis of Knock Down Criteria




Naveed Ahmed Shah
Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)



Noor Anwar
Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)



Abdul Mannan
Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)




Dr. Imran Bashir
AMS
SZH, R. Y. Khan
(Member)



Dr. Syed Atif Hussain
Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)



Dr. Muhammad Zafar Majeed
Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)






Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"

Sr. #	Item No. 05 - Hard Disk Drive	M/s ABM	M/s GCS
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)			
1	Item name/Tender	Yes	Yes
2	Original receipt for Purchase of tender	Yes	Yes
3	Copy of the Proprietor's CNIC is attached?	Yes	Yes
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	Yes	Yes
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-)	Yes	Yes
6	Bid Security/Copy of CDR	Yes	Yes
7	Bid Validity	30 days instead of 120 days	Yes
8	Delivery Period	Yes	Yes
9	The tender documents are signed, stamped and proper page number marking	Yes	Yes
10	The bidder/bidders has not been blacklisted by any public sector organization	Yes	Yes
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	Yes	Yes
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	Not attached	Yes
	Remarks (Responsive/Non-Responsive)	Non-Responsive	Responsive
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)			
13	Bid is submitted in the prescribed Annexure to this tender/bid document	Yes	Yes
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	Yes	Yes
15	Incomplete, Ambiguous, Conditional, Alternative, Late	No	No
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	Yes	Yes
17	Copies of earlier contracts/work orders	Yes	Yes
18	Fresh Bank transaction certificate is Attached?	Yes	Yes
19	Technical Specification according to the requirement is attached?	Yes	Yes
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	Not applicable	Not applicable
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	Yes	Yes
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	Yes	Yes
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	Yes	Yes
	Remarks (Responsive/Non-Responsive)	Responsive	Responsive


34 Am. S. May

Sr. #	Item No. 05 - Hard Disk Drive	M/s ABM	M/s GCS
	TECHNICAL SPECIFICATIONS		
	Make	Segate	Western Digital
	Model	Not mentioned	WD40PURZ
	Evaluation Criteria (Score)	66	83
1	Surveillance Series for NVR, Capacity: 4 TB	Yes	Yes
2	Warranty: Standard	1 Year	Not mentioned
	Remarks (Responsive/Non-Responsive)	Non-Responsive on the basis of Knock Down Criteria	Non-Responsive



Naveed Ahmed Shah
Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)




Noor Anwar
Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)



Abdul Mannan
Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)




Dr. Imran Bashir
AMS
SZH, R. Y. Khan
(Member)



Dr. Syed Atif Hussain
Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)



Dr. Muhammad Zafar Majeed
Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)








Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan

Sr. #	Item No. 06 - Digital Camera (Mirror Less)	-
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	No Firm Quoted this item
2	Original receipt for Purchase of tender	
3	Copy of the Proprietor's CNIC is attached?	
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-	
6	Bid Security/Copy of CDR	
7	Bid Validity	
8	Delivery Period	
9	The tender documents are signed, stamped and proper page number marking	
10	The bidder/bidders has not been blacklisted by any public sector organization	
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	
Remarks (Responsive/Non-Responsive)		-
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
13	Bid is submitted in the prescribed Annexure to this tender/bid document	No Firm Quoted this item
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	
15	Incomplete, Ambiguous, Conditional, Alternative, Late	
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	
17	Copies of earlier contracts/work orders	
18	Fresh Bank transaction certificate is Attached?	
19	Technical Specification according to the requirement is attached?	
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	
Remarks (Responsive/Non-Responsive)		-
TECHNICAL SPECIFICATIONS		
	Make	
	Model	
	Evaluation Criteria (Score)	

Sr. #	Item No. 06 - Digital Camera (Mirror Less)	-
1	<p>Full Frame Mirrorless Camera with 28-70mm Lens, Koah Shotgun Video Microphone Professional On Camera Mic, SanDisk Ultra 128GB SD Card, Koah Sony NP-FZ100 Two-Pack Rechargeable 2000mAh Battery and Dual Charger, Vanguard Havana 21 DSLR Shoulder Gadget Bag, Focus Accessories for 260 Bag, Dolica AX620B 62-Inch Proline Tripod & Ball Head and Corel Deluxe Premium Photo Software Kit with New Photo Mirage</p> <p>FEATURES: With the newly developed 24.2MP back-illuminated 35mm full-frame Exmor R CMOS image sensor, paired with a front-end LSI and backed by BIONZ X processing engine. It refines extraordinary image capture control and quality. It's also paired with the FE 28-70mm f/3.5-5.6 OSS Lens.</p> <p>4K FULL FRAME HDR: High-resolution full-frame 4K movies with full-pixel readout without pixel binning that condenses approximately 2.4 times the amount of data required for 4K movies results in minimal moiré and jaggies</p> <p>HYBRID AUTO FOCUS: The camera features a world class autofocus system consisting of 693 focal-plane phase-detection AF points that cover approximately 93% of the image area, 425, contrast AF points and reliable Eye-AF. When combined, both contrast and phase detection AF points form the 4D FOCUS hybrid AF system for wide, fast, reliable AF that locks on and stays locked on.</p> <p>Warranty: 01 Year standard warranty, Brand: Sony or Equivalen</p>	No Firm Quoted this item


Naveed Ahmed Shah

Assistant Manager (Contracts)

SZMC/SZH, R. Y. Khan

(Member)


Noor Anwar

Computer Programmer

SZMC/SZH, R. Y. Khan

(Member)


Abdul Mannan

Network/System Engineer

SZMC/SZH, R. Y. Khan


(Member)


Dr. Imran Bashir

AMS

SZH, R. Y. Khan


(Member)


Dr. Syed Atif Hussain

Assoc. Prof./HOD Urology Deptt.

SZMC/SZH, R. Y. Khan

(Member)


Dr. Muhammad Zafar Majeed

Assoc. Prof. Medicine/Coordinator

SZMC/SZH, R. Y. Khan

(Member)


Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology

SZMC/SZH, R. Y. Khan

(Chairman)

Sr. #	Item No. 07 - Renovation of Server Room	-
1	<p>Comprising of following items 7(a) to 7(c)</p> <p>7(a) False Ceiling: The metal false ceiling should be powder coated 0.5mm thick hot dipped galvanized steel tiles of size 600mm x 600mm with regular edge (10mm) suitable for 25mm grid supported on powder coated galvanized steel grid. The false ceiling should be inclusive of white LED lights 2x2 36W (4 Nos.) for lightings, as per attached sample.</p> <p>7(b) Aluminum Frame (3mm thick, 1.5"x3"), Glass (8mm) and Fabrication Partition 14 X 10 feet with door having lower portion made of fabricated sheet upto 3 feet height, as per sample.</p> <p>7(c) PVC Wall Paneling of Room Size 20X14 upto 10 feet height. Super Heavy top Quality Circle Hole Mould Edge U Groove Lamination PVC Wall Panel</p>	No Firm Quoted this item



Naveed Ahmed Shah
Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)




Noor Anwar
Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)



Abdul Mannan
Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)



Dr. Imran Bashir
AMS
SZH, R. Y. Khan
(Member)



Dr. Syed Atif Hussain
Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)



Dr. Muhammad Zafar Majeed
Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)



Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"


Sr. #	Item No. 08 - Biometric Attendance Machines and Setup with Customized Software	-
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	No Firm Quoted this item
2	Original receipt for Purchase of tender	
3	Copy of the Proprietor's CNIC is attached?	
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-	
6	Bid Security/Copy of CDR	
7	Bid Validity	
8	Delivery Period	
9	The tender documents are signed, stamped and proper page number marking	
10	The bidder/bidders has not been blacklisted by any public sector organization	
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	
	Remarks (Responsive/Non-Responsive)	-
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
13	Bid is submitted in the prescribed Annexure to this tender/bid document	No Firm Quoted this item
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	
15	Incomplete, Ambiguous, Conditional, Alternative, Late	
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	
17	Copies of earlier contracts/work orders	
18	Fresh Bank transaction certificate is Attached?	
19	Technical Specification according to the requirement is attached?	
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	
	Remarks (Responsive/Non-Responsive)	-
TECHNICAL SPECIFICATIONS		
	Make	-
	Model	-
	Evaluation Criteria (Score)	-


38
 Qam @ Sahaj


[Signature]


[Signature]


Sr. #	Item No. 08 - Biometric Attendance Machines and Setup with Customized Software	-
1	<p>Comprising of following items 8(a) to 8(e)</p> <p>8(a) Biometric Attendance Machine: Face Recognition & Fingerprint Time Attendance & Access Control Machine Minimum 500 Faces and 500 Fingerprint on each machine, Min 200,000 Transaction Record Capacity: 200,000, Processor: 1 GHZ, Lighting: 20,000 Lux, Verification: Face and Finger, Communication: TCP/IP, USB, TFT Screen (Don't be touch screen) with keypad, function and navigation keys, Rechargeable battery with operation backup time of 2-4 Hrs</p> <p>Features Required:</p> <ul style="list-style-type: none"> - The device should have the capability to ping alerts in case of error. - Device store information internally and can communicate in client/server environment. - Auto failover to/from primary/secondary communication medium in case of failure. - Complete privacy and protection of information. - Multiuser access of attendance system software. - Various alarms security level. <p>8(b) Design and Mounts for bio metric machine: Design for Indoor placement with requisite caging for physical security. Machine installed at site shall be wall mounted.</p> <p>8(c) Time Attendance Software: Time standard software with machines. Customized attendance application/ software will also be provided by the supplier as per user requirement.</p> <p>8(d) Installation: Installation, wiring, fixing, commissioning, testing, power supply, cables, integration, report fetching complete in all aspects as per FIEDMC requirment.</p> <p>8(e) Warranty: 3 Years complete warranty with parts and services on site. Whole system</p>	No Firm Quoted this item



Naveed Ahmed Shah
 Assistant Manager (Contracts)
 SZMC/SZH, R. Y. Khan
 (Member)



Noor Anwar
 Computer Programmer
 SZMC/SZH, R. Y. Khan
 (Member)


Abdul Mannan
 Network/System Engineer
 SZMC/SZH, R. Y. Khan
 (Member)


Dr. Imran Bashir
 AMS
 SZH, R. Y. Khan
 (Member)


Dr. Syed Atif Hussain
 Assoc. Prof./HOD Urology Deptt.
 SZMC/SZH, R. Y. Khan
 (Member)


Dr. Muhammad Zafar Majeed
 Assoc. Prof. Medicine/Coordinator
 SZMC/SZH, R. Y. Khan
 (Member)


Prof. Dr. Salah Ud Din Arbi,
 Professor/HOD Ophthalmology
 SZMC/SZH, R. Y. Khan
 (Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022


IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"


Sr. #	Item No. 09 - Wifi Solution (on Turn Key Basis)	M/s GCS	M/s CMC
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)			
1	Item name/Tender	Yes	Yes
2	Original receipt for Purchase of tender	Yes	Yes
3	Copy of the Proprietor's CNIC is attached?	Yes	Yes
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	Yes	Yes
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-)	Yes	Yes
6	Bid Security/Copy of CDR	Yes	Yes
7	Bid Validity	Yes	Yes
8	Delivery Period	Yes	Yes
9	The tender documents are signed, stamped and proper page number marking	Yes	Yes
10	The bidder/bidders has not been blacklisted by any public sector organization	Yes	Yes
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	Yes	Yes
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	Yes	Yes
	Remarks (Responsive/Non-Responsive)	Responsive	Responsive
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)			
13	Bid is submitted in the prescribed Annexure to this tender/bid document	Yes	Yes
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	Yes	Yes
15	Incomplete, Ambiguous, Conditional, Alternative, Late	No	No
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	Yes	Yes
17	Copies of earlier contracts/work orders	Yes	Yes
18	Fresh Bank transaction certificate is Attached?	Yes	Yes
19	Technical Specification according to the requirement is attached?	Yes	Yes
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	Not applicable	Not applicable
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	Yes	Yes
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	Yes	Yes
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	Yes	Yes
	Remarks (Responsive/Non-Responsive)	Responsive	Responsive
TECHNICAL SPECIFICATIONS			
	Make	H3C	Huawei
	Evaluation Criteria (Score)	83	79

Item No. 09 - Wifi Solution (on Turn Key Basis)		M/s GCS	M/s CMC
Detail specs comprising of following items 9(a) to 9(i)		-	-
9(a) Wireless Access Point		WA530	AirEngine 5761-11
1	Enterprise Class Dual Radio Access Point IEEE 802.11a/b/g/n/ac wave2	Yes	Yes
2	Support minimum data rates of 867Mbps in the 5GHz band and 400Mbps in the 2.4GHz band (Aggregate peak data rate: 1.2Gbps)	Yes	Yes
3	Interfaces: Minimum 2 x Network interface: 2GE Base-T	Yes	1 Port instead of 2 Ports
4	Power: Compatible with 802.3af/802.3at power supply	Yes	Yes
5	MIMO: 2 x 2 MIMO with up to 2 Spatial Streams in 5GHz band and 2 x 2 MIMO with up to 2 Spatial Streams in 2.4GHz band	Yes	Yes
6	Features: Support 256 associated client devices per radio	Yes	Not mentioned
7	Support WEP-64/128, dynamic WEP, WPA, WPA2, TKIP, CCMP encryption	Yes	Yes
8	Support Wireless Intelligent Application Aware (wIAA), wIDS/wIPS, 802.11w, discover and suppress counterfeit APs based on SSID	Yes	Not mentioned
9	Support IPv4 / IPv6 dual native protocol stack, support IPv6 Portal, IPv6 SAVI	Yes	Yes
10	Support different SSID/VLAN mapping different QoS policies	Yes	Yes
11	Support user amount and traffic load balance	Yes	Not mentioned
12	Supports user isolation between Layer 2 forwarding suppression and virtual AP (multiple SSID)	Yes	Not mentioned
13	Support Remote probe analysis	Yes	Not mentioned
14	Must Support Operating Tem: -10 C° ~ 55 C°	Yes	Yes
15	Network O&M: Support WEB, SNMP v1/v2/v3, RMON management & configuration	Yes	Yes
9(b) Wireless Controller		WX1840H	AC6508
1	Capable to manage 120 or More Wireless LAN access points.(License should be added to manage x84 Access Points for Current Requirement)	Yes	License of 80 APs instead of 84 APs
2	Forwarding Performance: 2 Gbps or Higher	Yes	Yes
3	Interfaces: 6 * GE LAN ports + 2 * GE (Combo) WAN ports (Installed With 2 x MultiMode SFPs)	Yes	Yes
4	Features: The hot standby or backup AC does not require additional AP license	Yes	Yes
5	Support central & local forwarding mode	Yes	Yes
6	Support 802.11k/v/r fast roaming protocols, support L2/L3 roaming	Yes	Yes
7	Support ARP anti-attack, endpoint access defense, PORTAL, 802.1x, Local authentication	Yes	Yes
8	Support static and dynamic channel, power setting, dynamic rate adjustment, air interface black hole detection and compensation, intelligent load balancing	Yes	Yes
9	Network O&M: Support WEB, SNMP v1/v2/v3, RMON management & configuration	Yes	Yes
9(c) Unified Threat Management (UTM) Firewall		SecPath F1000-AI-60	USG6510E-AC
1	Ports: 1 x Console port, 1 x Management port, 6 x Gigabit Ethernet Fiber Ports (Installed With 2 x MultiMode SFPs), 14 x Gigabit Ethernet copper ports, 4 x 10-Gigabit Ethernet Fiber Ports	Yes	2 SFP instead of 6 10 GE RJ45 instead of 14 No SFP+ Port
2	Must Support and quote Hot Swappable Redundant Power Supplies	Yes	Not mentioned
3	Flash 4GB & SDRAM 8GB or Higher	Yes	Not mentioned
4	The firewall must support Interface expansion and at least 2 expansion slot must be supported	Yes	Not mentioned
5	The firewall throughput should be at least 8 Gbps or higher	Yes	Not mentioned
6	The NGFW+IPS+AV should be at least 3.5 Gbps or Higher	Yes	Not mentioned
7	The maximum number of concurrent sessions should be at least 4 Million or Higher	Yes	Not mentioned
8	The number of new connections per second should be at least 70K or Higher	Yes	Not mentioned
9	Virtual firewall feature must also be supported	Yes	Not mentioned

38


Can @ Cmy





Sr. #	Item No. 09 - Wifi Solution (on Turn Key Basis)	M/s GCS	M/s CMC
10	The proposed solution must include 1 x 1 TB SATA HDD for storage	Yes	64GB instead of 1TB
11	Must support WAF functionality including Cross site scripting, SQL injection attacks, attack protection, WAF rules for user customization, Java blocking, ActiveX blocking	Yes	Not mentioned
12	Should support Email filtering based on subject, content, attachment URL/content filtering	Yes	Not mentioned
13	Should support uses link state inspection and link busy detection technologies which applies to a network egress to balance traffic among multiple ISP links.	Yes	Not mentioned
14	Should support Active/active and active/standby stateful failover, IKE state synchronization in IPsec VPN, VRRP	Yes	Not mentioned
15	Should support configuration management at the CLI, Remote management through Web, Device management through NMS, SNMP, Intelligent security policy	Yes	Not mentioned
16	Should include 3-Year UTM Bundle license including IPS, AV, URL signatures and Application Signatures update service must be part of the proposal	Yes	1 Year instead of 3 Years
17	Firewall Must Support Application Load Balancing and WAF Feature Function from the Same Hardware	Yes	Not mentioned
9(d)	Core Switch	S5570S-28S-EI	CloudEngine S5735-L24T4X-A1
1	Interfaces: 24 x 10/100/1000BASE-T ports, 4 x 10 GbE SFP+ ports, Console Port: RJ-45 and Management Port: 10/100/1000BASE-T RJ-45 Ethernet port for out-of-band IP management	Yes	Yes
2	Switching Capacity 160 Gbps or higher	128Gbps instead of 160Gbps	128Gbps instead of 160Gbps
3	Forwarding throughput 90 Mpps or higher	Yes	Yes
4	Support more than 32K MAC address tables	Yes	Yes
5	Mac-based, Port-based, protocol-based and IP subnet-based VLAN assignment	Yes	Yes
6	Support up to 4K active VLAN	Yes	Yes
7	Support Guest VLAN or equivalent	Yes	Yes
8	Static Routing, RIP/RIPng, OSPF PIM-SM/PIM-SSM/PIM-DM DHCP, IGMP Snooping, SSH, SSL, Port Security	Yes	Yes
9	Traffic mirroring, flow mirroring, Rate limit for receiving and transmitting packets	Yes	Yes
10	Web GUI for configuration CE/FCC compliant	Yes	Yes
11	Redundant Power Supply	Yes	No
9(e)	Managed Switch POE	S5130S-28ST-PWR-EI	CloudEngine S5735-L24P4S-A1
1	Interfaces: 24*10/100/1000 Base-T port + 2*SFP+ port	Yes	SFP ports instead of SFP+ ports
2	Switching capacity: 120 Gbps or higher	Yes	56 Gbps
3	Forwarding throughout 90 Mpps or higher	Yes	42 Mpps
4	Power Budget should be 360 watts	Yes	Yes
5	Support port scheduled down and port sleep, closes the ports without application	Yes	Not mentioned
6	Support more than 16K MAC address tables, Mac-based, Port-based, protocol-based, and IP subnet-based VLAN assignment	Yes	Yes
7	Support up to 4K active VLAN	Yes	Yes
9(f)	Patch Panel: 24 Port cat 6 Patch Panel fully loaded with Cable Manager	Dlink NPP-C61BLK241	Yes
9(g)	Patch Cord: 0.5 Meter Patch Cord Cat6	Dlink NCB-C6UGRYR1-05	1 M instead of 0.5 M
9(h)	Connector RJ 45	Baynet BN-88C605	
1	Triple prong gold plated contacts	Yes	Yes

34 @ Qm S. My



Sr. #	Item No. 09 - Wifi Solution (on Turn Key Basis)	M/s GCS	M/s CMC
2	Supports PoE++ (802.3bt) 4PPoE, up to 90W	Yes	Not mentioned
9(i)	UTP Cable	Dlink NCB-C6UGRYR-305	
✓ 1	Cat6 UTP Cable 23AWG Low Smoke Zero Halogen	Yes	Yes
2	Compatible with PoE (Power over Ethernet) and PoE+ (Power over Ethernet Plus) which allow to supply equipment's camera, WIFI hotspot until 13W or 25W	Yes	Not mentioned
9(j)	Installation		
1	Whole Wifi Solution installation (items 9(a) to 9(i)), cabinet dressing, troubleshooting, UTP cable laying including power wiring alongwith power cable and ducts/pvc pipe as per site requirement, commissioning, testing and staff training.	Yes	Yes
2	Note: Quoted WLAN Solution and Switching Products Must be of the same OEM Brand	Yes	Yes
9(k)	Warranty		
1	3 Years complete warranty with parts and services on site (With OEM Local Registered Office and Local Warehouse presence in Pakistan preferably Islamabad, Lahore & Karachi and Also local OEM Support Team).	Yes	Yes
	Remarks (Responsive/Non-Responsive)	Non-Responsive	Non-Responsive




Naveed Ahmed Shah
Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)



Dr. Syed Atif Hussain

Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)



Noor Anwar
Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)



Dr. Muhammad Zafar Majeed
Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)



Abdul Mannan
Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)



Dr. Imran Bashir
AMS
SZH, R. Y. Khan
(Member)



Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"

Sr. #	Item No. 10 - Video Conferencing System with Trolley, 55" Smart LED & installation (on Turn Key basis)	M/s ABM	M/s Data Distinct	M/s Computer Tips
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)				
1	Item name/Tender	Yes	Yes	Yes
2	Original receipt for Purchase of tender	Yes	Yes	Yes
3	Copy of the Proprietor's CNIC is attached?	Yes	Yes	Yes
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	Yes	Yes	Yes
5	An Affidavit (as per Speimen Performa on Stamp Paper of Rs. 100/-)	Yes	Yes	Yes
6	Bid Security/Copy of CDR	Yes	Yes	Yes
7	Bid Validity	30 days instead of 120 days	Yes	Yes
8	Delivery Period	Yes	Yes	Yes
9	The tender documents are signed, stamped and proper page number marking	Yes	Yes	Yes
10	The bidder/bidders has not been blacklisted by any public sector organization	Yes	Yes	Yes
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	No experience and authorization certificate not attached	Yes	Yes
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	Not attached	Yes	Not attached
	Remarks (Responsive/Non-Responsive)	Non-Responsive	Responsive	Non-Responsive
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)				
13	Bid is submitted in the prescribed Annexure to this tender/bid document	Yes	Yes	Yes
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	Yes	Yes	Yes
15	Incomplete, Ambiguous, Conditional, Alternative, Late	No	No	No
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	Yes	Yes	Yes
17	Copies of earlier contracts/work orders	Yes	Yes	Yes
18	Fresh Bank transaction certificate is Attached?	Yes	Yes	Yes
19	Technical Specification according to the requirement is attached?	Yes	Yes	Yes
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	Not applicable	Not applicable	Not applicable
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	Yes	Yes	Yes
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	No	Yes	Yes
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	Yes	Yes	Yes
	Remarks (Responsive/Non-Responsive)	Non-Responsive	Responsive	Responsive

38 Cam 5 My

[Signatures]


#	Item No. 10 - Video Conferencing System with Trolley, 55" Smart LED & installation (on Turn Key basis)	M/s ABM	M/s Data Distinct	M/s Computer Tips
	TECHNICAL SPECIFICATIONS			
	Make	Logitech	Huawei	Huawei
	Model	Not mentioned	Idea Hub Pro 65	Idea Hub Pro 65
	Evaluation Criteria (Score)	66	82	75
	Detail specs comprising of following items 10(a) to 10(e)			
10(a)	Video Conferencing System			
1	Codec	-	-	-
2	Communication Method: ITU-T H.323, IETF SIP, ITU-T H.239 and BFCP	Not mentioned	H.265 1080p Hardware Codec	H.265 1080p Hardware Codec
3	Video Standards and Protocols: H.263, H.263+, H.264 BP, H.264 HP, H.264 SVC, and RTV	H.264 SVC	Yes	Yes
4	Video Resolution of People (using different network bandwidths): 1080p60 using 1 Mbit/s (optional), 1080p30 using 512 kbit/s (optional), 1080i60 using 512 kbit/s (optional), 720p50/60 using 512 kbit/s (optional), 720p25/30 using 384 kbit/s	Not mentioned	Yes	Yes
5	Dual Stream: Dual 1080p60 (optional), Dual 1080p30 (optional), and Dual 720p30	Not mentioned	Yes	Yes
6	Remote Camera Control: H.224, H.281 (Zoom/Pan/Tilt/Presets)	Yes	Yes	Yes
7	Communication Bandwidth: 256 kbps to 18 Mbps	Not mentioned	Yes	Yes
8	No. of Simultaneous Connection Sites: 2 (Expandable to 4)	Not mentioned	Not mentioned	Not mentioned
9	Audio Input: Min 1 x XLR, 2 x RCA, 1 x HDMI, and 1 x HD-AI (microphone array/audio input device)	Not mentioned	Yes	Yes
10	Audio Outputs: 4 x RCA, 2 x HDMI	Not mentioned	1xbuiltin speaker, 1xHDMI 1x3.5mm Line Out	1xbuiltin speaker, 1xHDMI 1x3.5mm Line Out
11	Network: IP: 10/100/1,000 Base-T, 2 x RJ45	Not mentioned	Yes	Yes
12	Camera		Huawei Camera 200-1080P	
13	Lens Specifications: 2.38 MP, 1/2.8-inch CMOS imaging chip	Not mentioned	8.51 MP	Not mentioned
14	Video Output Pixels: 1080p50/60, 1080i50/60, 1080p25/30, and 720p50/60	HD 1080p30	Yes	1080p30
15	Zoom: 12x optical plus 12x digital	10x lossless full HD zoom	Yes	2x digital zoom
16	Maximum Horizontal and Vertical Field of View: Horizontal: 72°, Vertical: 44.5°	Yes	Yes	Yes
17	Pan/Tilt: Pan range: ±100°; Tilt range: ±30°; Minimum pan and tilt: 2°/s; Maximum pan: 80°/s, 25°/s tilt SNR and Minimum Light: 59 dB 2 lux (50 IRE, F1.8)	Yes	Pan: ±110°, Tilt: ±30°	Not mentioned
18	Number of Presets: 30	Not mentioned	254	Not mentioned
19	Digital Wide Dynamic Range and Inversion Support: Yes	Not mentioned	Yes	Not mentioned
20	Video Outputs: 1 x HD-VI (DVI & YPbPr)	Not mentioned	1xUSB3.0, 1xHDMI 1.4b	1xHDMI
21	Mic	Goosecneck Mic		
22	Voice Pickup Distance: 6 m	Not mentioned	8 m	8 m
23	Voice Pickup Range: 360°	Not mentioned	180° forward	180° forward
24	Operating Temperature: 0°C to 40°C	Not mentioned	Yes	Yes
25	Accessories: Remote, Wires etc. with the system	Not mentioned	Not mentioned	Not mentioned
10(b)	Video Conferencing Trolley with delivery			
1	Compatible Video Conferencing Trolley for Video Conferencing solution with delivery	Yes	Stand instead of trolley	Stand instead of Trolley
10(c)	LED 55inch 4K Resolution	TCL LED	E-LED	E-LED
1	Display: Screen size (inch) 55"	Yes	65"	65"
2	Resolution: 3,840 x 2,160, 4K	Yes	4K30	4K30
3	Features: Film Mode, Natural Mode	Not mentioned	Yes	Yes
4	Audio: Dolby Digital Plus, Dialog Enhancement, Audio Pre-selection Descriptor,	Not mentioned	Yes	Yes


38


QX


Cam. S. Key


S. #	Item No. 10 - Video Conferencing System with Trolley, 55" Smart LED & installation (on Turn Key basis)	M/s ABM	M/s Data Distinct	M/s Computer Tips
5	Sound Output (RMS) 20W	Yes	100Hz to 20KHz	100Hz to 20KHz
6	Speaker Type 2CH	Yes	Built-in	Built-in
7	Connectivity: HDMI3, USB2, Ethernet (LAN): YES	Yes	Yes	Yes
8	Processor: Quad-Core	Not mentioned	Yes	Yes
9	Accessibility Voice guide (UK English, German, French, Spanish, Italian etc)	Not mentioned	Yes	Yes
10	IPv6 Support: Yes, MBR Support: Yes	Not mentioned	Yes	Yes
11	Eco Feature: Eco Sensor, Energy class A	Not mentioned	Yes	Yes
12	Connection: AC220-240V 50 / 60Hz	Not mentioned	Yes	Yes
13	Energy Consumption: (Max)140 W, Energy Consumption: (Standby) 0.50 W	Not mentioned	350W (Hole system)	350W (Hole system)
14	Power Consumption: (Energy Saving Mode) 50.1 W, Power Consumption: (Typical) 110 W	Not mentioned	350W (Hole system)	350W (Hole system)
15	Luminance Ratio: 79%	Not mentioned	> 200 Lux	> 200 Lux
10(d)	Installation	-	-	-
1	Supply, Installation, Fixing, Testing, Commissioning of Video Conferencing System (item 10(a) to 10(c)) and staff training	Yes	Yes	Yes
10(e)	Warranty	-	-	-
1	3 Years complete warranty with parts and services on site.	1 Year	Yes	Yes
	Remarks (Responsive/Non-Responsive)	Non-Responsive	Non-Responsive	Non-Responsive



Naveed Ahmed Shah
 Assistant Manager (Contracts)
 SZMC/SZH, R. Y. Khan
 (Member)



Noor Anwar
 Computer Programmer
 SZMC/SZH, R. Y. Khan
 (Member)


Abdul Mannan
 Network/System Engineer
 SZMC/SZH, R. Y. Khan
 (Member)


Dr. Imran Bashir
 AMS
 SZH, R. Y. Khan
 (Member)


Dr. Syed Atif Hussain
 Assoc. Prof./HOD/Urology Deptt.
 SZMC/SZH, R. Y. Khan
 (Member)






Dr. Muhammad Zafar Majeed
 Assoc. Prof. Medicine/Coordinator
 SZMC/SZH, R. Y. Khan
 (Member)


Prof. Dr. Salah Ud Din Arbi
 Professor/HOD Ophthalmology
 SZMC/SZH, R. Y. Khan
 (Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"


Sr. #	Item No. 11 - Dedicated CIR Connection for Internet	-
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	No Firm Quoted this item
2	Original receipt for Purchase of tender	
3	Copy of the Proprietor's CNIC is attached?	
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-)	
6	Bid Security/Copy of CDR	
7	Bid Validity	
8	Delivery Period	
9	The tender documents are signed, stamped and proper page number marking	
10	The bidder/bidders has not been blacklisted by any public sector organization	
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	
Remarks (Responsive/Non-Responsive)		-
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
13	Bid is submitted in the prescribed Annexure to this tender/bid document	No Firm Quoted this item
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	
15	Incomplete, Ambiguous, Conditional, Alternative, Late	
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	
17	Copies of earlier contracts/work orders	
18	Fresh Bank transaction certificate is Attached?	
19	Technical Specification according to the requirement is attached?	
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	
Remarks (Responsive/Non-Responsive)		-
TECHNICAL SPECIFICATIONS		
	Make	-
	Model	-
	Evaluation Criteria (Score)	-

34     


Sr. #	Item No. 11 - Dedicated CIR Connection for Internet	-
1	Dedicated CIR connection with Static IP and deployment charges, CIR 50 Mbps upstream & downstream 99 % uptime ISP must have redundant reliable internet connections with auto failover function at their own ends. Provision of redundant CIR Internet facility on Fiber optic AND OR reliable wireless media with auto failover at client side	No Firm quoted this item


Naveed Ahmed Shah

Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)


Noor Anwar


Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)


Abdul Mannan

Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)


Dr. Imran Bashir

AMS
SZH, R. Y. Khan
(Member)


Dr. Syed Atif Hussain

Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)


Dr. Muhammad Zafar Majeed

Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)






Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"

Sr.#	Item No. 12 - Audio Conferencing System (on Turn Key Basis)	-
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	No Firm Quoted this item
2	Original receipt for Purchase of tender	
3	Copy of the Proprietor's CNIC is attached?	
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	
5	An Affidavit (as per Speimen Performa on Stamp Paper of Rs. 100/-	
6	Bid Security/Copy of CDR	
7	Bid Validity	
8	Delivery Period	
9	The tender documents are signed, stamped and proper page number marking	
10	The bidder/bidders has not been blacklisted by any public sector organization	
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	
	Remarks (Responsive/Non-Responsive)	-
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
13	Bid is submitted in the prescribed Annexure to this tender/bid document	No Firm Quoted this item
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	
15	Incomplete, Ambiguous, Conditional, Alternative, Late	
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	
17	Copies of earlier contracts/work orders	
18	Fresh Bank transaction certificate is Attached?	
19	Technical Specification according to the requirement is attached?	
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	
	Remarks (Responsive/Non-Responsive)	-
TECHNICAL SPECIFICATIONS		
	Make	-
	Model	
	Evaluation Criteria (Score)	-
	Detail specs comprising of following items 12(a) to 12(g)	-
12(a)	Chairman Mic	No Firm quoted this item
1	The chairman of a meeting can control the conference system with the Chairman Microphone Unit. Compared to the delegate Microphone unit, the Chairman Unit provides numerous, programmable control functions. The Chairman can select the operating mode, the activation mode, the volume and the timer (speech time). For each operating mode, the chairman can select a separate NOM limit. Furthermore, the priority and clear buttons provide special rights.	

34 Cam (S.M.)

Sr.#	Item No. 12 - Audio Conferencing System (on Turn Key Basis)	-
12(b)	Delegate Mic (Desktop Base Transmitter)	No Firm quoted this item
1	Wide frequency response: Full-range audio for clear voice transmission, Concealed power switch: Prevents accidental powering off, Frequency response: 100HZ~16KHZ, Sensitivity: $\geq -50\text{dB}$, Total Harmonic distortion: $\leq 0.1\%$, S/N ratio: $\geq 70\text{dB}$, Voltage: DC 12V~18V, Build-in speaker: Unit size 2.5", Capacity: 0.5W Max, Sound pressure: $\geq 92\text{dB}$, Speaking Indicator Lamp: Illustrated Red Ring Light, Connection: 1* 9P D type plug, for system link, 9P cable (length as per requirement), AGC (Auto Gain Control): 45~0dB, Earphone jack: 3.5 ϕ Stereo	
12(c)	Wireless Hand Mic (Handheld Transmitter)	No Firm quoted this item
1	Dual transmit antennas: Maximizes transmission strength depending on hand placement Bi-directional wireless: Enables real-time remote control of all wireless microphone settings Programmable mute button: Allows customization of local or remote muting with options including push-to-talk, push-to-mute, and external control. Type: Dynamic Microphone, Directivity: Uni-Directional, Output Sensitivity: $-74 \pm 3\text{db}$ (0db=1v/0.1pa At 1000 Hz), Output Impedance: $600\Omega \pm 30\%$, Frequency Response: 50 ~ 16000hz, Cord: 6.5mm X 6m, Advanced Li-ion batteries: Smart lithium-ion internal batteries, Low-battery LED: Yes, USB charging: Yes	
12(d)	Central Control Unit (Main Unit Conference System/Power Mixer)	No Firm quoted this item
1	Power Supply: AC 110V/240V, 50Hz~60Hz, Consumption Rating: 450W, T.H.D.: $<0.05\%$, S/N: $>75\text{dB}$ Frequency Response: 100Hz-18KHz, Digital Display: Yes, Audio Output: RCAx4, 6.33mmx1, Audio Input: $\phi 6.3 \times 2$ System Connection: 8-Pin DINx4, System Support: 1/2/3/5/Free Mode, Connection: 1 pc 13m Main Cable With 8 Pin, Installation: Fixable & Movable, Volume Processor: Built-In, Live Audio Recording: Yes	
12(e)	Speakers	No Firm quoted this item
1	Enclosure: 2-way bass-reflex type, Rated Input: 30 W, Sound Pressure Level: 90 dB (1 W, 1 m), Frequency Response: 80 Hz - 20 kHz, Speaker Component: 12 cm cone-type + dome-type, Speaker Cord: 2-core cabtyre cord with diameter of 6 mm Operating Temperature: -10°C to $+50^\circ\text{C}$, Water Protection: IPX4 (can be installed vertically or horizontally)	
12(f)	Installation	No Firm quoted this item
1	Supply, Installation, Fixing, Testing, Commissioning of Audio Conference System (item 12(a) to 12(e)) alongwith Main Power supply and approximately 300 feet cable (cable length can be increased as per requirement) including pvc duct etc.	
12(g)	Warranty	-
1	3 Years complete warranty with parts and services on site.	

Naveed Ahmed Shah
Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)

Dr. Syed Atif Hussain
Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)

Noor Anwar
Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)

Dr. Muhammad Zafar Majeed
Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)

Abdul Mannan
Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)

Dr. Imran Bashir
AMS
SZH, R. Y. Khan
(Member)


Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan

Sr.#	Item No. 13 - UPS	-
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	No Firm Quoted this item
2	Original receipt for Purchase of tender	
3	Copy of the Proprietor's CNIC is attached?	
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-	
6	Bid Security/Copy of CDR	
7	Bid Validity	
8	Delivery Period	
9	The tender documents are signed, stamped and proper page number marking	
10	The bidder/bidders has not been blacklisted by any public sector organization	
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	
Remarks (Responsive/Non-Responsive)		-
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
13	Bid is submitted in the prescribed Annexure to this tender/bid document	No Firm Quoted this item
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	
15	Incomplete, Ambiguous, Conditional, Alternative, Late	
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	
17	Copies of earlier contracts/work orders	
18	Fresh Bank transaction certificate is Attached?	
19	Technical Specification according to the requirement is attached?	
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	
Remarks (Responsive/Non-Responsive)		-
TECHNICAL SPECIFICATIONS		
	Make	-
	Model	
Evaluation Criteria (Score)		

38 @ Am (my)






Sr.#	Item No. 13 - UPS	-
1	<p>Output Power Capacity: 2.4 KWatts / 3.0 KVA, Nominal Output Voltage: 230V, ECO Mode: Yes, Output Voltage Distortion: 3%</p> <p>Output Frequency (sync to mains): 50/60 Hz +/- 3 Hz, Output Connections: (6) IEC 320 C13 (Battery Backup), (1) IEC 320 C19 (Battery Backup)</p> <p>Topology: Double Conversion Online, Waveform Type: Sine Wave, Bypass: Internal Bypass, Nominal Input Voltage: 230V</p> <p>Input frequency: 40 - 70 Hz, Input voltage range for main operations: 110-300 at 60% load, Input Connections: IEC-320 C14</p> <p>Battery Type: Maintenance-free sealed Lead-Acid battery with suspended electrolyte, leakproof, Battery Backup: Standard (20-30 Minutes Backup)</p> <p>Audible Alarm: Alarm when on battery, distinctive low battery alarm, overload continuous tone alarm, Recharge Time: 4 hours typical, ECO Mode: Yes, Display: LCD Display,</p> <p>Communication Ports: USB Port, Serial Port, Intelligent Slot, Surge energy rating: 600 Joules, Operating Temperature: 0 - 40 °C</p> <p>Operating Relative Humidity: 0 - 95% non-condensing, Environment Protection: Conformal Coating</p> <p>Electrical Protection: Over Voltage Cut off Device, Approvals: CE, IEC 62040-1-1, IEC 62040-1-2</p> <p>RoHS: Compliant, REACH: REACH: Contains No SVHCs, Warranty: 3 Years complete warranty with parts at site, Brand: APC or Equivalent</p>	No Firm quoted this item


Naveed Ahmed Shah

Assistant Manager (Contracts)

SZMC/SZH, R. Y. Khan


(Member)


Dr. Syed Atif Hussain

Assoc. Prof./HOD Urology Deptt.

SZMC/SZH, R. Y. Khan


(Member)


Noor Anwar

Computer Programmer

SZMC/SZH, R. Y. Khan

(Member)


Dr. Muhammad Zafar Majeed

Assoc. Prof. Medicine/Coordinator

SZMC/SZH, R. Y. Khan

(Member)


Abdul Mannan

Network/System Engineer

SZMC/SZH, R. Y. Khan


(Member)


Dr. Imran Bashir

AMS

SZH, R. Y. Khan

(Member)


Prof. Dr. Salah Ud Din Arbi,

Professor/HOD Ophthalmology

SZMC/SZH, R. Y. Khan

(Chairman)

Sheikh Zayed Medical College / Hospital, Rahim Yar Khan
Technical Evaluation Statement (Financial Year 2022-23) on 29-09-2022

IT Equipment of ADP Scheme "Provision of Missing Facilities and upgradation of Electricity System at Sheikh Zayed Medical College/Hospital, Rahim Yar Khan"

Sr.#	Item No. 14 - UPS Synchronizing Card	-
PART-I: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
1	Item name/Tender	No Firm Quoted this item
2	Original receipt for Purchase of tender	
3	Copy of the Proprietor's CNIC is attached?	
4	Registration Status issued by FBR (NTN/STRN) is active as per ATL on FBR?	
5	An Affidavit (as per Specimen Performa on Stamp Paper of Rs. 100/-)	
6	Bid Security/Copy of CDR	
7	Bid Validity	
8	Delivery Period	
9	The tender documents are signed, stamped and proper page number marking	
10	The bidder/bidders has not been blacklisted by any public sector organization	
11	Past performance of the bidder being authorized dealer by Principal/Manufacturer (Min. 02 years of Quoted product) (Only supply orders and Installation/commissioning certificate issued by Head of Institution shall be acceptable)	
12	Company registration certificate is attached? Dully registered with PEC, SECP or PRA in case of local supplier	
	Remarks (Responsive/Non-Responsive)	-
PART-II: KNOCK DOWN CRITERIA (COMMERCIAL EVALUATION)		
13	Bid is submitted in the prescribed Annexure to this tender/bid document	No Firm Quoted this item
14	The firms shall also declare the make, model, country of origin and country of manufacturing of all standard accessories to be provided with the equipment	
15	Incomplete, Ambiguous, Conditional, Alternative, Late	
16	Submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements	
17	Copies of earlier contracts/work orders	
18	Fresh Bank transaction certificate is Attached?	
19	Technical Specification according to the requirement is attached?	
20	Sample as mentioned against each item in Tender Scope/ Specification must be submitted with the Technical bid ? (If applicable)	
21	The quoted model of imported product shall be available on the current official website of the manufacturer; otherwise the quoted product shall be considered obsolete/redundant and will straight away be rejected. (Web link and Screenshot must be attached)	
22	Copies of earlier completed contracts performance and completion reports issued by the head of relevant institution	
23	The bid must comply with the required technical specifications of the quoted single item/each item of complete package. Incomplete offer will straightaway be rejected.	
	Remarks (Responsive/Non-Responsive)	-
TECHNICAL SPECIFICATIONS		
	Make	
	Model	
	Evaluation Criteria (Score)	








Sr.#	Item No. 14 - UPS Synchronizing Card	-
1	SNMP Synchronizing Card compatible with 3 KVA UPS mentioned at Sr. No. 13 alongwith complete installation & configuration	No Firm quoted this item


Naveed Ahmed Shah


Assistant Manager (Contracts)
SZMC/SZH, R. Y. Khan
(Member)



Dr. Syed Atif Hussain
Assoc. Prof./HOD Urology Deptt.
SZMC/SZH, R. Y. Khan
(Member)


Noor Anwar

Computer Programmer
SZMC/SZH, R. Y. Khan
(Member)




Dr. Muhammad Zafar Majeed
Assoc. Prof. Medicine/Coordinator
SZMC/SZH, R. Y. Khan
(Member)


Abdul Mannan

Network/System Engineer
SZMC/SZH, R. Y. Khan
(Member)


Dr. Imran Bashir

AMS
SZH, R. Y. Khan
(Member)



Prof. Dr. Salah Ud Din Arbi,
Professor/HOD Ophthalmology
SZMC/SZH, R. Y. Khan
(Chairman)