

Sr. #	Detail	1	2	3	4	5	6
		M/s. UDL Distribution	M/s. K.S. Agencies	M/s. Clifton Enterprises	M/s. Flowtronix	M/s. Verizon	M/s. Muller & Phipps
10	Sample provided as per Proforma attached for evaluation by technical committee (sample must be of commercial pack)	Attached	Attached	Attached	Attached	Attached	Attached
11	The bidder is required to provide Financial Proposal with the name of items, tender number and serial number in the exact manner as quoted in the Technical Proposal	Attached	Attached	Attached	Attached	Attached	Attached
12	Price should not be mentioned on technical bid.	Attached	Attached	Attached	Attached	Attached	Attached
13	Valid Import License issued by DRAP (in case of importers)	Attached	Attached	Not Applicable	Attached	Attached	Attached
14	Sole Agency Certificate / Agreement with Foreign Principal (in case of Importer) translated in English (sole agents having less than one year market experience will not be entertained)	Attached	Attached	Not Applicable	Attached	Attached	Attached
15	Letter of Intention (as per specimen proforma attached)	Attached	Attached	Attached	Attached	Attached	Attached
16	Affidavit (as per specimen proforma attached)	Attached	Attached	Attached	Attached	Attached	Attached
17	Valid Manufacturer's Authorization	Teleflex USA	Betatech Medikal, Turkey Klas Medikal Turkey	Medical Components Inc Medcomp USA	(1) IBC-USA (2) Changzhou Kangxin Medical China (3) Guangdong Baihe Medical China (4) Andocor Belgium (5) TPRI China (6) Nipro Japan	(1) Abbott/St.Jude USA (2) Abbott/St.Jude USA	Johnson & Johnson
Remarks		Responsive	Responsive	Responsive	Responsive	Responsive	Responsive

Pharmacist
Medicine Procurement

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Ambreen Bhatti
A.M.S. (Stores)

Dr. Amir Javed
Angiography Department

Asst. Prof. Dr. Sairah Sadaf
Anesthesia Department

Asst. Prof. Dr. Raghbir Iqbal
Paeds Unit I

Assott. Prof. Dr. Anees ur Rehman
ENT Department

Assot. Prof. Dr. Naseer Ahmad
Orthopedic Dept.

Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Ghulam Fareed
Medical Unit

Prof. Dr. Naseem Ahmed
Cardiac Surgery Dept.

Dr. Agha Tauheed Ahmed Khan
Medical Superintendent

Prof. Dr. Shazia Majid Khan
Head of Gynecology Department
Chairperson Technical Scrutiny Committee

SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

Item-Wise Technical Comparative Statement for the Bulk Purchase of Cardiac Surgery Items, Financial Year 2023-24

BID EVALUATION CRITERIA

Tender Sr. No. 1

Technical Meeting Held On 09-05-2023

Name of Item- Chest Drainage Bottle Three Chamber

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D,R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
UDL Distribution	Teleflex USA	Pleur Evac	Y	Y	Y	Y	7	8	5	10	Y	Y	Y	Y	Y	Y	13	10	0	R	53	Non Responsive	

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 2

Name of Item- Coronary Punch All Sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	IBC-USA	IBC	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 3

Name of Item- Heart Valves Bileaflet (Rotatable) Aortic/Mitral-All Sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Verizon	Abbott/St.Jude USA	Rotatable Master Series	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	13	10	0	No Sample	56	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 4

Name of Item- Octopus

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product		
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks			A/R	
			Not Quoted																					

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 5

Name of Item- Plastic Bulldog

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Changzhou Kangxin Medical China	Plastic Bulldog	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 6

Name of Item- Pressure Monitoring Kit-Disposable single

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Guangdong Baihe Medical China	Able	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 7

Name of Item- Central Venous Pressure (CVP) Line (Tripple Lumen) with seldinger wire size 7.0Fr-12.0 Fr (Reg)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Guangdong Baihe Medical China	Able	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive
Clifton Enterprises	Medical Components Inc Medcomp USA	Medcomp	Y	Y	Y	Y	8	8	5	10	Y	Y	N	Y	Y	Y	Y	13	7	0	No Sample	51	Non Responsive
UDL Distribution	Teleflex USA	Arrow 7Fr	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	0	A	54	Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 8

Name of Item- Shunt Intra Coronary All Sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R			
			Not Quoted																					

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 9

Name of Item- yaunker suction set

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R			
			Not Quoted																					

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 10

Name of Item- Antegrade Cannula for cardioplegia delivery system with vent line All Sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Andocor Belgium	Andocor	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 11

Name of Item- Aortic Cannula Non wired straight tip All Sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Andocor Belgium	Andocor	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 12

Name of Item- ACT cartridges with Machine

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Acciva Diagnostics, Inc	Hemochron	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	13	7	0	R	51	Non Responsive	

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 13

Name of Item- Coronary Ostial Cannula All Sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Andocor Belgium	Andocor	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 14

Name of Item- Oxygenator With Tubing set Adult with arterial filter

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R			
			Not Quoted																					

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 15

Name of Item- Heamofilter with tubing set Adult

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks			A/R
Flowtronix System	Nipro Japan	Brizio	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 16

Name of Item- Venous Cannula Single Stage straight tip with wire All Sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Andocor Belgium	Andocor	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 17

Name of Item- Venous Cannula Dual Stage wired All Sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Andocor Belgium	Andocor	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 18

Name of Item- Metal Tip Venous Cannula right angle

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Andocor Belgium	Andocor	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 19

Name of Item- Y-Connector for CPB Circuit (All sizes)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks			A/R
Flowtronix System	TPRI China	TPRI	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 20

Name of Item- Vessel Tip

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Andocor Belgium	Andocor	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	10	10	0	No Sample	53	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 21

Name of Item- Steel wire

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R			
			Not Quoted																					

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 22

Name of Item- Absorbable Haemostat (oxidized regenerated cellulose) 5cm x 35cm

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
K.S. Agencies	Betatech Medikal, Turkey	Oxigel	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	10	0	R	53	Non Responsive
Muller & Phipps	Johnson & Johnson	Surgicel Absorbable	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	13	10	0	No Sample	56	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 23

Name of Item- Tricaspid Rings

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
Verizon	Abbott/St.Jude USA	TARP-XX	Y	Y	Y	Y	10	8	5	10	Y	Y	N	Y	Y	Y	Y	13	10	0	No Sample	56	Non Responsive

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 24

Name of Item- Pacing wire

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R			
			Not Quoted																					

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 25

Name of Item- Nylon Tape

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks			A/R
			Not Quoted																				

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 26

Name of Item- Antimicrobial incise drape dressing

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
K.S. Agencies	Klas Medikal Turkey	Hi-Tec	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	10	0	R	53	Non Responsive	

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 27

Name of Item- Teflon Pledgets

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product		
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks			A/R	
			Not Quoted																					

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 28

Name of Item- Ligation Clip (small/medium) (100/200)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks	A/R		
UDL Distribution	Teleflex USA	Weck (100 / Small) (200 / Medium)	Y	Y	Y	Y	7	8	5	10	Y	Y	Y	Y	Y	Y	13	10	0	Rejected due to non provision of applicator	53	Non Responsive	

Total Marks = 85

Qualifying Marks = 60% (51)

BID EVALUATION CRITERIA

Tender Sr. No. 29

Name of Item- VSD Patch (all sizes)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)			Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product		
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Export of Quoted Products 10 marks			A/R	
			Not Quoted																					

Total Marks = 85

Qualifying Marks = 60% (51)

Pharmacist
Medicine Procurement

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Ambreen Bhatti
A.M.S. (Stores)

Dr. Amir Javed
Angiography Department

Asst. Prof. Dr. Sairah Sadaf
Anesthesia Department

Asst. Prof. Dr. Raghib Iqbal
Paeds Unit I

Assott. Prof. Dr. Anees ur Rehman
ENT Department

Assot. Prof. Dr. Naseer Ahmad
Orthopedic Dept.

Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Ghulam Fareed
Medical Unit

Prof. Dr. Naseem Ahmed
Cardiac Surgery Dept.

Dr. Agha Tauheed Ahmed Khan
Medical Superintendent

Prof. Dr. Shazia Majid Khan
Head of Gynecology Department
Chairperson Technical Scrutiny Commiittee