

SHEIKH ZAYED MEDICAL COLLEGE/HOSPITAL, RAHIM YAR KHAN

BIDDERS EVALUATION CRITERIA (TECHNICAL SCRUTINY) FOR THE PURCHASE OF DIALYSIS ITEMS, FINANCIAL YEAR 2023-24.

Sr. #	Detail	1	2	3	4	5	6	7	8	9
		M/s. IBL Health Care	M/s. Jassh Pharma	M/s. Mezan Inter.	M/s. Eastern Medical	M/s. Renacon Pharma	M/s. Fresenius Medical	M/s. UDL Dist.	M/s. Arfi Inter.	M/s. Clifton Enter.
01	Original tender purchase receipt obtained by depositing Rs. 2000/- (Non-Refundable) issued from Cashier Account Branch, SZH, R.Y.Khan.	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached
02	Acceptance of terms and condition, tender documents duly signed and stamped.	Sign & Stamp	Sign & Stamp	Sign & Stamp	Sign & Stamp	Sign & Stamp	Sign & Stamp	Sign & Stamp	Sign & Stamp	Sign & Stamp
03	An affidavit on stamp paper of Rs.100/- submitting following clauses: i) replacement of unconsumed / expired / substandard spurious drugs / stocks free of cost, ii) that the firm is never blacklisted on any grounds whatsoever. lii) Price Reasonable certificate. (iv) Certificate that prices are not more than trade price.	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached
04	An affidavit on stamp paper submitting that the price quoted to this institute against the quoted items mentioned in the bid are not more than the prices charged from any Purchase Organization in the country and in case of discrepancy the bidder hereby undertakes to refund the price charged in excess".	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached
05	Call Deposit Receipt (2% of estimated price of each quoted item) Attach unhidden photocopy with technical proposal and original with financial proposal.	Attached 623616/- Required 623616/-	Attached 297500/- Required 297500/-	Attached 21960/- Required 21960/-	Attached 21960/- Required 21960/-	Attached 297500/- Required 297500/-	Attached 1019028/- Required 1019028/-	Attached 395000/- Required 390120/-	Attached 390120/- Required 390120/-	Attached 400000/- Required 390120/-

Sr. #	Detail	1	2	3	4	5	6	7	8	9
		M/s. IBL Health Care	M/s. Jassh Pharma	M/s. Mezan Inter.	M/s. Eastern Medical	M/s. Renacon Pharma	M/s. Fresenius Medical	M/s. UDL Dist.	M/s. Arfi Inter.	M/s. Clifton Enter.
06	National tax number and General Sale Tax number certificate	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached
07	Professional Tax	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached
08	Valid Drug Sales License (in case of importer / authorized distributor)	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached
09	Valid Drug Manufacturing License (in case of firm itself) issued by DRAP	Not Applicable	Attached	Not Applicable	Not Applicable	Attached	Not Applicable	Not Applicable	Not Applicable	Not Applicable
10	Sample provided as per Proforma attached for evaluation by technical committee (sample must be of commercial pack)	Sample Provided	Sample Provided	Sample Provided	Sample Provided	Sample Provided	Sample Provided	Sample Provided	Sample Provided	Sample Provided
11	The bidder is required to provide Financial Proposal with the name of items, tender number and serial number in the exact manner as quoted in the Technical Proposal	Followed	Followed	Followed	Followed	Followed	Followed	Followed	Followed	Followed
12	Price should not be mentioned on technical bid.	Followed	Followed	Followed	Followed	Followed	Followed	Followed	Followed	Followed
13	Valid Import License issued by DRAP (in case of importers)	Attached	Not Applicable	Attached	Attached	Not Applicable	Attached	Attached	Attached	Not Applicable
14	Sole Agency Certificate / Agreement with Foreign Principal (in case of Importer) translated in English (sole agents having less than one year market experience will not be entertained)	Attached	Not Applicable	Attached	Attached	Not Applicable	Attached	Attached	Attached	Not Applicable

Sr. #	Detail	1	2	3	4	5	6	7	8	9
		M/s. IBL Health Care	M/s. Jassh Pharma	M/s. Mezan Inter.	M/s. Eastern Medical	M/s. Renacon Pharma	M/s. Fresenius Medical	M/s. UDL Dist.	M/s. Arfi Inter.	M/s. Clifton Enter.
15	Letter of Intention (as per specimen proforma attached)	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached
16	Affidavit (as per specimen proforma attached)	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached	Attached
17	Valid Manufacturer's Authorization	Suzhou ZOEY Medical Device Co. China	Not Applicable	Acto Pharma Turkey	Farmasol Turkey	Not Applicable	Fresenius Medical Care Germany	Teleflex USA	Guangdong Baihe Medical Tech. Co. China	Medical Components Inc. Medcomp USA
Remarks		Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive

Pharmacist
Medicine Procurement

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Ambreen Bhatti
A.M.S. (Stores)

Dr. Amir Javed
Angiography Department

Asst. Prof. Dr. Sairah Sadaf
Anesthesia Department

Asst. Prof. Dr. Raghbir Iqbal
Paeds Unit I

Assott. Prof. Dr. Anees ur Rehman
ENT Department

Assot. Prof. Dr. Naseer Ahmad
Orthopedic Dept.

Prof. Dr. Abid Hussain
Dialysis Department

Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Ghulam Fareed
Medical Unit

Dr. Agha Tauheed Ahmed Khan
Medical Superintendent

Prof. Dr. Shazia Majid Khan
Head of Gynecology Department
Chairperson Technical Scrutiny Committee

SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

Item-Wise Technical Comparative Statement for the Bulk Purchase of Dialysis Items, Financial Year 2023-24

BID EVALUATION CRITERIA

Tender Sr. No. 1

Technical Meeting Held On 06-05-2023

Name of Item- A.V. Fistula Needle 15 G

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Fresenius Medical Care	Fresenius Medical Thailand	Fresenius	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 2

Name of Item- A.V. Fistula Needle 16 G

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE , valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Fresenius Medical Care	Fresenius Medical Thailand	Fresenius	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 3

Name of Item- A.V. Fistula Needle 17 G

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Fresenius Medical Care	Fresenius Medical Thailand	Fresenius	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 4

Name of Item- Blood Tubing Set Adult Size 6.5mm with one TP and art pressure line

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrifcaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE , valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Fresenius Medical Care	Fresenius Medical China	Fresenius	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 5

Name of Item- Hollow Fiber Dialyser Adult Size 1.8cm/1.7cm /1.9 cm sq.

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrifcaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE , valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Fresenius Medical Care	Fresenius Medical Germany	Fresenius 1.8	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive	
IBL Health Care	Suzhou Zoey Medical China	Searle Hollow Fibler Dialyzer 1.8	Y	Y	Y	N	10	8	5	10	Y	Y	Y	Y	Y	Y	13	10	5	0	A	61	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 6

Name of Item- Concentrate for Haemodialysis (Bicarbonate) 2Gm (4 Liter Can)

a, High Glucose Concentration

b, Low Potassium Concentration

c, Low Calcium Concentration

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Jassh Pharma	Jassh Pharma Pak.	Carbosol Part-A 04 Ltr Can Part-B Powder	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	10	0	A	64	Responsive
Renacon Pharma	Renacon Pharma Pak.	Renacarb Part-A 04 Ltr Can Part-B Powder	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 7

Name of Item- Dialysis Fluid Filter Compatible with FreseniusMachine

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Fresenius Medical Care	Fresenius Medical Germany	Fresenius	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 8

Name of Item- Disinfectant Solution for dialysis compatible with available machines (Fresenius Machine)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE , valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Eastern Medical Care	Farnasol Turkey	Diadez M2 5 Ltr Can	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Mezan Inter.	Acto Pharma Turkey	Actodiacid 5 Ltr Can	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	60	Non Responsive
Fresenius Medical Care	Fresenius Medical Germany	Fresenius Citrosteril 5 Ltr Can	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 9

Name of Item- Double Lumen Catheter (Pediatric)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Arfi Inter.	Guangdong Baihe Medical Tech. Co. China	Able 8.5fr x 12cm with kit	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
UDL Distribution	Teleflex USA	Arrow 9fr	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive
Clifton Enterprises	Medical Components Inc. Medcomp USA	Medcomp	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	7	10	0	R	60	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 10

Name of Item- Double Lumen Catheter 12 Fr x (12cm-15 cm) with straight catheter type and curved extension (Adult) with disposable kit.

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE , valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Arfi Inter.	Guangdong Baihe Medical Tech. Co. China	Able 12fr x 15cm with kit	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
UDL Distribution	Teleflex USA	Arrow 12fr with kit	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive
Clifton Enterprises	Medical Components Inc. Medcomp USA	Medcomp	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	7	10	0	R	60	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 11

Name of Item- Double Lumen Catheter 12 Fr x (12cm-15 cm) with straight catheter type and straight extension (Adult) with disposabel kit.

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Arfi Inter.	Guangdong Baihe Medical Tech. Co. China	Able 12fr x 15cm with kit	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
UDL Distribution	Teleflex USA	Arrow 12fr with kit	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive
Clifton Enterprises	Medical Components Inc. Medcomp USA	Medcomp	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	60	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

Pharmacist
Medicine Procurement

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Ambreen Bhatti
A.M.S. (Stores)

Dr. Amir Javed
Angiography Department

Asst. Prof. Dr. Sairah Sadaf
Anesthesia Department

Asst. Prof. Dr. Raghil Iqbal
Paeds Unit I

Assott. Prof. Dr. Anees ur Rehman
ENT Department

Assot. Prof. Dr. Naseer Ahmad
Orthopedic Dept.

Prof. Dr. Abid Hussain
Dialysis Department

Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Ghulam Fareed
Medical Unit

Dr. Agha Tauheed Ahmed Khan
Medical Superintendent

Prof. Dr. Shazia Majid Khan
Head of Gynecology Department
Chairperson Technical Scrutiny Committee