

Sr. #	Detail	1	2	3	4	5	6	7	8	9	10
		M/s. Muller & Phipps	M/s. Popular Inter.	M/s. Aqib Trading Co.	M/s. Hakimsons	M/s. AM Health Care	M/s. Skardu Surgical	M/s. Eastern Medical	M/s. Cotton Craft	M/s. Sind Medical	M/s. Bajwa Sons
18	Valid Manufacturer's Authorization	1-Johnson Johnson USA 2-Convatac UK	1- Covidien 2-Acon USA 3-Kangdi China 4-Amnotec Inter	Jiangxi Hongda Medical China	1-Ningbo MFLB China 2-Jiangsu Suyun Medical China 3-China Qingdobright China 4-Atrasorb Brazil 5-Nissah Medical UK	B Braun Malaysia / Switzerland	1- ECS s.r.l. italy 2-EF Medica italy S.R. Italy	1-FORA Switzerland 2-ASAP Inter. Sdn.bhd. Malaysia	Not Applicable	1-Demetech USA 2-Changzhou Lookmed China 3-Ningbo Greatcare China	Yancheng Huida PRC China
	Remarks	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Non Responsive deficient at Sr. 13

Detail	30	31	32	33	34	35	36	Sr. #
	M/s. Mezan International	M/s. Al-Ghani Traders	M/s. Meher Traders	M/s. Mediling Enterprises	M/s. Medinostic Health Care	M/s. Clifton Enterprises	M/s. Arsons Pharma	
Valid Manufacturer's Authorization	Acto Pharma Turkey	1-Nantong Angel Medical Instrument China 2-Oxymax Wayson Medical Co. China 3-Surgi Trans Wayson China 4-Kawa Medical Japan 5-Anticeptica Germany 6-Flaxicare UK 7-Celtics China 8-Feather Safety 9-Green China 10-Hoggy China 11-Zhejiang Runqiang Medical 12-BAO Health China 13-Tianrun China 14-Western Chemical 15-Khan International 16-Reco China 17-Mascia Bruneli Italy	1-Ningbo Greatmountain China 2-Zhejiange Jinhua China 3-China Qindao Bright Medical China 4-Suzhou Health Plastic & Products China 5-Hunain Heining Medical China 6-Changzhou Yaping China 7-Huain Pingan Medical China 8-Anhui Anyu Latex 9-Top Gloves Malaysia 10-Jiangxi Rainbow Medical China	1-Sunwong Korea 2-FIAB Italy	1-Creative Supply Solution UK 2-Medimark UK 3-Atco Lab.	1- JMS Singapore/Philippines 2-Shandong Wuzhou Medical China 3-Evereast Medical 4-Suzhou Yudu Medical 5-Huaian Angel Medical	Not Applicable	17
Remarks	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	Responsive	

Detail	37	38	39	40	41	42	43	44
	M/s. Usmanco International	M/s. Endoaid Biomedica	M/s. Cardiac Care	M/s. Medicare Enterprises	M/s. S.A. Knitwear	M/s. 4A International	M/s. Allmed Solution	M/s. Akram Brothers
Valid Manufacturer's Authorization	1-Zhanjiang Star China 2-Bicakcilar Dis Ticaret A.S. Turkey 3-Chilecom Medical China	1-Sterilance Medical Suzhou China 2-Changzhou Ankang Medical China 3-Hagzhou Sejoy 4-World Wide Medinvest Malaysai	1-Greetmed China 2-Hsiner Taiwan 3-Faib Italy 4-Proactive Italy 5-Pahsco Taiwan 6-Peter Surgical	1-General Pharma	1-Anji Hondge Medical China	1- E Medical 2-Detro Health care Turkey	1-Ameco Medical Egypt 2-Hocermed China 3-N.S.Technology Co. Ltd. China	Foosin Medical China
Remarks	Responsive	Non Responsive Deficient at Sr. 3, 4, 13	Responsive	Responsive	Non Responsive Deficient at Sr. 10	Responsive	Responsive	Responsive

Dr. Maria Zulfiqar
Pharmacist
Medicine Procurement

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Ambreen Bhatti
A.M.S. (Stores)

Asst. Prof. Dr. Sairah Sadaf
Anesthesia Department

Assott. Prof. Dr. Anees ur Rehman
ENT Department

Head of Orthopedic Dept.
SZMC/ SZH. R. Y. Khan

Assot. Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Jamal Anwar
Paeds Department

Prof. Dr. Ghulam Fareed
Medical Unit

Medical Superintendent
SZH, R.Y.Khan

Prof. Dr. Shazia Majid Khan
Head of Gynecology Department
Chairperson Technical Scrutiny Committee

SHEIKH ZAYED MEDICAL COLLEGE/ HOSPITAL RAHIM YAR KHAN

**Item-Wise Technical Comparative Statement for the Bulk Purchase of Surgical Disposable Medical Devices (Drug & Non-Drugitems)
Financial Year 2024-25**

BID EVALUATION CRITERIA

Tender Sr. No. 1

Technical Meeting Held On 08-05-2024

Name of Item- Absorbent Cotton Wool (BPC Pack 500gm)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft Pvt. Ltd.	Cotton Craft Pak.	Absorbent Cotton wool	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	15	0	A	68	Responsive
Medicare Enterprises	General Pharma	Hospitex Cotton	Y	Y	Y	Y	10	5	5	5	Y	Y	Y	NA	Y	Y	Y	13	7	15	0	R	60	Non Responsive
SOS Technologies	SOS Technologies Pak.	AB Absorbent Cotton Roll	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	A	63	Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	Leader Absorbant Cotton Wool	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 2

Name of Item- Surgical Guaze Cloth (100cm x 30meter) (BPC Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft Pvt. Ltd.	Cotton Craft Pak.	Absorbent Gauze	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	15	0	A	71	Responsive
SOS Technologies	SOS Technologies Pak.	AB Gauze Roll	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	10	7	10	0	R	60	Non Responsive
Arsons Pharma	Arsons Pharma Pak	Care Gauze	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	3	3	5	0	R	44	Non Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	Absorbent Gauze	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 3

Name of Item- Sterilized Guaz Pad Size 10 cm x 10cm (BPC Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft Pvt. Ltd.	Cotton Craft Pak.	Pro Med Gauze	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	15	0	A	71	Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	MediGuaz	Y	Y	Y	Y	10	8	5	10	Y	Y	No sample	NA	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 4

Name of Item- Sterilized Abdominal Sponge (BPC Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft Pvt. Ltd.	Cotton Craft Pak.	Pro Med X-ray gauze	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	15	0	A	71	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 5

Name of Item- Bandage Plaster of Paris (BPC) Roll 10cm X 2.7 meter

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft Pvt. Ltd.	Cotton Craft Pak.	Orthoplast	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	15	0	R	71	Non Responsive
New Majeed Medicine Co.	Essity Pakistan	Gypsona	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
Arsons Pharma	Arsons Pharma Pak	Arsonapla ter	Y	Y	Y	Y	10	8	5	10	N	N	Y	NA	NA	Y	Y	3	5	5	0	R	46	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 6

Name of Item- Bandage Plaster of Paris (BPC) Roll 15cm X 2.7 meter

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Essity Pakistan	Gypsona	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
Arsons Pharma	Arsons Pharma Pak	Arsonapla ter	Y	Y	Y	Y	10	8	5	10	N	N	Y	NA	NA	Y	Y	3	5	5	0	R	46	Non Responsive
Cotton Craft	Cotton Craft	Orthoplast	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	15	0	R	71	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 7

Name of Item- Cotton Bandage BPC Roll 6.5cm X 6meter (Dozen Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft	Cotton Craft	Surgical Bandage	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	15	0	A	71	Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	Prim Bandage	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 8

Name of Item- Cotton Bandage BPC Roll 10cm X 6meter (Dozen Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft	Cotton Craft	Surgical Bandage	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	15	0	A	71	Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	Prim Bandage	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 9

Name of Item- Cotton Bandage BPC Roll 15cm X 6meter (Dozen Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft	Cotton Craft	Surgical Bandage	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	15	0	A	71	Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	Prim Bandage	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 10

Name of Item- Cotton Crepe bandage B.P.C. 7.5cm x 4.5 m - Stretched

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			
New Majeed Medicine Co.	Essity Pakistan	Elastocrepe	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
Cotton Craft	Cotton Craft	Elastocraft	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	15	0	A	71	Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	Elastomer	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 11

Name of Item- Cotton Crepe bandage B.P.C. 10cm x 4.5 m - Stretched

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cotton Craft	Cotton Craft	Elastocraft	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	15	0	A	71	Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	Elastomer	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 12

Name of Item- Cotton Crepe bandage B.P.C. 15cm x 4.5 m - Stretched

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Essity Pakistan	Elastocrepe	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
Cotton Craft	Cotton Craft	Elastocraft	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	10	15	0	A	71	Responsive
Kohinoor Industries	Kohinoor Ind. Pak.	Elastomer	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 13

Name of Item- Adhesive Skin Closure Tape (Reinforced) All sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Not Quoted																								

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 14

Name of Item- Chlorhexidine Acetate Dressing (BP) (all sizes)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Arsons Pharma	Arsons Pharma	Arso-Tulle	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
Cotton Craft	Cotton Craft	Para-Tulle	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	15	0	A	71	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 15

Name of Item- Adhesive Non-Woven Fabric surgical tape (all sizes)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Anji Hondge Medical China	Secure	Y	Y	Y	Y	8	8	5	10	Y	Y	No Sample	N	N	Y	Y	0	0	0	0	R	31	Non Responsive
Arsons Pharma	Arsons Pharma	Fixopore	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
Al-Ghani Traders	Wayson Medical	Oxymax	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	15	0	A	61	Responsive
Saru International	Jiangxi 3L Medical China	Adhesive fixing roll	Y	Y	Y	Y	10	8	5	10	Y	Y	No Sample	Y	Y	Y	Y	13	7	10	0	subject to provision of sample	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 16

Name of Item- Adhesive Non-Woven Dressing (All sizes)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Anji Hondge Medical China	Secure	Y	Y	Y	Y	8	8	5	10	Y	Y	No sample	N	N	Y	Y	0	0	0	0	R	31	Non Responsive
New Majeed Medicine Co.	Essity Pakistan	Leukomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
Al-Ghani Traders	Wayson Medical	Surgitrance	Y	Y	Y	Y	10	8	5	10	Y	Y	No sample	Y	Y	Y	Y	6	7	15	0	R	61	Non Responsive
Saru International	Jiangxi 3L Medical China	Adhesive wound dressing	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 17

Name of Item- Transparent Tape (Hypoallergenic) all sizes

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Anji Hondge Medical China	Secure	Y	Y	Y	Y	8	8	5	10	Y	Y	No sample	Y	Y	Y	Y	13	0	0	0	No Sample	44	Non Responsive
New Majeed Medicine Co.	Essity Pakistan	Leukofix	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
Al-Ghani Traders	Wayson Medical	Oxymax	Y	Y	Y	Y	10	8	5	10	Y	Y	No sample	Y	Y	Y	Y	6	7	15	0	No Sample	61	Non Responsive
Saru International	Jiangxi 3L Medical China	transparent surgical tape	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 18

Name of Item- Autoclaving Tape

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Secure the Life & KMN	Secure	Y	Y	Y	Y	8	8	5	10	NA	NA	No Sample	N	N	Y	Y	0	0	0	0	No Sample	31	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive
Al-Ghani Traders	Tianrun China	Tianrun	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 19

Name of Item- Adhesive Plaster Spool of 7.5 cm x 9 Meter (ZnO) (BPC)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Arsons Pharma	Arsons Pharma	Zinco	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 20

Name of Item- Blood Transfusion Bag 250ml (Single/Double)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	JMS Singapore/ Philippines	JMS	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 21

Name of Item- Blood Transfusion Bag 500ml (Single/Double)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	JMS Singapore/ Philippines	JMS	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	73	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 22

Name of Item- Blood Transfusion Set (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Shandong Wuzhou China	ST Classic	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Al-Ghani Traders	Kawa Medical	Unison	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	15	0	A	61	Responsive
Care Pharma	Jiangsu Kanghua Medical China	Star	Y	Y	Y	Y	8	5	5	7	Y 05-09-23	N	Y	Y	Y	Y	Y	13	0	0	0	R	38	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 23

Name of Item- ARP Needle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
			Not Quoted																				

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 24

Name of Item- Femoral Sheath 6Fr.

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Mediling Enterprises	Sunwong Korea	Accu-Sheath	Y	Y	Y	Y	8	6	5	10	Y	Y	Y	Y	Y	Y	13	7	15	0	A	64	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 25

Name of Item- Temporary Pace Maker Lead

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Medilinq Enterprises	Fiab Italy	LCSpoke	Y	Y	Y	Y	8	6	5	10	Y	Y	no sample	Y	Y	Y	Y	13	7	15	0	A already in use	64	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 26

Name of Item- Central Venous Pressure (CVP) Line (Double Lumen) with seldinger wire Size 7.0 Fr - 12.0 Fr (Reg)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Guangdong Baihe Medical China	Able	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	R	68	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 27

Name of Item- Central Venous Pressure (CVP) Line Peads (Single Lumen) 2.5Fr-5.5Fr (Reg)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Guangdong Baihe Medical China	Able	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive	
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	20	10	10	0	R	68	Non Responsive	

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 28

Name of Item- Central Venous Pressure (CVP) Line Peads (Double Lumen) 2.5Fr-5.5Fr (Reg)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Flowtronix System	Guangdong Baihe Medical China	Able	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	R	68	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 30

Name of Item- Broad Spectrum Hand Disinfectant Solution (Ready to use) (non alcoholic) (with Dispenser as required FOC)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Mezan International	Ahmed Lab. Jhelum	Msept	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Medinostic Health Care	Creative Supply Solution UK	Hi Clean	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	15	4	R	65	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 31

Name of Item- Disinfectant / Sterlization Solution for instruments / equipment (rate should be mentioned per liter after dilution according to litrature) of appropriate composition.

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Medinostic Health Care	Medimark UK	Reprodis	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	15	4	A	65	Responsive
4A International	Detro healthcare Turkey	Derto Cid Enzym	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 32

Name of Item- Disinfectant / Sterlization Solution for surface (rate should be mentioned per liter after dilution according to literature) of appropriate composition.

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Mezan International	Acto Pharma Turkey	Actonaid Flache Newe	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Medinostic Health Care	Medimark UM	Chemgen	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	15	4	A	65	Responsive
Al-Ghani Traders	Intiseptica Germany	Descocid-N	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	4	A	67	Responsive
4A International	Detro healthcare Turkey	Detro San Floor	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 33

Name of Item- Disinfectant / Sterlization Solution for instruments with Glutraldehyde concentration (rate should be mentioned per liter after dilution according to literature) of appropriate composition)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
4A International	Detro healthcare Turkey	Detro Fore	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	20	20	10	0	end user demanded samples in bulk quantity for evaluation	78		

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 34

Name of Item- Foley Ballon Catheter Two Way Size 6 (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 35

Name of Item- Foley Ballon Catheter Two Way Size 8 (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS" ,) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R" ,)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Usmanco International	Zhanjiang Star Enter. Co. China	U-Flo Foley catheter	Y	Y	Y	Y	8	8	5	10	Y 08-12-23	N	Y	Y	Y	Y	3	7	5	0	R	46	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 36

Name of Item- Foley Ballon Catheter Two Way Size10 (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC) (Y/N)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Zhanjiang Star Enter. Co. China	U-Flo Foley catheter	Y	Y	Y	Y	8	8	5	10	Y 08-12-23	N	Y	Y	Y	Y	Y	3	7	5	0	R	46	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 37

Name of Item- Foley Ballon Catheter Two Way Size12 (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Usmanco International	Zhanjiang Star Enter. Co. China	U-Flo Foley catheter	Y	Y	Y	Y	8	8	5	10	Y 08-12-23	N	Y	Y	Y	Y	3	7	5	0	R	46	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 38

Name of Item- Foley Ballon Catheter Two Way Size14 (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Zhanjiang Star Enter. Co. China	U-Flo Foley catheter	Y	Y	Y	Y	8	8	5	10	Y 08-12-23	N	Y	Y	Y	Y	Y	3	7	5	0	R	46	Non Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 39

Name of Item- Foley Ballon Catheter Two Way Size16 (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Clifton Enterprises	Evereast Medical China	Perfect	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Zhanjiang Star Enter. Co. China	U-Flo Foley catheter	Y	Y	Y	Y	8	8	5	10	Y 08-12-23	N	Y	Y	Y	Y	Y	3	7	5	0	R	46	Non Responsive
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Al-Ghani Traders	Nantong Angel Medical China	Pigeon	Y	Y	Y	Y	10	5	5	5	AFR	N	Y	N	N	Y	Y	3	3	10	4	R	45	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 40

Name of Item- Foley Ballon Catheter Size16 (Silicone coated) (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Sajjad Medicose + Surgical	Medicare China	Silicon Foley tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 41

Name of Item- Foley Ballon Catheter Three Way Size22(Silicone coated) (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 42

Name of Item- Foley Ballon Catheter Three Way Size 24 (silicon coated) (Sterile Pack) (Reg.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 43

Name of Item- Scalp vein set No.24 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Care Pharma	Jiangsu Kanghua Medical China	Star	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 44

Name of Item- Scalp vein set No.25 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Care Pharma	Jiangsu Kanghua Medical China	Star	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 45

Name of Item- Spinal Needle / Lumber Puncture needle Size 16

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC) (Y/N)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
AM Health Care	B. Brain Malaysia	Spinocan	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 46

Name of Item- Spinal Needle / Lumber Puncture needle Size 18

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
AM Health Care	B. Brain Malaysia	Spinocan	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 47

Name of Item- Spinal Needle / Lumber Puncture needle Size 20

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Certificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
AM Health Care	B. Brain Malaysia	Spinocan	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 48

Name of Item- Spinal Needle / Lumber Puncture needle Size 22

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
AM Health Care	B. Brain Malaysia	Spinocan	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 49

Name of Item- Spinal Needle / Lumber Puncture needle Size 25

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
AM Health Care	B. Brain Malaysia	Spinocan	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive	
Al-Ghani Traders	Zhejiang R runquang China	Venous	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	3	3	0	0	R	33	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 53

Name of Item- Tracheostomy Tube with Introducers No. 5.5

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 54

Name of Item- Tracheostomy Tube with Introducers No. 6

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 55

Name of Item- Tracheostomy Tube with Introducers No. 6.5

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 56

Name of Item- Tracheostomy Tube with Introducers No. 7

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 57

Name of Item- Tracheostomy Tube with Introducers No. 7.5

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 58

Name of Item- Trachestomy tube with introducer No. 4.5

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Popular International	Shiley-Covidien Medtronic USA	Medtronic	Y	Y	Y	Y	10	5	5	10	NA	NA	No sample	Y	Y	Y	Y	20	10	15	0	R	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 59

Name of Item- Trachestomy tube with introducer No. 5

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Popular International	Shiley-Covidien Medtronic USA	Medtronic	Y	Y	Y	Y	10	5	5	10	NA	NA	Y	Y	Y	Y	Y	20	10	15	0	R	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 60

Name of Item- True Cut Biopsy Needle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	German Medical	Monarch	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	10	10	15	0	A	61	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 61

Name of Item- VP Shunt Low Pressure (Peads / Adult)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
National Enterprises	HP Bioproteses LTDA / Brazil	HP Bioroteses LTDA	Y	Y	Y	Y	10	5	5	10	AFR	Y	No Sample	Y	Y	Y	Y	20	10	15	0	Approved on clinical experience	75	Responsive
Popular International	Integra USA	Integra Essential Shunt Kit	Y	Y	Y	Y	10	5	5	10	Y	Y	No Sample	Y	Y	Y	Y	20	10	15	0	Approved on clinical experience	75	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 62

Name of Item- VP Shunt Medium Pressure (Peads / Adult)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
National Enterprises	HP Bioproteses LTDA / Brazil	HP Bioroteses LTDA	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Popular International	Integra USA	Integra Essential Shunt Kit	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 63

Name of Item- VP Shunt High Pressure

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
National Enterprises	HP Bioproteses LTDA / Brazil	HP Bioroteses LTDA	Y	Y	Y	Y	10	5	5	10	AFR	Y	No Sample	Y	Y	Y	Y	20	10	15	0	Approved on clinical experience	75	Responsive
Popular International	Integra USA	Integra Essential Shunt Kit	Y	Y	Y	Y	10	5	5	10	Y	Y	No Sample	Y	Y	Y	Y	20	10	15	0	Approved on clinical experience	75	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 64

Name of Item- Surgical Blade No. 10 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Endoaid Biomedica	Sterliance Medical Suzhou China	Index Surgical Balde	Y	N	N	N	6	0	5	0	N	N	Y	N	N	N	N	0	0	0	0	R	11	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	Feather Safety Razer Co.Ltd. China	Feather Blade	Y	Y	Y	Y	10	8	5	10	AFR	Y	Y	Y	Y	Y	Y	6	7	15	0	A	61	Responsive
Care Pharma	Safety China	Safety	Y	N	N	Y	10	0	0	0	N	N	Y	N	N	Y	Y	3	3	0	0	R	16	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 65

Name of Item- Surgical Blade No. 11 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Endoaid Biomedica	Sterliance Medical Suzhou	Index Surgical Balde	Y	N	N	N	6	0	5	0	N	N	Y	N	N	N	N	0	0	0	0	R	11	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	Feather Safety Razer	Feather Blade	Y	Y	Y	Y	10	8	5	10	AFR	Y	Y	Y	Y	Y	Y	6	7	15	0	A	61	Responsive
Care Pharma	Safety China	Safety	Y	N	N	Y	10	0	0	0	N	N	Y	N	N	Y	Y	3	3	0	0	R	16	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 66

Name of Item- Surgical Blade No. 15 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Endoaid Biomedica	Sterliance Medical Suzhou	Index Surgical Balde	Y	N	N	N	6	0	5	0	N	N	Y	N	N	N	N	0	0	0	0	R	11	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	Feather Safety Razer	Feather Blade	Y	Y	Y	Y	10	8	5	10	AFR	Y	Y	Y	Y	Y	Y	6	7	15	0	A	61	Responsive
Care Pharma	Safety China	Safety	Y	N	N	Y	10	0	0	0	N	N	Y	N	N	Y	Y	3	3	0	0	R	16	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 67

Name of Item- Surgical Blade No. 20 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Endoaid Biomedica	Sterliance Medical Suzhou	Index Surgical Balde	Y	N	N	N	6	0	5	0	N	N	Y	N	N	N	N	0	0	0	0	R	11	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	Feather Safety Razer	Feather Blade	Y	Y	Y	Y	10	8	5	10	AFR	Y	Y	Y	Y	Y	Y	6	7	15	0	A	61	Responsive
Care Pharma	Safety China	Safety	Y	N	N	Y	10	0	0	0	N	N	Y	N	N	Y	Y	3	3	0	0	R	16	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 68

Name of Item- Surgical Blade No.22 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Endoaid Biomedica	Sterliance Medical Suzhou China	Index Surgical Balde	Y	N	N	N	6	0	5	0	N	N	Y	N	N	N	N	0	0	0	0	R	11	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	Feather Safety Razer	Feather Blade	Y	Y	Y	Y	10	8	5	10	AFR	Y	Y	Y	Y	Y	Y	6	7	15	0	A	61	Responsive
Care Pharma	Safety China	Safety	Y	N	N	Y	10	0	0	0	N	N	Y	N	N	Y	Y	3	3	0	0	R	16	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 69

Name of Item- DJ Stent Set (Adult/Peads) All sizes with guide wire

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	10	10	15	0	R	61	Non Responsive
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	68	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 70

Name of Item- Guide wiere 0.035 G

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	20	10	10	0	A	68	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 71

Name of Item- Guide wiere 0.032 G

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS" ,) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R" ,)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	68	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 72

Name of Item- Ureteric catheter 6 Fr

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	10	10	15	0	R	61	Non Responsive
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	68	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 73

Name of Item- Ureteric catheter 5 Fr

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	10	10	15	0	R	61	Non Responsive
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	68	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 74

Name of Item- Ureteric catheter 4 Fr

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	10	10	15	0	R	61	Non Responsive
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	20	10	10	0	A	68	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 75

Name of Item- TUR P cutting loop (Karl storz)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Allmed Solutions	Karl Storz Germany	cutting loop	Y	Y	Y	Y	10	8	5	5	N	N	No Sample	Y	Y	Y	Y	20	10	10	0	subject to provision of sample	68	Non Responsive due to non compliance of compulsory parameter

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 78

Name of Item- PCN Set (Adult / Peads),Nephrostomy Tube 8 Fr, Guide wire 0.035 inch (10 Fr.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	N	N	Y	Y	Y	Y	Y	20	10	10	0	A	68	Non Responsive due to non compliance of compulsory parameter

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 79

Name of Item- Pigtail tube (all sizes)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Allmed Solutions	Ameco Medical Ind. Egypt	Amecath	Y	Y	Y	Y	10	8	5	5	N	N	no sample	Y	Y	Y	Y	20	10	10	0	No Sample	68	Non Responsive due to non compliance of compulsory parameter

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 80

Name of Item- Baby Cord Clamp (Sterlized Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Abdullah Traders	Yangzhou Goldenwell Medical China	Cure	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	7	15	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 81

Name of Item- Bone Wax 2.5g

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Saru International	Yucel Medikal Turkey	Bone Wax	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 82

Name of Item- Cauty Leads Disposable

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Meher Traders	Zhejiang Jinhua China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Waseem Brothers	Zhejiang Jinhua Huatong China	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 83

Name of Item- Bipolar Cautey Lead

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Medilinq Enterprises	Fiab Italy	Diathermy Lead	Y	Y	Y	Y	8	6	5	10	Y	Y	No Sample	Y	Y	Y	Y	10	7	15	0	subject to provision of sample	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 84

Name of Item- Colostomy Bags Single Piece System with Tail Closure / Clamp

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Muller & Phipps	Convatec UK	Activ Life Bag Custom Cut / Sur-fit Tail Clsr	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	13	15	0	A	81	Responsive
Al-Ghani Traders	Bao Health China	Bao Health	Y	Y	Y	N	10	5	5	5	Y	Y	Y	Y	Y	Y	Y	3	3	0	0	R	31	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 85

Name of Item- Stoma Bags for Neonates

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Muller & Phipps	Convatec UK	Liffle Ones	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	7	10	15	0	A	65	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 86

Name of Item- Disposable Airways 0 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Certificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 87

Name of Item- Disposable Airways 00 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 88

Name of Item- Disposable Airways 1 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 89

Name of Item- Disposable Airways 2 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 90

Name of Item- Disposable Airways 3 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 91

Name of Item- Disposable Airways 5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y		Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 92

Name of Item- Laryngeal Mask Airway (all sizes)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	AFR			Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Waseem Brothers	Ningho FFLAB China	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 93

Name of Item- Epidural Set

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
AM Health Care	B. Brain Malaysia	Perifix 16G	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 94

Name of Item- Nebulizer Kit

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Cardiac Care	Greetmed China	Greetmed	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Clifton Enterprises	Evereast Medical China	Perfect	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Safety China	Safety	Y	Y	Y	Y	10	8	5	10	N	N	Y	N Expire	Y	Y	Y	10	7	5	0	A	55	Non Responsive due to non compliance of compulsory parameter
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive
Waseem Brothers	Ningho FFLAB China	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 95

Name of Item- Disposable Breathing Circuit (Adult)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Hsiner Taiwan	Hsiner	Y	Y	Y	Y	8	8	5	10	Y		Y	Y	Y	Y	Y	6	10	15	0		62	Rejected due to out of specification by end user
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	AFR		Y	Y	Y	Y	Y	13	10	15	0		64	
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0		75	
Popular International	DAR Covidien-Medtronic	Armonia Ext breath	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0		75	
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10		70	
Al-Ghani Traders	Flaxicare UK	Flaxicare	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y Expire	Y	Y	Y	10	7	10	0		60	
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0		78	
Waseem Brothers	Ningho FFLAB China	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0		61	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 96

Name of Item- Breathing circuit (Paeds)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Hsiner Taiwan	Hsiner	Y	Y	Y	Y	8	8	5	10	Y		Y	Y	Y	Y	Y	6	10	15	0		62	Report Pending
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	AFR		Y	Y	Y	Y	Y	13	10	15	0		64	Report Pending
Popular International	DAR Covidien-Medtronic USA	Paeds ICI Circuit PVC	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0		75	Report Pending
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10		70	Report Pending
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0		78	Report Pending

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 97

Name of Item- HME Filter

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Hsiner Taiwan	Hsiner	Y	Y	Y	Y	8	8	5	10	Y		Y	Y	Y	Y	Y	6	10	15	0	A	62	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	AFR		Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Popular International	DAR Covidien-Medtronic USA	Hygro Bag S Elecst FHME	Y	Y	Y	Y	10	5	5	10	NA	NA	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 98

Name of Item- Rebreathing Mask

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	AFR		Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Sajjad Medicose + Surgical	Medicare China	oxygen mask	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive
Waseem Brothers	Ningho FFLAB China	Wasco non breathing	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 99

Name of Item- Disposable Auto Suture Skin Stapler (with remover FOC)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Endoaid Biomedica	Changzhou Ankang Medical China	Cakakype-35A	Y	N	N	N	6	0	5	0	N	N	N	N	N	N	N	0	0	0	0	R	11	Non Responsive due to non compliance of compulsory parameter
KS Agencies	Sinolinks Medical China	Sinolinks	Y	Y	Y	N	10	5	5	5	Y	N	Y	Y	Y	Y	Y	3	3	0	0	R	31	Non Responsive
Sind Medical Stores	Changzhou Lookmed China	Lookmed	Y	Y	Y	Y	10	8	5	10	App. For	N	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Al-Ghani Traders	Jiangsu Celtics China	Celtics	Y	Y	Y	Y	10	8	5	10	Y	N	Y	N	Y	Y	Y	13	10	10	0	A	66	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 100

Name of Item- Disposable Chest Electrode (Adult Size)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Faib Italy	Faib	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	69	Responsive
Meher Traders	China Qingdao Bright medical China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	China Qingdao Bright medical China	My Heart	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	10	A	73	Responsive
Sajjad Medicose + Surgical	Medicare China	ECG Electrode	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive
Waseem Brothers	Qingdao Bright medical China	My Heart	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 101

Name of Item- Disposable Chest Electrode (Paeds Size)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			
Cardiac Care	Faib Italy	Faib	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	13	10	15	0	A	69	Responsive	
Hakimsons Pvt. Ltd.	Nissah Medical UK	Swaromed	Y	NA	NA	Y	10	8	5	5	NA	NA	Y	Y	Y	Y	10	7	10	10	A	65	Responsive	
Waseem Brothers	Qingdao Bright medical	My Heart	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 102

Name of Item- Haemostatic Absorbable Gelatin Sponge 7 x 5 x 1cm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Nanning Hao China	Monarch	Y	Y	Y	Y	8	8	5	5	AFR		Y	Y	Y	Y	Y	10	10	15	0	A	61	Responsive
Al-Ghani Traders	Mascia Brunelli Italy	Cutanplast	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	0	A	60	Responsive
Saru International	Yucel Medikal Turkey	Clinisponge	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 103

Name of Item- IV Fluid Regulator

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Cardiac Care	Pro Active Italy	Pro Active	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	69	Non Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	B-Flow	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive
Meher Traders	Suzhou Health Plastic & Products China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Safety China	Safety	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y Expire	Y	Y	Y	10	7	10	0	R	60	Non Responsive
Sajjad Medicose + Surgical	Medicare China	micro drip extension tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 104

Name of Item- Endotracheal Tube Non Cuffed Sizes 2.5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices China	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien Medtronic USA	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 105

Name of Item- Endotracheal Tube Non Cuffed Sizes 3 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 106

Name of Item- Endotracheal Tube Non Cuffed Sizes 3.5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 107

Name of Item- Endotracheal Tube Non Cuffed Sizes 4 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 108

Name of Item- Endotracheal Tube Non Cuffed Sizes 4.5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 109

Name of Item- Endotracheal Tube Non Cuffed Sizes 5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 110

Name of Item- Endotracheal Tube Cuffed Sizes, 4 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 111

Name of Item- Endotracheal Tube Cuffed Sizes, 4.5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 112

Name of Item- Endotracheal Tube Cuffed Sizes, 5.5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 113

Name of Item- Endotracheal Tube Cuffed Sizes, 6 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 114

Name of Item- Endotracheal Tube Cuffed Sizes, 6.5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evearast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley/ Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 115

Name of Item- Endotracheal Tube Cuffed Sizes, 7 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evereast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley / Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 116

Name of Item- Endotracheal Tube Cuffed Sizes 7.5 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Evearast Medical China	K&K	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Usmanco International	Chilecom Medical Devices	Endosoft	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive
Popular International	Shiley/ Curity Covidien	Medtronic	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 117

Name of Item- Endotreacheal Tube Double Lumen Left Sided 28Fr-7, 37Fr-10, 35Fr-10 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Popular International	Shiley Covidien Medtronic USA	LT Brocho Cath Pu Cuff	Y	Y	Y	Y	10	5	5	10	AFR	N	Y	Y	Y	Y	20	10	15	0	A	75	Responsive	
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 118

Name of Item- Nasogastric Tube Size 4 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Feeding Tube	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 119

Name of Item- Nasogastric Tube Size 6 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Suzhou Yudu Medical China	Perfect	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Feeding Tube	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Nantong Angel Medical China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 120

Name of Item- Nasogastric Tube Size 8 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Suzhou Yudu Medical	Perfect	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Feeding Tube	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Nantong Angel Medical China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 121

Name of Item- Nasogastric Tube Size 10 (Short length) (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Usmanco International	Bicakcilar DisTicaret Turkey	Feeding Tube	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive	
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 122

Name of Item- Nasogastric Tube Size 10 (Long length) (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 123

Name of Item- Nasogastric Tube Size 12 (long length) (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nasogastric catheter Levin	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 124

Name of Item- Nasogastric Tube Size 14 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nasogastric catheter Levin	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 125

Name of Item- Nasogastric Tube Size 16 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nasogastric catheter Levin	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	China	Pigeon	Y	Y	Y	Y	10	5	5	10	AFR	Y	Y	Y	Y	Y	Y	3	0	0	0	R	33	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 126

Name of Item- Nasogastric Tube Size 18 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nasogastric catheter Levin	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 127

Name of Item- Nelton Drain Catheter No. 8 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical China	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 128

Name of Item- Nelton Drain Catheter No. 10 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Clifton Enterprises	Suzhou Yudu Medical	Perfect	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0		63	
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 129

Name of Item- Nelton Drain Catheter No.12 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical China	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 130

Name of Item- Nelton Drain Catheter No. 14 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive	
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive	
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive	
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	6	0	0	0	R	36	Non Responsive	
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 131

Name of Item- Nelton Drain Catheter No.16 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Suzhou Yudu Medical	Perfect	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0		63	
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 132

Name of Item- Nelton Drain Catheter No.18 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 133

Name of Item- Nelton Drain Catheter No.20 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical China	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 134

Name of Item- Nelton Drain Catheter No.22 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 135

Name of Item- Nelton Drain Catheter No.24 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Nelton catheter	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 136

Name of Item- Nelton Drain Catheter No. 26 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 137

Name of Item- Nelton Drain Catheter No. 28 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Green China	Green Nelton Tube	Y	Y	Y	Y	10	5	5	10	N	N	Y	N	N	Y	Y	6	0	0	0	R	36	Non Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 138

Name of Item- Nelton Drain Catheter No. 30 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical China	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 139

Name of Item- Nelton Drain Catheter No. 32 (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Hakimsons Pvt. Ltd.	Niangsu Suyun Medical China	Medsuyun	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Sajjad Medicose + Surgical	Medicare China	Nelton Tube	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 140

Name of Item- Oxygen Mask (Adult)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Greetmed China	Greetmed	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	AFR		Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Safety China	Safety	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	0	R	60	Non Responsive
Sajjad Medicose + Surgical	Medicare China	oxygen mask	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	R	78	Non Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 141

Name of Item- Oxygen Mask (Peads)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtifaicon of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Greetmed China	Greetmed	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	AFR		Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Safety China	Safety	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y Expire	Y	Y	Y	10	7	10	0	R	60	Non Responsive
Sajjad Medicose + Surgical	Medicare China	oxygen mask	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	R	78	Non Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 142

Name of Item- Oxygen Nasal Canula with double prongs (Adult)'

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Safety China	Safety	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	0	R	60	Non Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 143

Name of Item- Oxygen Nasal Canula with double prongs (Paeds)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
Al-Ghani Traders	Safety China	Safety	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	0	R	60	Non Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 144

Name of Item- Oxygen Nasal Canula with double prongs (Infant)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Meher Traders	Ningbo Greatmoun tain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	R	78	Non Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 145

Name of Item- Oxygen Nasal Canula Neonate

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive
Meher Traders	Ningbo Greatmountain China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	R	78	Non Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 146

Name of Item- Soda Lime (CO2 Absorbant) 4.5Kg/Can, USP

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Hakimsons Pvt. Ltd.	Atrasorb Medical Brazil	Atrasorb	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive
4A International	Excellentcare Medical	Emedical	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 147

Name of Item- Spirit Methylated per litre

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Faisal Pharma	Local Sugar Mill	Spirit Methylated	Y	NA	NA	NA	10	0	5	10	NA	NA	Y	NA	NA	NA	NA	13	7	15	0	A	60	Responsive
Al-Ghani Traders	Local	Spirit Methylated	Y	NA	NA	NA	10	0	5	10	NA	NA	Y	NA	NA	NA	NA	13	7	15	0	A	60	Subject to provision of License

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 148

Name of Item- Steam Chemical Intigrator (Per No.)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Skardu Surgical	ECS s.r.i. Italy	Vapor Control	Y	NA	NA	Y	10	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	A	68	Responsive
Modern Medical Instrument	ECS Italy	ES. Steam	Y	NA	NA	Y	6	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	A	64	Responsive
S.A. Knitwear	Secure the Life & KMN	Secure	Y	Y	Y	Y	8	8	5	10	NA	NA	Y	N	N	Y	Y	0	0	0	0	R	31	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 149

Name of Item- Strips for Blood Sugar with free of cost Glucometer + accessories

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.					<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R			
Endoaid Biomedica	Hagzhou Sejoy Elctronis	BG-202	Y	NA	NA	N	6	0	5	5	NA	NA	Y	Y	N	N	N	3	0	0	0	R	19	Non Responsive	
Popular International	Acon USA	On Call	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive	
Eastern Medical Care	FORA Switzerland	FOR A	Y	NA	NA	Y	8	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive	
Muslim Scientifice Co.	Taidoc Taiwan	Clever Chek CC Advance	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	15	0	A	68	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 150

Name of Item- Priker/Lancet Neddle (Sterilized)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Eastern Medical Care	FORA Switzerland	FOR A	Y	NA	NA	Y	8	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive
Meher Traders	Huaian Hening China	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Al-Ghani Traders	Reco China	Reco	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	15	0	R	65	Non Responsive
Care Pharma	Safety China	Safety	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	60	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 151

Name of Item- Three way stopper without extension

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
AM Health Care	B. Brain Switzerland	Discofix	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive
Usmanco International	Bicakcilar DisTicaret Turkey	Three way stop cock	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Meher Traders	Suzhou Health Plastic &	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Sajjad Medicose + Surgical	Medicare China	three way stopper	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive
Care Pharma	Safety China	Safety	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	A	60	Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 152

Name of Item- Three way stopper with extension

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
AM Health Care	B. Brain Switzerland	Discofix	Y	Y	Y	Y	10	8	5	7	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	63	Responsive
Usmanco International	Bicacilar DisTicaret Turkey	Three way stop cock	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Meher Traders	Suzhou Health Plastic &	Wellmed	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	75	Responsive
Sajjad Medicose + Surgical	Medicare China	three way stopper	N	Y	N	N	0	8	0	5	N	N	Y	Y	Y	Y	Y	0	0	0	0	R	13	Non Responsive
Care Pharma	Safety China	Safety	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	60	Responsive
Waseem Brothers	Ningbo MFLAB Medical	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 153

Name of Item- Troponin Test (ICT) with instrument on R&R basis

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Irteqa Biotek	Precision Biosensor South Korea	Exdia	Y	Y	Y	Y	10	8	5	8	NA	NA	Y	Y	Y	Y	Y	13	10	10	0	A	64	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 154

Name of Item- Underwater seal with connector and bottle with plastic pipe

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product		
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R				
Cardiac Care	Pahsco Taiwan	Pahsco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	69	Responsive		
Intermedik Pvt Ltd.	Jiangsu Huaxia Medical China	X-Med	Y	Y	Y	Y	8	8	5	5	AFR		Y	Y	Y	Y	Y	10	10	15	0	R	61	Non Responsive		
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	10	R	70	Non Responsive		
Total Marks			= 100				Qualifying Marks = 60% (60)																			

BID EVALUATION CRITERIA

Tender Sr. No. 155

Name of Item- Spring Suction Drain Bottles with tubing (all sizes)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 156

Name of Item- Easy Drain Size 8, 10

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Vygon Europe	Vygon	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	6	10	15	0	A	62	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 157

Name of Item- Disposable Chest Tube Sterilized (Adult & Paeds Sizes)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Pahsco Taiwan	Pahsco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	13	10	15	0	A	69	Responsive	
Hakimsons Pvt. Ltd.	Ningbo MFLAB Medical China	Foyomed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	10	7	10	10	A	70	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 158

Name of Item- Urine Bag for Adult (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Clifton Enterprises	Huaian Angel Medical China	Perfect Fine	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	10	7	10	0	R	60	Non Responsive
Intermedik Pvt Ltd.	Well Lead China	Well Lead	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	Y	10	10	15	0	R	61	Non Responsive
KS Agencies	Changzhou Shangma China	Curaflo	Y	Y	Y	N	10	8	5	0	App.For	Y	Y	Y	Y	Y	Y	20	10	15	0	R	68	Non Responsive
Sind Medical Stores	Ningbo Greatcare China	Great Uro	Y	Y	Y	Y	10	8	5	10	Y	NA	Y	Y	Y	Y	Y	13	7	15	0	A	68	Responsive
Meher Traders	Changzhou Yaping China	Wellmed	Y	Y	Y	Y	10	5	5	10	App.For	NA	Y	Y	Y	Y	Y	20	10	15	0	R	75	Non Responsive
Abdullah Traders	Yangzhou Goldenwell Medical	Cure	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	7	15	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 161

Name of Item- Aquacel AG 10x12cm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Muller & Phipps	Convatec UK	Aquacel AG	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	7	10	15	0	A	65	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 175

Name of Item- CTG Roll OXY FM 100 / FM 6 compatible with machine

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Skardu Surgical	EF Medica s.r.i. Italy	EF	Y	NA	NA	Y	10	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	R	68	Non Responsive
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 176

Name of Item- CTG Roll FM-3000 compatible with machine

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Skardu Surgical	EF Medica s.r.i. Italy	EF	Y	NA	NA	Y	10	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	R	68	Non Responsive
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 177

Name of Item- CTG Roll Machine BTL-90

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Skardu Surgical	EF Medica s.r.i. Italy	EF	Y	NA	NA	Y	10	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	R	68	Non Responsive
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive
Hospicare System	Cardioline Italy	Cardioline	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	15	0	A	65	Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 178

Name of Item- ECG Roll 6 Chennal (L-100) compatible with machine

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive
SAA International	Tele paper Sdn Bhd Malaysai	Sonomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	15	0	R	68	Non Responsive
Hospicare System	Cardioline Italy	Cardioline	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	15	0	A	65	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 179

Name of Item- ECG Printing Paper Roll Single Chennai

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Skardu Surgical	EF Medica s.r.i. Italy	EF	Y	NA	NA	Y	10	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	A	68	Responsive
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 180

Name of Item- ECG Printing Paper Roll Three Chennai 63mm/ 65mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Skardu Surgical	EF Medica s.r.i. Italy	EF	Y	NA	NA	Y	10	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	A	68	Responsive
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive
Al-Ghani Traders	Hoggy China	Hoggy	Y	Y	Y	Y	8	8	5	7	NA	NA	Y	N	N	Y	Y	13	10	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 181

Name of Item- ECG Printing Paper Roll Three Chennai 80mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Skardu Surgical	EF Medica s.r.i. Italy	EF	Y	NA	NA	Y	10	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	A	68	Responsive
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive
SAA International	Tele paper Sdn Bhd Malaysai	Sonomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	15	0	R	68	Non Responsive
Al-Ghani Traders	Hoggy China	Hoggy	Y	Y	Y	Y	8	8	5	7	NA	NA	Y	N	N	Y	Y	13	10	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 182

Name of Item- ECG Paper Z fold 6 Chennal

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive
Hospicare System	Cardioline Italy	Cardioline	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	15	0	A	65	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 183

Name of Item- ECG Paper Z Fold A4 Size

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive
SAA International	Tele paper Sdn Bhd Malaysai	Sonomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	15	0	R	68	Non Responsive
Hospicare System	Cardioline Italy	Cardioline	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	10	7	15	0	A	65	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 184

Name of Item- ECG Paper Z-Fold 100mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Skardu Surgical	EF Medica s.r.i. Italy	EF	Y	NA	NA	Y	10	8	5	7	NA	NA	Y	Y	Y	Y	Y	13	10	15	0	A	68	Responsive
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive
SAA International	Tele paper Sdn Bhd Malaysai	Sonomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	15	0	R	68	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 185

Name of Item- ECG Z Fold 120mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Hongguang China	X-Med	Y	Y	Y	Y	8	8	5	5	NA	NA	No sample	N	N	Y	Y	0	0	0	0	R	26	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 187

Name of Item- USG Roll Type V (Glossy)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
SAA International	Tele paper Sdn Bhd Malaysai	Sonomed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	15	0	A	68	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 189

Name of Item- Glycerine Pure Per Kg.

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Al-Ghani Traders	Local	Glycerine Pure																			A		Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 190

Name of Item- Paraffin Liquid 400ml /450ml

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Al-Ghani Traders	Western Chemical	Liquid Paraffin																			A		Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 193

Name of Item- E.C.G. / Ultrasound Gell 5 KG Can with applicator, nozzle bottle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
SAA International	ISD Meditech Malaysia	Skygel	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	15	0	A	68	Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 197

Name of Item- Poly Sling (Adult)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Al-Ghani Traders	Local	Poly sling	Y	NA	NA	Y	10	8	5	5	NA	NA	Y	NA	NA	Y	Y	13	10	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 198

Name of Item- Poly Sling (Children)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Al-Ghani Traders	Local	Poly sling	Y	NA	NA	Y	10	8	5	5	NA	NA	Y	NA	NA	Y	Y	13	10	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 199

Name of Item- Skin Traction (for Adult)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Al-Ghani Traders	Batac	skin traction	Y	NA	NA	Y	10	8	5	5	NA	NA	Y	NA	NA	Y	Y	13	10	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 200

Name of Item- Skin Traction (for child)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Al-Ghani Traders	Batac	skin traction	Y	NA	NA	Y	10	8	5	5	NA	NA	Y	NA	NA	Y	Y	13	10	10	0	R	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 201

Name of Item- Black Silk Braided Size 1, 1/2 Circle RB/TP needle (15-35mm) USP / Eu.Ph.(Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Endoaid Biomedica	WORK Wide Medivest Sdn Bhd Malaysia	Vesti silk 30mm, 75cm,	Y	N	N	N	6	0	5	5	Y	N	Y	Y	N	N	N	3	3	0	0	R	22	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glysilik	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Muller & Phipps	Jhonson& Jhonson	Mersilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 202

Name of Item- Black Silk Braided Size 1, Curved cutting needle (25-40mm) USP / Eu.Ph.(Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
KS Agencies	Huaiyin Medical China	Glysilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 203

Name of Item- Black Silk Braided Size 2/0, 1/2 Circle RB/TP needle (19-35mm) USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
KS Agencies	Huaiyin Medical China	Glysilks	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Mersilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 204

Name of Item- Black Silk Braided Size 2/0, Curved cutting needle (20-30mm) USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glysilks	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 205

Name of Item- Black Silk Braided Size 3/0, 1/2 Circle RB/TP needle (19-31mm) USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glysilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Mersilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 206

Name of Item- Black Silk Braided Size 3/0, Curved cutting needle (19-26mm) USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glysilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 207

Name of Item- Black Silk Braided Size 4/0, Curved Cutting needle (16-26mm) USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glysilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Akram Brothers & Co.	Foosin Medical China	PGLA poly lactic	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 209

Name of Item- Catgut Chromic Size 1, 1/2 Circle RB/TP/Curved needle 40mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Vikor Healthcare	Surgigut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
KS Agencies	Huaiyin Medical China	Chromic Catgut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demegut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 210

Name of Item- Catgut Chromic Size 2/0, 1/2 Circle RB/TP/Curved needle 20-40mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				<u>Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)</u>	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Vikor Healthcare	Surgigut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
KS Agencies	Huaiyin Medical China	Chromic Catgut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demegut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 211

Name of Item- Catgut Chromic Size 3/0, 1/2 Circle RB/TP/Curved needle 20-40mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
New Majeed Medicine Co.	Vikor Healthcare	Surgigut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	A	66	Responsive
KS Agencies	Huaiyin Medical China	Chromic Catgut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 212

Name of Item- Polypropylene Size 1, RB/TP needle 40mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Endoaid Biomedica	Work Wide Medivest Sdn Bhd Malaysia	Vestilnene 40mm, 100cm	Y	N	N	N	6	0	5	5	Y	N	Y	Y	N	N	N	3	3	0	0	R	22	Non Responsive
Bajwa Sons	Yancheng Huida PRC China	Trulene 40mm, 90cm	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	10	0	R	56	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glylene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demelene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 213

Name of Item- Polypropylene Size 2/0, RB/TP needle 19-31mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Endoaid Biomedica	Work Wide Medivest Sdn Bhd Malaysia	Vestilnene 26mm, 75cm	Y	N	N	N	6	0	5	5	Y	N	Y	Y	N	N	N	3	3	0	0	R	22	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glylene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demelene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Meher Traders	Huain Pingan Medical	Palene	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	30	Non Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 214

Name of Item- Polypropylene Size 2/0, Curved Cutting needle 13-31mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
New Majeed Medicine Co.	Vikor Healthcare	Surgigut	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glylene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demelene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Meher Traders	Huain Pingan Medical	Palene	Y	Y	Y	Y	10	5	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	30	Non Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 215

Name of Item- Polypropylene Size 2/0, Straight Needle 60mm, 75 cm length USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Bajwa Sons	Yancheng Huida PRC China	Trulene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Cardiac Care	Peter Surgical France	Peter 75mm, 90cm	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	69	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 216

Name of Item- Poly propylene No. 3/0, RB/TP needle 17-26mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Endoaid Biomedica	Work Wide Medivest	Vestilnene 22mm, 75cm	Y	N	N	N	6	0	5	5	Y	N	Y	Y	N	N	N	3	3	0	0	R	22	Non Responsive
Cardiac Care	Peter Surgical France	Peter 26mm, RB	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glylene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demelene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 217

Name of Item- Poly propylene No. 3/0, Curved Cutting needle 13-26mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter 26mm, CN	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glylene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demelene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 218

Name of Item- Polypropylene Size 4/0, RB/TP needle 16-25mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.					Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R			
Endoaid Biomedica	Work Wide Medivest	Vestilnene 17mm, 75cm	Y	N	N	N	6	0	5	5	Y	N	Y	Y	N	N	N	3	3	0	0	R	22	Non Responsive	
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive	
KS Agencies	Huaiyin Medical China	Glylene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive	
Sind Medical Stores	Demetech USA	Demelene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive	
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive	
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 219

Name of Item- Polypropylene Size 4/0, Curved Cutting needle 16-25mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
KS Agencies	Huaiyin Medical China	Glylene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demelene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 220

Name of Item- Poly propylene No. 5/0 , RB/TP needle 13-20mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 221

Name of Item- Poly propylene No. 5/0 Curved / Reverse cutting needle 13-20mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive	
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 222

Name of Item- Poly Propylene No. 6/0 Non-Cutting, Double needle 9-15mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter 10mm DN	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 223

Name of Item- Poly Propylene No.6/0 cutting needle 8-20mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter 13mm CN	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 224

Name of Item- Poly Propylene No. 8/0, 9/0, USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter 8/0	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene 8/0,	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 225

Name of Item- Poliglecaprone Sutures 4/0, 5/0, 6/0,

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Muller & Phipps	Jhonson& Jhonson	Poliglecap rone 4/0	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 226

Name of Item- Synthetic absorbable suture, co polymers of Glycolide & Lactide containing Polyglactin / Polyglycolic Acid/ Lactomer Size 1, 1/2 Circle RB/TP needle 20-40mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Bajwa Sons	Yancheng Huida PRC China	TruCryl (PGA) 40mm (90cm)	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	10	0	R	56	Non Responsive
KS Agencies	Huaiyin Medical China	Glytin	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demesorb	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Vicryl Plus	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Popular International	Covidien	Polyglactin	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive
Akram Brothers & Co.	Foosin Medical China	PGLA poly lactic	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 227

Name of Item- Synthetic absorbable suture, co polymers of Glycolide & Lactide containing Polyglactin / Polyglycolic Acid/ Lactomer Size 2/0 1/2 Circle RB/TP needle 20-35mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinici Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			
Bajwa Sons	Yancheng Huida PRC China	TruCryl (PGA) 30mm (75cm)	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	10	0	R	56	Non Responsive
KS Agencies	Huaiyin Medical China	Glytin	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demesorb	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Vicryl Plus	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Popular International	Covidien	Polyglactin	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive
Akram Brothers & Co.	Foosin Medical China	PGLA poly lactic	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 228

Name of Item- Synthetic absorbable suture, co polymers of Glycolide & Lactide containing Polyglactin / Polyglycolic Acid/ Lactomer Size 3/0 1/2 Circle RB/TP 19-31mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
KS Agencies	Huaiyin Medical China	Glytin	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	A	66	Responsive
Sind Medical Stores	Demetech USA	Demesorb	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Muller & Phipps	Jhonson& Jhonson	Vicryl Plus	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	PGLA poly lactic	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 229

Name of Item- Synthetic absorbable suture, co polymers of Glycolide & Lactide containing Polyglactin / Polyglycolic Acid/ Lactomer Size 4/0 1/2 Circle RB/TP 16-31mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinical Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
KS Agencies	Huaiyin Medical China	Glytin	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive
Sind Medical Stores	Demetech USA	Demesorb	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Muller & Phipps	Jhonson& Jhonson	Vicryl Plus	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	PGLA poly lactic	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 230

Name of Item- Synthetic absorbable suture, co polymers of Glycolide & Lactide containing Polyglactin / Polyglycolic Acid/ Lactomer Size 5/0 RB/TP needle 13-20mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
KS Agencies	Huaiyin Medical China	Glytin	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	10	10	0	R	66	Non Responsive	
Muller & Phipps	Jhonson& Jhonson	Vicryl	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive	
Akram Brothers & Co.	Foosin Medical China	PGLA poly lactic	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 231

Name of Item- Synthetic absorbable suture, co polymers of Glycolide & Lactide containing Polyglactin / Polyglycolic Acid/ Lactomer Size 6/0 spatulated Cutting double needle 6-13mm USP / Eu.Ph. (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Muller & Phipps	Jhonson& Jhonson	Vicryl	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	PGLA poly lactic	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 232

Name of Item- PDS 5/0

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Muller & Phipps	Jhonson& Jhonson	PDS	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 233

Name of Item- PDS 6/0

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 234

Name of Item- Polypropylene Monofilament Non Absorbable 2/0, 90cm, 26mm,Taper Point 1/2 circle double needle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter 26mm, 90cm	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 235

Name of Item- Polypropylene Monofilament Non Absorbable 3/0, 90cm, 26mm,Taper Point 1/2 circle double needle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter 26mm, 90cm	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 236

Name of Item- Polypropylene Monofilament Non Absorbable 4/0, 90cm,17mm,Taper Point 1/2 circle double needle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			
Cardiac Care	Peter Surgical France	Peter 18mm, 90cm	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 237

Name of Item- Polypropylene Monofilament Non Absorbable 6/0, 60/75cm,13mm,RB 3/8 Taper Point double needle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter 13mm, 60/75cm	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 238

Name of Item- Polypropylene Monofilament Non Absorbable 7/0,60cm, 9.3mm,Taper Point 3/8 Circle double needle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Cardiac Care	Peter Surgical France	Peter 10mm, 60cm	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	N	N	Y	Y	0	0	0	0	R	33	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Prolene	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 239

Name of Item- Waxed/ Unwaxed Black Braided Silk/ Non Absorbable 1, 75cm, 31mm, Taper Point/ RB, 1/2 Circle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Mersilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 240

Name of Item- Waxed/ Unwaxed Black Braided Silk/ Non Absorbable 3/0, 75cm, 26mm, 1/2 Circle

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
New Majeed Medicine Co.	Vikor Healthcare	Surgiline	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	NA	NA	Y	Y	13	10	10	0	R	66	Non Responsive
Muller & Phipps	Jhonson& Jhonson	Mersilk	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive
Akram Brothers & Co.	Foosin Medical China	Wego	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	R	63	Non Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 241

Name of Item- Poly Propylene partially absorable / light weight Knitted Mesh, size 15 x 15 cm (sterile)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Medilution Health Care	Beta Mesh Turkey	Polymesh	Y	Y	Y	Y	10	6	5	10	Y	Y	Y	Y	Y	Y	13	10	10	0	R	64	Non Responsive	
Popular International	Covidien	Parietene 15x15	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 242

Name of Item- Poly propylene Knitted Non Absorbable / Mesh Un-Dyed, Medium 15X15cm (Sterile Pack)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Duezy Medikal	Duezy	Y	Y	Y	Y	8	8	5	5	Y	Y	Y	Y	Y	Y	13	10	15	0	R	64	Non Responsive	
Medilution Health Care	Beta Mesh Turkey	PM1515	Y	Y	Y	Y	10	6	5	10	Y	Y	Y	Y	Y	Y	10	10	10	0	A	61	Responsive	
Popular International	Covidien	Parietene	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 243

Name of Item- Gastro instestinal Anastomosis Cutter 55mm / 60mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	3	3	3	0	R	42	Non Responsive	
Popular International	Covidien	GIA 60mm	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 244

Name of Item- Gastro instestinal Anastomosis Cutter 75mm / 80mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	3	3	3	0	R	42	Non Responsive	
Popular International	Covidien	GIA 80mm	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 245

Name of Item- Gastro instestinal Anastomosis Catridge 55mm / 60mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	3	3	3	0	R	42	Non Responsive
Popular International	Covidien	Catridge 60mm	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 246

Name of Item- Gastro instestinal Anastomosis Catridge 75mm / 80mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	3	3	3	0	R	42	Non Responsive	
Popular International	Covidien	Catridge 80mm	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 247

Name of Item- Liga Clip LT 300 / LT 400 (laproscopic surgery)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Intermedik Pvt Ltd.	Hangzhou Kangsheng China	X-Med	Y	Y	Y	Y	10	6	5	10	Y	Y	Y	Y	Y	Y	Y	10	10	10	0	subject to provision of applicator	61	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 248

Name of Item- Ultrasonic Dissection Shear vessel sealing devices for advance laproscopic surgical procedure (all sizes) (successful / 1st lowest bidder must provide generator on FOC basis compatible with shears including all accessories as per demand of end user, the bidder will be responsible for free services / maintenance of the instrument for complete financial year)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Covidien	Soncision Cordless Shear all types	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	
Allmed Solutions	Hocer Med China	scalpel laproscopi c shear 5mm, 36cm	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	7	3	5	0	R	43	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 249

Name of Item- Ultrasonic Blue Hand Piece compatible with generator

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Covidien	Hand piece	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	
Allmed Solutions	Hocer Med China	Blue Hand piece	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	7	3	5	0	R	43	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 250

Name of Item- Ultrasonic Grey Hand Piece compatible with generator

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Allmed Solutions	Hocer Med China	Grey Hand piece	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	7	3	5	0	R	43	Non Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 251

Name of Item- Ultrasonic Shear for Thyroidectomy procedure (successful / 1st lowest bidder must provide generator on FOC basis compatible with shears including all accessories as per demand of end user, the bidder will be responsible for free services / maintenance of the instrument for complete financial year)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			
Popular International	Covidien	Soncision Shear all types	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive
Allmed Solutions	Hocer Med China	ultrasonic shear thyroidectomy 9cm	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	7	3	5	0	R	43	Non Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 252

Name of Item- Advance Bipolar /vessel sealing shear for thyroid cases (successful / 1st lowest bidder must provide generator on FOC basis compatible with shears including all accessories as per demand of end user, the bidder will be responsible for free services / maintenance of the instrument for complete financial year)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Covidien	Ligasure	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	
Allmed Solutions	N. S Tech. China	Agiseal bipolar sealing shear thyroid 19cm	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	7	3	5	0	R	43	Non Responsive	

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 253

Name of Item- Advance Bipolar vessel sealing shear for lap surgery (successful / 1st lowest bidder must provide generator on FOC basis compatible with shears including all accessories as per demand of end user, the bidder will be responsible for free services / maintenance of the instrument for complete financial year)

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Popular International	Covidien	Ligasure	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive
Allmed Solutions	N. S Tech. China	Agiseal bipolar sealing shear laproscopi c	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	7	3	5	0	R	43	Non Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 254

Name of Item- Laparoscopic Absorbable Mesh Fixation Device

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Covidien	Absorbata ck	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 255

Name of Item- Lap. Articulating Linear Cutter (45, 60cm)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	3	3	3	0	R	42	Non Responsive	
Popular International	Covidien	Endo GIA universal	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 256

Name of Item- Lap. Articulating Linear Reloads (45, 60cm)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	3	3	3	0	R	42	Non Responsive
Popular International	Covidien	Reload Endo 60	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 257

Name of Item- Circular Stapler from end to end anostomosis 29cm, 33cm/34cm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	3	3	3	0	R	42	Non Responsive
Popular International	Kangdi covidien	End to End	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 258

Name of Item- Haemrrhoidal stapler Kit

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	3	3	3	0	R	42	Non Responsive	
Popular International	Kangdi covidien	Haemrrhoidal	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 260

Name of Item- Blade Less Trocar 5mm, 11mm, 12mm,15mm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	13	7	15	0	A	68	Responsive	
Popular International	Kangdi covidien	Disp. Bladless trocar	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 261

Name of Item- Hernia space maker trocar for lap surgery

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrifaicon of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Covidien	Baloon Trocar	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 262

Name of Item- Endo retrieval bag

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Sind Medical Stores	Changzhou Liikmed China	Lookmed	Y	NA	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	3	3	3	0	A	42	Non Responsive
Popular International	Covidien	Endo Bag	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 263

Name of Item- Wound protector small / large size

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC) (Y/N)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Covidien	Wound Protector	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 264

Name of Item- Knotless barbed suturing device various sizes (0, 2/0, 3/0,) box of 12

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Muller & Phipps	Jhonson& Jhonson	SFX sprial Uni PDS Plus 2/0 3/0	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	20	10	15	0	A	78	Responsive	
Popular International	Covidien	V-LOC	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 265

Name of Item- Port Site Closer

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Covidien	Endoclose	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 266

Name of Item- Suture passer

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Covidien	Endoclose	Y	Y	Y	Y	10	5	5	7	Y	Y	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 267

Name of Item- L-Hook extra long 42cm

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product	
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks			A/R
Popular International	Amnotec Inter.	Monopolar Hook	Y	Y	Y	Y	10	5	5	7	N	N	Y	N	N	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 268

Name of Item- Scissor extra long

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Amnotec Inter.	Metzenbaum Scissors curved jaw	Y	Y	Y	Y	10	5	5	7	N	N	Y	N	N	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 269

Name of Item- Yeohan /Atraumatic bowel grasper extra long / normal length

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Amnotec Inter.	Johan grasping & dissecting forceps 20mm	Y	Y	Y	Y	10	5	5	7	N	N	Y	N	N	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 270

Name of Item- Maryland extra long

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Amnotec Inter.	Maryland grasing & dissecting forceps 5mm	Y	Y	Y	Y	10	5	5	7	N	N	Y	N	N	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 271

Name of Item- Gastric Calibration tube 36Fr/32Fr.

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC) (Y/N)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Not Quoted																							

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 272

Name of Item- yeohan/attraumatic bowel grasper normal length / Extra long

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP")				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Popular International	Amnotec Inter.	Johan grasping & dissecting forceps 40mm	Y	Y	Y	Y	10	5	5	7	NA	NA	Y	Y	Y	Y	Y	20	10	15	0	A	72	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 273

Name of Item- Surgical Disposable Standard sterlized Gown

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Secure the Life & SA Knitwear	Secure	Y	Y	Y	Y	8	8	5	10	NA	NA	no sample	NA	NA	Y	Y	3	7	10	0	no sample	51	Non Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 274

Name of Item- Disposable surgical Gowns (all sizes)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Secure the Life & SA Knitwear	Secure	Y	Y	Y	Y	8	0	5	10	NA	NA	No sample	NA	NA	Y	Y	13	10	10	0	No Sample	56	Non Responsive
Al-Ghani Traders	Khan Inter. Local	Disp. Gown	Y	NA	NA	Y	10	0	5	10	NA	NA	Y	NA	NA	Y	Y	13	7	15	0	A	60	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 275

Name of Item- Polythene Apron (Disposable)

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC) (Y/N)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Secure the Life & SA Knitwear	Secure																			No Sample		Non Responsive	
Al-Ghani Traders	China	Green Disp.																			A		Responsive	

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 276

Name of Item- Dignity Sheet

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC) (Y/N)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
S.A. Knitwear	Secure the Life & SA Knitwear	Secure																			No Sample	0	Non Responsive
Al-Ghani Traders	China	Comfort																			A	0	Responsive
Care Pharma	Safety China	Safety																			A	0	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 278

Name of Item- Sterile Surgical Gloves Size 6.5 Sterile

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Peformance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Aqib Trading Co.	Jiangxi Hongda Medical	AT-TEX	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	71	Responsive
Eastern Medical Care	ASAP Malaysia	ASAP	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	7	10	0	A	70	Responsive
Meher Traders	Anhui Anyu Latex China	Wellmed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Abdullah Traders	Anhui Anyu Plastic	Cure	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	7	15	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 279

Name of Item- Sterile Surgical Gloves Size 7 Sterile

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Aqib Trading Co.	Jiangxi Hongda Medical	AT-TEX	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	71	Responsive
Eastern Medical Care	ASAP Malaysia	ASAP	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	7	10	0	A	70	Responsive
Meher Traders	Anhui Anyu Latex China	Wellmed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Abdullah Traders	Anhui Anyu Plastic	Cure	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	7	15	0	A	63	Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 280

Name of Item- Sterile Surgical Gloves Size 7.5, Sterile

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Ip MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Aqib Trading Co.	Jiangxi Hongda Medical	AT-TEX	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	71	Responsive
Eastern Medical Care	ASAP Malaysia	ASAP	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	7	10	0	A	70	Responsive
Meher Traders	Anhui Anyu Latex China	Wellmed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Abdullah Traders	Anhui Anyu Plastic	Cure	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	7	15	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 281

Name of Item- Sterile Surgical Gloves Size 8, Sterile

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC) (Y/N)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Aqib Trading Co.	Jiangxi Hongda Medical	AT-TEX	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	A	71	Responsive
Eastern Medical Care	ASAP Malaysia	ASAP	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	7	10	0	A	70	Responsive
Meher Traders	Anhui Anyu Latex China	Wellmed	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Abdullah Traders	Anhui Anyu Plastic	Cure	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	7	15	0	A	63	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 282

Name of Item- Examination Gloves Non Sterile, Rubber Latex (Pack of 100 Nos) Large Size

Name of firm/ Bidder	Mfg By	Brand Name	Compulsory Criteria of Firm/ Bidder (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				Ordinary Criteria of Firm/ Bidder (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				Compulsory Criteria of Product (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaion of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							Ordinary Criteria of Product Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Eastern Medical Care	ASAP Malaysia	ASAP	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	7	10	0	A	70	Responsive
Meher Traders	Top Gloves Malaysia	Wellmed	Y	Y	Y	Y	10	8	5	10	N	N	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Abdullah Traders	TG Medical Malaysia	Cure	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	N	Y	Y	13	10	15	0	R	66	Non Responsive
Waseem Brothers	Top Gloves Malaysia	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	N	Y	Y	Y	13	7	10	0	A	61	Non Responsive due to non compliance of compulsory parameter

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 283

Name of Item- Examination Gloves Non Sterile, Rubber Latex (Pack of 100 Nos) Medium Size

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Eastern Medical Care	ASAP Malaysia	ASAP	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	20	7	10	0	A	70	Responsive
Meher Traders	Top Gloves Malaysia	Wellmed	Y	Y	Y	Y	10	8	5	10	N	N	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Abdullah Traders	TG Medical Malaysia	Cure	Y	Y	Y	Y	10	8	5	5	Y	Y	Y	Y	Y	Y	Y	13	10	15	0	R	66	Non Responsive
Waseem Brothers	Top Gloves Malaysia	Wasco	Y	Y	Y	Y	8	8	5	10	Y	Y	Y	N	Y	Y	Y	13	7	10	0	A	61	Non Responsive due to non compliance of compulsory parameter

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 284

Name of Item- Surgical Disposable Face Mask 3 Ply with ear loop

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaon of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices						<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks		
Not Quoted																							

Total Marks = 100 Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 286

Name of Item- Disposable Shoe Cover

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Secure the Life & SA Knitwear	Secure	Y	Y	Y	Y	8	8	5	10	NA	NA	no sample	N	N	Y	Y	13	10	0	0	R	54	Non Responsive
Meher Traders	Ningbo Greatmoun tain China	Wellmed	Y	Y	Y	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Al-Ghani Traders	China	Green	Y	NA	NA	Y	10	6	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	0	A	61	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 287

Name of Item- Disposable Caps

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtrificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
S.A. Knitwear	Secure the Life & SA Knitwear	Secure	Y	Y	Y	Y	8	8	5	10	NA	NA	no sample	N	N	Y	Y	13	10	0	0	R	54	Non Responsive
Meher Traders	Ningbo Greatmoun tain China	Wellmed	Y	Y	Y	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Al-Ghani Traders	Local	caps	Y	NA	NA	Y	10	0	5	10	NA	NA	N	NA	NA	N	Y	0	0	0	0	A	25	Non Responsive due to non compliance of compulsory parameter

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 288

Name of Item- Chlorine Tablet

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaiton of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Medinostic Health Care	Atco Lab.	Hi Clean	Y	Y	Y	Y	10	8	5	10	Y	Y	Y	Y	Y	Y	Y	6	7	15	4	A	65	Responsive
4A International	Detro Healthcare Turkey	Detro San Chlor	Y	Y	Y	Y	10	5	3	10	Y	Y	Y	Y	Y	Y	Y	20	20	10	0	A	78	Responsive

Total Marks = 100

Qualifying Marks = 60% (60)

BID EVALUATION CRITERIA

Tender Sr. No. 289

Name of Item- Polythene Gloves Pack of 100 Nos. Standard Size

Name of firm/ Bidder	Mfg By	Brand Name	<u>Compulsory Criteria of Firm/ Bidder</u> (Drug Mfg Lic./ Drug Sale License "DML/DSL" Affidavits "AFD", Regarding Batch History and Drug Registration, Good manufacturing certificate"GMP)				<u>Ordinary Criteria of Firm/ Bidder</u> (Past Performance of the Bidder "PP" (Last two years) Credibility & Certification of Manufacturer "CrC" (ISO etc), (Financial Status of Bidder "FS",) sole agent certification / authorization from mfg.				<u>Compulsory Criteria of Product</u> (Drug Registration Certificate "DRC" / Provisional Enlistment Certificate "PEC" Product Experience From DRC "PE", Sample Specifications "SS", Free Sale Certificate) Affidavit regarding FSC, Valid Quality Cetrtificaon of FDA/Jp MHLW/ WHO/MDD/EMA/CE ,valid ISO 13485 for Medical Devices							<u>Ordinary Criteria of Product</u> Experience of the Quoted Product since last 05 Years, Local Market Business in Pakistan, Market Experience of Quoted Product, Export of quoted product (foreign principal / manufacturer)				Approval of samples by TSC/ End User & Clinicl Experience, (Approved "A" Rejected "R",)	Obt. Marks	Technical Eligibility of Product
			DML/ DSL (Y/N)	AFD (DTL) (Y/N)	AFD (D.R.) (Y/N)	GMP (Y/N)	PP 10 marks	CrC 10 marks	FS 5 marks	B&M Rel. 10 marks	DRC/ PEC (Y/N)	PE (Y/N)	SS (Y/N)	FSC (Y/N)	AFD (FSC)	QC (Y/N)	ISO 13485	Quoted Product Exp. 20 marks	ME 20 marks	Local Market Bus. 15 marks	Export of Quoted Products 10 marks	A/R		
Meher Traders	Jiangxi Rainbow China	Wellmed	Y	NA	NA	Y	10	8	5	10	NA	NA	Y	Y	Y	Y	Y	13	7	10	0	A	63	Responsive
Al-Ghani Traders	Not mentioned in technical bid		Y	NA	NA	N	10	0	5	0	NA	NA	Y	N	N	N	N	0	0	0	0	R	15	Non Responsive due to non compliance of compulsory parameter
Sajjad Medicose + Surgical	Medicare China	polythene gloves	Y	NA	NA	Y	10	8	5	5	NA	NA	Y	Y	Y	Y	Y	13	7	15	0	A	63	Responsive

Total Marks = 100 Qualifying Marks = 60% (60)

Dr. Maria Zulfiqar
Pharmacist
Medicine Procurement

Mrs. Rahat Ramzan
Director Technical / Drugs Controller

Dr. Ambreen Bhatti
A.M.S. (Stores)

Asst. Prof. Dr. Sairah Sadaf
Anesthesia Department

Assott. Prof. Dr. Anees ur Rehman
ENT Department

Head of Orthopedic Dept.
SZMC/ SZH. R. Y. Khan

Assot. Prof. Dr. Tariq Ghafoor
Surgery Department

Prof. Dr. Jamal Anwar
Paeds Department

Prof. Dr. Ghulam Fareed
Medical Unit

Medical Superintendent
SZH, R.Y.Khan

Prof. Dr. Shazia Majid Khan
Head of Gynecology Department
Chairperson Technical Scrutiny Committee